



## SAFETY DATA SHEET

### FACILIPRO LOW MAINTENANCE FLOOR FINISH

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FACILIPRO LOW MAINTENANCE FLOOR FINISH

Other means of identification : Not applicable.

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/22/2020

#### Section: 2. HAZARDS IDENTIFICATION

##### GHS Classification

Not a hazardous substance or mixture.

##### GHS Label element

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.

Other hazards : None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

| Chemical Name             | CAS-No.  | Concentration: (%) |
|---------------------------|----------|--------------------|
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | 1 - 5              |

#### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : No specific measures identified.

## SAFETY DATA SHEET

### FACILIPRO LOW MAINTENANCE FLOOR FINISH

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides

Special protective equipment and precautions for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Risk of explosion. : Not available.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 5 °C to 40 °C

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

## SAFETY DATA SHEET

### FACILIPRO LOW MAINTENANCE FLOOR FINISH

| Components                | CAS-No.  | Form of exposure | Permissible concentration       | Basis     |
|---------------------------|----------|------------------|---------------------------------|-----------|
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | TWA              | 30 ppm<br>165 mg/m <sup>3</sup> | CA ON OEL |
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | TWA              | 25 ppm                          | AIHA WEEL |

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         |                                                 |
|-----------------------------------------|-------------------------------------------------|
| Appearance                              | : Emulsion                                      |
| Colour                                  | : opaque, white                                 |
| Odour                                   | : ammoniacal                                    |
| pH                                      | : 7.5 - 8.5, (100 %)                            |
| Flash point                             | : Not applicable., Does not sustain combustion. |
| Odour Threshold                         | : no data available                             |
| Melting point/freezing point            | : no data available                             |
| Initial boiling point and boiling range | : no data available                             |
| Evaporation rate                        | : no data available                             |
| Flammability (solid, gas)               | : Not applicable.                               |
| Upper explosion limit                   | : no data available                             |
| Lower explosion limit                   | : no data available                             |
| Vapour pressure                         | : no data available                             |
| Relative vapour density                 | : no data available                             |
| Relative density                        | : 1.02 - 1.03                                   |
| Water solubility                        | : no data available                             |
| Solubility in other solvents            | : no data available                             |
| Partition coefficient: n-octanol/water  | : no data available                             |
| Auto-ignition temperature               | : no data available                             |
| Thermal decomposition                   | : no data available                             |
| Viscosity, kinematic                    | : 6.842 mm <sup>2</sup> /s (40 °C)              |

## SAFETY DATA SHEET

### FACILIPRO LOW MAINTENANCE FLOOR FINISH

Explosive properties : no data available  
Oxidizing properties : no data available  
Molecular weight : no data available  
VOC : no data available

#### Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : None known.  
Incompatible materials : None known.  
Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:  
Carbon oxides

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

##### Experience with human exposure

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

##### Toxicity

##### Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

## SAFETY DATA SHEET

### FACILIPRO LOW MAINTENANCE FLOOR FINISH

|                                   |                                                                         |
|-----------------------------------|-------------------------------------------------------------------------|
| Acute inhalation toxicity         | : 4 h Acute toxicity estimate : > 10 mg/l<br>Test atmosphere: dust/mist |
| Acute dermal toxicity             | : Acute toxicity estimate : > 5,000 mg/kg                               |
| Skin corrosion/irritation         | : no data available                                                     |
| Serious eye damage/eye irritation | : no data available                                                     |
| Respiratory or skin sensitization | : no data available                                                     |
| Carcinogenicity                   | : no data available                                                     |
| Reproductive effects              | : no data available                                                     |
| Germ cell mutagenicity            | : no data available                                                     |
| Teratogenicity                    | : no data available                                                     |
| STOT - single exposure            | : no data available                                                     |
| STOT - repeated exposure          | : no data available                                                     |
| Aspiration toxicity               | : no data available                                                     |

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : Harmful to aquatic life.

#### Product

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

#### Components

Toxicity to fish : 2-(2-ethoxyethoxy)ethanol  
96 h LC50 *Ictalurus punctatus* (channel catfish): 6,010 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : 2-(2-ethoxyethoxy)ethanol  
48 h LC50 *Daphnia magna* (Water flea): 1,982 mg/l

#### Components

Toxicity to algae : 2-(2-ethoxyethoxy)ethanol  
96 h EC50 *Desmodesmus subspicatus* (green algae): > 100 mg/l  
Test substance: Information given is based on data obtained from similar substances.  
96 h NOEC *Desmodesmus subspicatus* (green algae): > 100 mg/l  
Test substance: Information given is based on data obtained from similar substances.

#### Persistence and degradability

Biodegradable/Eliminated from aquatic environment

Biodegradable/Eliminated from aquatic environment

#### Bioaccumulative potential

## SAFETY DATA SHEET

### FACILIPRO LOW MAINTENANCE FLOOR FINISH

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (TDG)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

### Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

#### United States TSCA Inventory :

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

not determined

#### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

#### Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

## SAFETY DATA SHEET

### FACILIPRO LOW MAINTENANCE FLOOR FINISH


**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
not determined

**China Inventory of Existing Chemical Substances :**  
not determined

**Taiwan Chemical Substance Inventory :**  
not determined

#### Section: 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 0 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 10/22/2020  
Version : 1.1  
Prepared by : Regulatory Affairs 1-800-352-5326

**REVISED INFORMATION:** Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.