

SECTION 1. PRODUCT IDENTIFICATION

Product name : OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

Other means of identification : Not applicable

Recommended use : Glass Cleaner

Product dilution information : 3,13 % - 6,25 %

Company : Distributed in the Caribbean by:
Carr. #28 Lote 13-A Urbanización Industrial Luchetti Bayamón, PR 00961

Emergency telephone : Caribbean:787-796-1290 x-6855 / 787-599-6743/1-800-984-1290

Issuing date : 14.06.2019

SECTION 2. HAZARD OR HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Flammable liquids, Category 4	H227
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2A	H319
Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system	H336

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Warning

Hazard Statements	: H227 H315 H319 H336	Combustible liquid. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.
-------------------	--------------------------------	--

Precautionary Statements	: Prevention: P210 P261 P264 P271 P280	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
	: Response: P302 + P352	IF ON SKIN: Wash with plenty of water.

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements	:	Prevention: P264	Wash hands thoroughly after handling.
		Response: P314	Get medical advice/ attention if you feel unwell.
		Storage: P401	Store in accordance with local regulations.

Product AS SOLD

Other hazards : None known.

SECTION 3. COMPOSITION / INFORMATION OF HAZARDOUS INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
N-Propoxypropanol	1569-01-3	20 - 30
monoethanolamine	141-43-5	1 - 5
sulfuric acid, mono-c10-16-alkyl esters, sodium salts	68585-47-7	1 - 5

Product AT USE DILUTION

Chemical name	CAS-No.	Concentration (%)
N-Propoxypropanol	1569-01-3	1 - 5

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

Potential Health Effects

Product AS SOLD

Eyes	: Causes serious eye irritation.
Skin	: Causes mild skin irritation. Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Inhalation may cause central nervous system effects.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance.

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. MEASURES TO BE TAKEN IN CASE OF ACCIDENTAL SPILLAGE

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed.
Environmental precautions	: No special environmental precautions required.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling	: Avoid contact with skin and eyes. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	: Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Store in suitable labeled containers.
Storage temperature	: 0 °C to 50 °C

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
monoethanolamine	141-43-5	TWA	3 ppm	CR OEL
		STEL	6 ppm	CR OEL
monoethanolamine	141-43-5	TLV-TWA	3 ppm	DO OEL
monoethanolamine	141-43-5	CCT	6 ppm 15 mg/m ³	PA OEL
		CPT	3 ppm 6 mg/m ³	PA OEL
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m ³	NIOSH REL
		STEL	6 ppm 15 mg/m ³	NIOSH REL
		TWA	3 ppm 6 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: blue	light blue
Odor	: pungent	pungent
pH	: 10,7, (100 %)	10,4 - 10,5
Flash point	: 62 °C closed cup	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 0,996	
Water solubility	: No data available	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Molecular weight	: No data available	
VOC	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Experience with human exposure

Product AS SOLD

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation, slight irritation
Ingestion	: No symptoms known or expected.
Inhalation	: Dizziness, Drowsiness

Product AT USE DILUTION

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product AS SOLD Product

Acute oral toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 10 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : No data available
Toxicity to daphnia and other aquatic invertebrates : No data available
Toxicity to algae : No data available

Components

Toxicity to fish : N-Propoxypropanol
96 h LC50 Fish: > 100 mg/l

sulfuric acid, mono-c10-16-alkyl esters, sodium salts
LC50: > 1,39 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : monoethanolamine
48 h LC50: 65 mg/l

sulfuric acid, mono-c10-16-alkyl esters, sodium salts
48 h EC50 Ceriodaphnia dubia (Water flea): 1,37 mg/l

Persistence and degradability

Product AS SOLD

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION REGARDING THE DISPOSAL OF PRODUCTS

Product AS SOLD

Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

waste in approved waste disposal plants.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Not dangerous goods

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

Not dangerous goods


SECTION 15. REGULATORY INFORMATION

Our Safety Data Sheet (SDS) complies with Decree n ° 40705-S

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0


0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

SAFETY DATA SHEET

OASIS COMPAC 42 GLASS FORCE PROFESSIONAL

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 14.06.2019
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.