

**SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY**

|                               |                                                                                                                                                                                  |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product name                  | : REVITALIZE GREASE AND OIL SPOTTER                                                                                                                                              |
| Other means of identification | : Not applicable                                                                                                                                                                 |
| Recommended use               | : Carpet or Upholstery cleaner                                                                                                                                                   |
| Restrictions on use           | : Reserved for industrial and professional use.                                                                                                                                  |
| Product dilution information  | : Product is sold ready to use.                                                                                                                                                  |
| Company                       | : Chile ECOLAB S.A.<br>Avenida Pedro de Valdivia 3801<br>Santiago, Santiago Chile<br>(2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600<br>sac.chile@ecolab.com |
| Emergency telephone           | : (+56-2) 2635-3600 (CITUC) EMERGENCY PHONE                                                                                                                                      |
| Toxicological Emergency Phone | : CITUC (+56-2) 2635-3800 (24 hours) Toxicological Emergencies                                                                                                                   |

**SECTION 2. HAZARDS IDENTIFICATION**

**Classification according to NCH 382** : Class: Class 9 Miscellaneous Dangerous Goods

**Distintivo según NCh 2190** :


**GHS Classification**

|                                   |               |
|-----------------------------------|---------------|
| Acute toxicity (Oral)             | : Category 5  |
| Skin irritation                   | : Category 2  |
| Eye irritation                    | : Category 2B |
| Short-term (acute) aquatic hazard | : Category 1  |

**GHS label elements**

**Hazard pictograms** :



**Signal Word** : Warning

**Hazard Statements** : May be harmful if swallowed.  
Causes skin and eye irritation.  
Very toxic to aquatic life.

**Precautionary Statements** : **Prevention:**

## SAFETY DATA SHEET

### REVITALIZE GREASE AND OIL SPOTTER

Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves.

**Response:**

IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Collect spillage.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

### SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

Pure substance/mixture : Mixture

| Chemical name                                                                | CAS-No.    | Concentration (%) |
|------------------------------------------------------------------------------|------------|-------------------|
| dodecanoic acid, methyl ester                                                | 111-82-0   | 30 - 60           |
| Di-propyleneglycol ethers                                                    | 29911-27-1 | 10 - 30           |
| GLYCOLS -Glycolethers                                                        | 29911-28-2 | 10 - 30           |
| Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) | 27323-41-7 | 10 - 30           |
| alcohols, c12-16, ethoxylated                                                | 68551-12-2 | 5 - 10            |

### SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

**Expected acute effects**

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : May be harmful if swallowed.

Inhalation : Health injuries are not known or expected under normal use.

**Expected chronic effects**

Chronic Exposure : Health injuries are not known or expected under normal use.

**Most important symptoms / effects**

Eye contact : Redness, Irritation

Skin contact : Redness, Irritation

## SAFETY DATA SHEET

### REVITALIZE GREASE AND OIL SPOTTER

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### SECTION 5. FIREFIGHTING MEASURES

Extinguishing Agents : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing agents : None known.

Specific hazards during fire fighting : Not flammable or combustible.

Products generated in combustion and thermal degradation : Decomposition products may include the following materials:  
Carbon oxides  
Nitrogen oxides (NOx)  
Sulfur oxides  
Oxides of phosphorus

Precautions for Emergency Personnel and / or Firefighters : Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### SECTION 7. HANDLING AND STORAGE

##### Handling

Advice on safe handling : Do not ingest. Avoid contact with skin and eyes. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

##### Storage

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Recommended and : Use high density plastic containers.

## SAFETY DATA SHEET

### REVITALIZE GREASE AND OIL SPOTTER

unsuitable packaging by  
supplier

Storage temperature : 0 °C to 30 °C

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

##### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : Wear the following personal protective equipment:  
Impervious gloves, resistant to chemicals.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         |                            |
|-----------------------------------------|----------------------------|
| Appearance                              | : liquid                   |
| Color                                   | : clear, light yellow      |
| Odor                                    | : hydrocarbon-like         |
| pH                                      | : 7,0 - 9,0, (100 %)       |
| Flash point                             | : closed cupNot applicable |
| Odor Threshold                          | : No data available        |
| Melting point/freezing point            | : No data available        |
| Initial boiling point and boiling range | : > 100 °C                 |
| Evaporation rate                        | : No data available        |
| Flammability (solid, gas)               | : Not applicable           |
| Upper explosion limit                   | : No data available        |
| Lower explosion limit                   | : No data available        |
| Vapor pressure                          | : No data available        |
| Relative vapor density                  | : No data available        |
| Relative density                        | : 0,85 - 0,94              |

## SAFETY DATA SHEET

### REVITALIZE GREASE AND OIL SPOTTER

|                                        |                     |
|----------------------------------------|---------------------|
| Water solubility                       | : No data available |
| Solubility in other solvents           | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Autoignition temperature               | : No data available |
| Thermal decomposition                  | : No data available |
| Viscosity, kinematic                   | : No data available |
| Explosive properties                   | : No data available |
| Oxidizing properties                   | : No data available |
| Molecular weight                       | : No data available |
| VOC                                    | : No data available |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                                                                |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.                                                                                                  |
| Chemical stability                 | : Stable under normal conditions.                                                                                                                              |
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.                                                                                                  |
| Conditions to avoid                | : None known.                                                                                                                                                  |
| Incompatible materials             | : None known.                                                                                                                                                  |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>Nitrogen oxides (NOx)<br>Sulfur oxides<br>Oxides of phosphorus |

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Toxicity

#### Product

|                                   |                                           |
|-----------------------------------|-------------------------------------------|
| Acute oral toxicity               | : Acute toxicity estimate : 2.531 mg/kg   |
| Acute inhalation toxicity         | : No data available                       |
| Acute dermal toxicity             | : Acute toxicity estimate : > 5.000 mg/kg |
| Skin corrosion/irritation         | : No data available                       |
| Serious eye damage/eye irritation | : Mild eye irritation                     |
| Respiratory or skin sensitization | : No data available                       |
| Carcinogenicity                   | : No data available                       |
| Reproductive effects              | : No data available                       |

## SAFETY DATA SHEET

### REVITALIZE GREASE AND OIL SPOTTER

Germ cell mutagenicity : No data available  
Teratogenicity : No data available  
STOT-single exposure : No data available  
STOT-repeated exposure : No data available  
Aspiration toxicity : No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Environmental Effects : Very toxic to aquatic life.

### Product

Toxicity to fish : No data available  
Toxicity to daphnia and other aquatic invertebrates : No data available  
Toxicity to algae : No data available

### Components

Toxicity to fish : Di-propyleneglycol ethers  
96 h LC50 Fish: > 100 mg/l  
  
GLYCOLS -Glycolethers  
96 h LC50 Poecilia reticulata (guppy): 841 mg/l  
  
Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1)  
96 h LC50: 2,5 mg/l  
  
alcohols, c12-16, ethoxylated  
LC50: 1,5 mg/l

### Components

Toxicity to daphnia and other aquatic invertebrates : dodecanoic acid, methyl ester  
48 h EC50 Daphnia: 0,255 mg/l  
  
GLYCOLS -Glycolethers  
48 h EC50 Daphnia magna (Water flea): > 100 mg/l

### Components

Toxicity to algae : GLYCOLS -Glycolethers  
96 h EC50 Selenastrum capricornutum (green algae): 519 mg/l

### Persistence and degradability

Biodegradable

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

## SAFETY DATA SHEET

### REVITALIZE GREASE AND OIL SPOTTER

No data available

#### SECTION 13. INFORMATION OF DISPOSAL

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

#### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport

##### Official transport classification of the United Nations

|                           |   |                                                                         |
|---------------------------|---|-------------------------------------------------------------------------|
| UN number                 | : | 3082                                                                    |
| Description of the goods  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(methyl laurate) |
| Class                     | : | 9                                                                       |
| Packing group             | : | III                                                                     |
| Environmentally hazardous | : | yes                                                                     |

##### Air transport (IATA)

##### Official transport classification of the United Nations

Contact Regulatory for air freight eligibility

##### Sea transport (IMDG/IMO)

##### Official transport classification of the United Nations

|                                                                          |   |                                                                         |
|--------------------------------------------------------------------------|---|-------------------------------------------------------------------------|
| UN number                                                                | : | 3082                                                                    |
| Description of the goods                                                 | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(methyl laurate) |
| Class                                                                    | : | 9                                                                       |
| Packing group                                                            | : | III                                                                     |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | : | Not applicable                                                          |
| Marine pollutant                                                         | : | yes                                                                     |

#### SECTION 15. REGULATORY INFORMATION

##### Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification

NCh 382: Dangerous Good - Classification

D.S. No. 594: Minimum basic conditions in the workplace

D.S. No. 148: Hazardous waste disposal

D.S. No. 72: Mining Safety Regulations

D. S. No. 43: reports on the storage of hazardous substances


## SAFETY DATA SHEET

### REVITALIZE GREASE AND OIL SPOTTER

D. S. No. 40: Reporting on exposure hazards

#### SECTION 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 2 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 27.02.2020  
Version : 1.0  
Prepared by : Regulatory Affairs

While there is no change in the formula or hazard classifications, this SDS remains valid.

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.