

**ALCODES GF**

**Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product name : ALCODES GF

Product code : 119001E

Use of the Substance/Mixture : Biocide

Substance type: : Mixture

**For professional users only.**

Product dilution information : No dilution information provided.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Surface disinfectant. Manual process

Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : Ecolab Temizleme Sistemleri Ltd. Şti  
Esentepe Mahallesi, Cevizli - Esentepe E-5 Yanyol Caddesi  
Vizyon Bulvarı No: 13, Kat 1 No: 65 Turkey TR 34870 KARTAL / İSTANBUL  
+90 (216) 458 69 00, Fax: +90 (216) 458 69 07

Company : Ecolab Gulf FZE  
P.O. Box 17063  
Jebel Ali Free Zone Area, Near Container Terminal 3 - North Zone, Dubai UAE 00971 4 8014444 Customer Services

Nalco Egypt Trading  
5th Settlement, South 90th St.  
The Address Building No 67th – 1st floor, New Cairo, Cairo, Egypt 11835  
0020 2 25 37 1195

Ecolab Maroc S.A.R.L.  
Batiment, Lot. Mounir 1, Parc Industriel  
Attawfik, Route 1029 Sidi Maarouf, Casablanca, Morocco 00212 22 58 25 30 - 35

Company : Ecolab Food Safety & Hygiene Solutions Pvt. Ltd  
WeWork, 247 Park Bus Stop, 13th floor, 247 Park, Hindustan C, LBS Road, Gandhi Nagar, Vikhroli West,

**ALCODES GF**

Mumbai, Maharashtra. 400 079, India Phone: +91 22 48808555,  
+91 22 48808535 Toll free number: 1800 209 2530

**1.4 Emergency telephone number**

Emergency telephone number : +32-(0)3-575-5555 Trans- European

Poison Information Centre : 114 Ulusal Zehir Danışma Merkezi (UZEM)  
telephone number

Date of Compilation/Revision : 10.01.2022  
version : 1.1

**Section: 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification (T.R. SEA No 28848)**

Flammable liquids, Category 2 H225  
Eye irritation, Category 2 H319

**2.2 Label elements**

**Labelling (T.R. SEA No 28848)**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks,  
open flames and other ignition sources. No  
smoking.  
P280e Wear eye protection/face protection.

**2.3 Other hazards**

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Hazardous components**

**ALCODES GF**

| Chemical Name     | CAS-No.<br>EC-No.    | Classification<br>(T.R. SEA No 28848)                                                                                                                             | Concentration<br>: [%] |
|-------------------|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| ethanol           | 64-17-5<br>200-578-6 | Flammable liquids Category 2; H225<br>Serious eye damage/eye irritation<br>Category 2; H319<br><br>Serious eye damage/eye irritation<br>Category 2A<br>50 - 100 % | >= 50 - <= 100         |
| Isopropyl Alcohol | 67-63-0<br>200-661-7 | Flammable liquids Category 2; H225<br>Eye irritation Category 2; H319<br>Specific target organ toxicity - single<br>exposure Category 3; H336                     | >= 3 - < 5             |

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically.

**Section: 5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet

**5.2 Special hazards arising from the substance or mixture**

- Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.

**ALCODES GF**

Beware of vapours accumulating to form explosive concentrations.  
Vapours can accumulate in low areas.

Hazardous combustion products : Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

Environmental precautions : Do not allow contact with soil, surface or ground water.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Advice on safe handling : Avoid contact with skin and eyes. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces.

**ALCODES GF**

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : -5 °C to 30 °C

**7.3 Specific end uses**

Specific use(s) : Surface disinfectant. Manual process

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

Contains no substances with occupational exposure limit values.

**DNEL**

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isopropyl Alcohol | : End Use: Workers<br>Exposure routes: Dermal<br>Potential health effects: Long-term systemic effects<br>Value: 888 mg/cm <sup>2</sup><br><br>End Use: Workers<br>Exposure routes: Inhalation<br>Potential health effects: Long-term systemic effects<br>Value: 500 mg/m <sup>3</sup><br><br>End Use: Consumers<br>Exposure routes: Dermal<br>Potential health effects: Long-term systemic effects<br>Value: 319 mg/cm <sup>2</sup><br><br>End Use: Consumers<br>Exposure routes: Inhalation<br>Potential health effects: Long-term systemic effects<br>Value: 89 mg/m <sup>3</sup><br><br>End Use: Consumers<br>Exposure routes: Ingestion<br>Potential health effects: Long-term systemic effects |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**ALCODES GF**

|  |               |
|--|---------------|
|  | Value: 26 ppm |
|--|---------------|

**PNEC**

|                   |                                                                                                                                                                                                                                                                                                                                     |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isopropyl Alcohol | : Fresh water<br>Value: 140.9 mg/l<br><br>Marine water<br>Value: 140.9 mg/l<br><br>Intermittent use/release<br>Value: 140.9 mg/l<br><br>Fresh water<br>Value: 552 mg/kg<br><br>Marine sediment<br>Value: 552 mg/kg<br><br>Soil<br>Value: 28 mg/kg<br><br>Sewage treatment plant<br>Value: 2251 mg/l<br><br>Oral<br>Value: 160 mg/kg |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**8.2 Exposure controls**

**Appropriate engineering controls**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Eye/face protection (EN 166) : Safety glasses with side-shields

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when

**ALCODES GF**

respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

|                                         |                                                            |
|-----------------------------------------|------------------------------------------------------------|
| Appearance                              | : liquid                                                   |
| Colour                                  | : clear, colourless                                        |
| Odour                                   | : alcohol-like                                             |
| pH                                      | : 7.0 - 8.0, 100 %                                         |
| Flash point                             | : 21 °C closed cup                                         |
| Odour Threshold                         | : Not applicable and/or not determined for the mixture     |
| Melting point/freezing point            | : Not applicable and/or not determined for the mixture     |
| Initial boiling point and boiling range | : > 35 °C                                                  |
| Evaporation rate                        | : Not applicable and/or not determined for the mixture     |
| Flammability (solid, gas)               | : Not applicable and/or not determined for the mixture     |
| Upper explosion limit                   | : Not applicable and/or not determined for the mixture     |
| Lower explosion limit                   | : Not applicable and/or not determined for the mixture     |
| Vapour pressure                         | : Not applicable and/or not determined for the mixture     |
| Relative vapour density                 | : Not applicable and/or not determined for the mixture     |
| Relative density                        | : 0.85 - 0.89                                              |
| Water solubility                        | : soluble                                                  |
| Solubility in other solvents            | : Not applicable and/or not determined for the mixture     |
| Partition coefficient: n-octanol/water  | : Not applicable and/or not determined for the mixture     |
| Auto-ignition temperature               | : Not applicable and/or not determined for the mixture     |
| Thermal decomposition                   | : Not applicable and/or not determined for the mixture     |
| Viscosity, kinematic                    | : Not applicable and/or not determined for the mixture     |
| Explosive properties                    | : Not applicable and/or not determined for the mixture     |
| Oxidizing properties                    | : The substance or mixture is not classified as oxidizing. |

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**ALCODES GF**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

Heat, flames and sparks.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye irritation : There is no data available for this product.

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

**ALCODES GF**

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

**Components**

Acute oral toxicity : ethanol LD50 rat: 10,470 mg/kg  
Isopropyl Alcohol LD50 rat: 5,840 mg/kg

**Components**

Acute inhalation toxicity : ethanol 4 h LC50 rat: 117 mg/l  
Test atmosphere: vapour  
Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l  
Test atmosphere: vapour

**Components**

Acute dermal toxicity : ethanol LD50 rabbit: 15,800 mg/kg  
Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg

**Potential Health Effects**

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Inhalation may cause central nervous system effects.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : Dizziness, Drowsiness

**Section: 12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

**ALCODES GF**

Environmental Effects : This product has no known ecotoxicological effects.

**Product**

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

**Components**

Toxicity to fish : ethanol96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

Isopropyl Alcohol96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : ethanol48 h EC50 Aquatic Invertebrate: 857 mg/l

Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l

**12.2 Persistence and degradability**

**Product**

no data available

**Components**

Biodegradability : ethanolResult: Readily biodegradable.

Isopropyl AlcoholResult: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

**ALCODES GF**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

- |                                   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                           | : | Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.                                                                                                                                                                                                                                                                      |
| Contaminated packaging            | : | Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.                                                                                                                                                                                                                                                   |
| Guidance for Waste Code selection | : | Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations. |

**Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

- |                                   |   |                  |
|-----------------------------------|---|------------------|
| 14.1 UN number                    | : | 1170             |
| 14.2 UN proper shipping name      | : | ETHANOL SOLUTION |
| 14.3 Transport hazard class(es)   | : | 3                |
| 14.4 Packing group                | : | II               |
| 14.5 Environmental hazards        | : | No               |
| 14.6 Special precautions for user | : | None             |

**Air transport (IATA)**

- |                                   |   |                  |
|-----------------------------------|---|------------------|
| 14.1 UN number                    | : | 1170             |
| 14.2 UN proper shipping name      | : | Ethanol solution |
| 14.3 Transport hazard class(es)   | : | 3                |
| 14.4 Packing group                | : | II               |
| 14.5 Environmental hazards        | : | No               |
| 14.6 Special precautions for user | : | None             |

**ALCODES GF**

**Sea transport (IMDG/IMO)**

14.1 UN number : 1170  
14.2 UN proper shipping name : ETHANOL SOLUTION  
14.3 Transport hazard class(es) : 3  
14.4 Packing group : II  
14.5 Environmental hazards : No  
14.6 Special precautions for user : None  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

**Section: 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
Seveso III: Directive : FLAMMABLE LIQUIDS P5c  
2012/18/EU of the European Parliament and of the Council Lower tier : 5,000 t  
on the control of major- Upper tier : 50,000 t  
accident hazards involving dangerous substances.

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : According to 11 December 2013, Numbered 28848 (Bis), "Ministry of Environment and Forestry"; Regulation on Classification, Labelling and Packaging of Substances and Mixtures.  
According to 13 Dec 2014, Numbered 29204, "Ministry of Environment and Urbanization"; Regulation on Safety Data Sheets regarding Dangerous Substances and Mixtures.

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

**Section: 16. OTHER INFORMATION**

**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008 and Regulation T.R. SEA No 28848**

| Classification            | Justification                       |
|---------------------------|-------------------------------------|
| Flammable liquids 2, H225 | Based on product data or assessment |
| Eye irritation 2, H319    | Calculation method                  |

**Full text of H-Statements**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Name, Surname: Hazal Kan  
Certificate number: GBF01.29.11  
Certificate date: 16.03.2019  
Certificate expiry date: 16.03.2022  
Contact: +902164586983

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.