



SAFETY DATA SHEET

ECOCARE 250

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ECOCARE 250

Other means of identification : Not applicable

Recommended use : Skin antiseptic

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB ECUADOR CIA LTDA
S. Moreno OE1-195 y Francisco Garcia
Quito, Pichincha, Ecuador
TEL: 593-2500 1073

Emergency telephone : CISPROQUIM® (24 horas) Teléfono: 1800-59-3005 (Ecuador)

Issuing date : 04.11.2020

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2B

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Signal Word : Warning

Hazard Statements : Causes eye irritation.
Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Avoid release to the environment.
Response:
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
ethanol	64-17-5	5 - 10
glycerin	56-81-5	5 - 10
fatty acids, c14-18 and c16-18-unsatd., potassium salts	68002-80-2	1 - 5
Tetrasodium EDTA	64-02-8	1 - 5

SAFETY DATA SHEET

ECOCARE 250

SECTION 4. FIRST AID MEASURES

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically.
Toxicological emergency telephone contact	: 1800 VENENO, 1800 836366 A NIVEL NACIONAL EN ECUADOR
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent

SAFETY DATA SHEET

ECOCARE 250

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : -10 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	CMP	1.000 ppm	AR OEL
ethanol	64-17-5	LT	780 ppm 1.480 mg/m ³	BR OEL
ethanol	64-17-5	LPP	875 ppm 1.645 mg/m ³	CL OEL
ethanol	64-17-5	TWA	1.000 ppm 1.884 mg/m ³	PE OEL
ethanol	64-17-5	L-8/40	1.000 ppm	VE OEL
ethanol	64-17-5	LMPE-PPT	1.000 ppm 1.900 mg/m ³	MX OEL
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m ³	NIOSH REL
		TWA	1.000 ppm 1.900 mg/m ³	OSHA Z1
glycerin	56-81-5	CMP (Mist)	10 mg/m ³	AR OEL
glycerin	56-81-5	TWA (Mist)	10 mg/m ³	PE OEL
glycerin	56-81-5	L-8/40 (Mist)	10 mg/m ³	VE OEL
glycerin	56-81-5	LMPE-PPT	10 mg/m ³	MX OEL
glycerin	56-81-5	TWA	10 mg/m ³	ACGIH
		TWA (respirable fraction)	5 mg/m ³	OSHA Z1

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Safety goggles

SAFETY DATA SHEET

ECOCARE 250

Face-shield

Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, green
Odor	: slight
pH	: 8,9 - 9,2, (100 %)
Flash point	: 43 °C closed cup, Does not sustain combustion.
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,02 - 1,03
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: 1759,259 mm ² /s (40 °C)
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

ECOCARE 250

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Bases
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product

Acute oral toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 10 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No data available

SAFETY DATA SHEET

ECOCARE 250

Serious eye damage/eye irritation	: Mild eye irritation
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: ethanol 96 h LC50 Pimephales promelas: > 100 mg/l glycerin 96 h LC50 Fish: 855 mg/l fatty acids, c14-18 and c16-18-unsatd., potassium salts 96 h LC50 Fish: > 1.000 mg/l Test substance: Information given is based on data obtained from similar substances. Tetrasodium EDTA 96 h LC50 Fish: 121 mg/l
------------------	---

Components

Toxicity to daphnia and other aquatic invertebrates	: ethanol 48 h EC50 Aquatic Invertebrate: 857 mg/l
---	---

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

SAFETY DATA SHEET

ECOCARE 250

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport: generally applicable for transport in Ecuador.

Not dangerous goods

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)


Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Ecuador: Our MSDS complies with the requirements established by Ecuadorian Technical Regulation INEN 2266:2013

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 04.11.2020
Version : 1.1
Prepared by : Regulatory Affairs

SAFETY DATA SHEET

ECOCARE 250

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.