

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KLERCIDE 70/30 イソプロピルアルコール
Klercide 70/30 IPA

Other means of identification : Not applicable.

Recommended use : Surface Disinfectant

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab G.K.
1-8-11 Harumi, Chuo-ku, Tokyo 104-6137

0120-103-144 (Institutional Division)

0120-103-145 (Food & Beverage Division)

Emergency telephone number : 0120-756-005 (Toll Free)

Issuing date : 2021.10.11

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable liquids : Category 2
 Serious eye damage/eye irritation : Category 2A
 Specific target organ toxicity - single exposure : Category 3 (Narcotic effects)

GHS Label element

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : Highly flammable liquid and vapour.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist or vapours. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.
Response:

SAFETY DATA SHEET

Klercide 70/30 IPA

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Isopropyl Alcohol	67-63-0	60 - 70

Section: 4. FIRST AID MEASURES

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

In case of skin contact : Rinse with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapours accumulating to form explosive concentrations.
Vapours can accumulate in low areas.

SAFETY DATA SHEET

Klercide 70/30 IPA

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : Refer to product label or ask your local Sales Representative.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	JP OEL ISHL
		OEL-C	400 ppm 980 mg/m ³	JP OEL JSOH

SAFETY DATA SHEET

Klercide 70/30 IPA

Engineering measures

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection	: Safety goggles Face-shield
Hand protection	: Wear the following personal protective equipment: Standard glove type. Neoprene/natural rubber blend Nitrile Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: No special protective equipment required.
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless
Odour	: alcohol-like
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 35 °C
Flammability	: (solid, gas): Not applicable. (liquid): no data available
Lower and upper explosion limit/flammability limit	: no data available
Flash point	: 21 °C closed cup
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
pH	: 6.0 - 8.0, (100 %)
Viscosity, kinematic	: no data available
Solubility	: soluble (water)
Partition coefficient: n-octanol/water	: no data available
Vapour pressure	: no data available
Relative density	: 0.872 - 0.883
Relative vapour density	: no data available
Particle characteristics	: no data available

Section: 10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

Klercide 70/30 IPA

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Ingestion of Isopropanol has been shown to cause central nervous system effects.
Inhalation	: Inhalation may cause central nervous system effects.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Irritation, Pain
Skin contact	: No symptoms known or expected.
Ingestion	: Vomiting
Inhalation	: Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available

SAFETY DATA SHEET

Klercide 70/30 IPA

Reproductive effects : no data available

Germ cell mutagenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute oral toxicity : Isopropyl Alcohol
LD50 rat: 5,840 mg/kg

Components

Acute inhalation toxicity : Isopropyl Alcohol
4 h LC50 rat: > 30 mg/l
Test atmosphere: vapour

Components

Acute dermal toxicity : Isopropyl Alcohol
LD50 rabbit: 12,870 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Isopropyl Alcohol
96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : Isopropyl Alcohol
LC50 Daphnia magna (Water flea): > 10,000 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

Hazard to the ozone layer

no data available

Other adverse effects

SAFETY DATA SHEET

Klercide 70/30 IPA

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Information on safe and environmentally desirable disposal or recycling of the chemical (waste from residues), contaminated containers and packaging to which the chemicals are attached

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 1219
Proper shipping name : ISOPROPANOL
(Isopropanol)
Class : 3
Packing group : II
Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 1219
Proper shipping name : ISOPROPANOL
(Isopropanol)
Class : 3
Packing group : II
Marine pollutant : Not applicable

Regulatory information in case there are domestic regulations:

Land transportation: Follow the transportation methods stipulated in the Fire Service Law, Poisonous and Deleterious Substances Control Law, Industrial Safety and Health Law, etc.

Sea transportation: Follow the transportation method stipulated in the Ship Safety Law.

Air transportation: Follow the transportation method stipulated in the Aviation Law.

Section: 15. REGULATORY INFORMATION

National regulatory information

Industrial Safety and Health Law

Publication of Technical Guidelines Article 28 (3)

Not applicable.

Mutagenic existing chemical substances

Not applicable.

Mutagenic new chemical substances

Not applicable.

Hazardous Substances Requiring Notification SDS Table 9

Article 57-2 (Enforcement Order Table 9)

SAFETY DATA SHEET

Klercide 70/30 IPA

Chemical Name	Concentration: (%)
Isopropyl Alcohol	60 - 70

Hazardous Substances Subject to Labeling Requirements

Article 57 (Enforcement Order Article 18)

Chemical Name
Isopropyl Alcohol

Ordinance on Prevention of Specified Chemical Substances Hazards

Not applicable.

Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

Enforcement Order of the Industrial Safety and Health Law: Dangerous Substances

Inflammable Substance

Poisonous and Deleterious Substances Control Law

Not applicable.

Law concerning Pollutant Release and Transfer Register (PRTR Law)

Not applicable.

Information of the other applicable regulations name and regulations based on its regulation.

Fire Service Law

FSL Class 4, Alcohols, Hazardous rank II, Keep away from fire, (400 liters)

Water Pollution Control Law

Not applicable.

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet
Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date : 2021.10.11
version : 1.0
Prepared by : Regulatory Affairs

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.