



SAFETY DATA SHEET

LUBODRIVE GS

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : LUBODRIVE GS

Other means of identification : Not applicable

Recommended use : Lubricant

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.1 % - 1.0 %

Company :

Chile ECOLAB S.A., Avenida Pedro de Valdivia 3801, Santiago, Chile, (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600, sac.chile@ecolab.com

Ecolab Argentina S.R.L., Street 11 N° 978, Industrial Park Pilar - Pilar, Buenos Aires, Zip Code: B1629MXA, Telephone: 0230 467 1000

Ecolab Colombia S.A., Avenida Carrera 60 No. 22 – 75 Interior 7., Bogotá, Colômbia, Telephone: 01 8000-120020

ECOLAB Costa Rica SRL, BES Free Zone, El Coyo 7 km west Juan Santamaria Airport, Alajuela, Costa Rica, ZIP Code: Apdo109-4003

Ecolab Mexico, Avenida Industriales 28, Fraccionamiento Industrial - Cuamatla, Cuautitlán Izcalli, Mexico State, Zip Code: 54730, Telephone: (0155) 5864-1800

Quimiproduktos S. de R.L. de C.V., Carretera Miguel Alemán, 990, Colonia La Encarnación - Apodaca, Nuevo León, Mexico, Zip Code: 66633, Telephone: (0181) 47395900

Peru, Calle Santa Isabel # 326 Miraflores. Lima - Perú, Telephone: 511 7176200

Emergency telephone :

Argentina: Ciquime: 0800-222-2933/ 011 4613-1100, National Poison Control Center: 0800 333 0160

Chile: Poison Information Centre CITUC: (+56-2) 2635-3800

Colômbia: CISPROMQUIM® (24 hour service) Phone: 2886012 (Bogotá), Telephone: 018000916012 (Colombia), Telephone: 08001005012 (Venezuela), Telephone: 1800-59-3005 (Ecuador: solo Quito, La sierra, Centro and norte), Telephone: Ecolab USA and Canadá 1-651-222-5352

Costa Rica: For medical emergency information, call 911 and (506) 2436-3900 in Costa Rica. National Poison Control Center in Costa Rica: (506)2223-1028

Mexico: Telephone: 01 800 837 2998 Please request assistance in spanish language

Mexico State: Telephone: 01 800 837 2998

Peru: Telephone: 1-651-222-5352 Please request assistance in spanish language

Issuing date : 17.10.2017

SECTION 2. HAZARDS IDENTIFICATION

Product AS SOLD

Physical and chemical hazards : Not flammable or combustible.

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns. May cause allergic skin reaction.

Ingestion : May be harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

SAFETY DATA SHEET

LUBODRIVE GS

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Physical and chemical hazards : Not flammable or combustible.

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Alcohol ethoxylate	68439-51-0	5 - 10
Alkylamines	52898-18-7	1 - 5
2-butoxyethanol	111-76-2	1 - 5
Primary, Secondary, Tertiary alkylamines	68189-44-6	1 - 5
Primary, Secondary, Tertiary alkylamines	68511-41-1	0.1 - 1

Product AT USE DILUTION

Chemical name	CAS-No.	Concentration (%)
Alkylamines	52898-18-7	< 0.1

SECTION 4. FIRST AID MEASURES

Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms : See Section 11 for more detailed information on health effects and

SAFETY DATA SHEET

LUBODRIVE GS

and effects, both acute and delayed symptoms.

Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

SAFETY DATA SHEET

LUBODRIVE GS

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.
Conditions for safe storage	: Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: -30 °C to 50 °C

Product AT USE DILUTION

Advice on safe handling	: Wash hands thoroughly after handling.
Conditions for safe storage	: Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
2-butoxyethanol	111-76-2	CMP	20 ppm	AR OEL
2-butoxyethanol	111-76-2	LT	39 ppm 190 mg/m3	BR OEL
2-butoxyethanol	111-76-2	LPP	18 ppm 85 mg/m3	CL OEL
2-butoxyethanol	111-76-2	TWA	20 ppm 97 mg/m3	PE OEL
		STEL	50 ppm 242 mg/m3	PE OEL
2-butoxyethanol	111-76-2	L-8/40	20 ppm	VE OEL
2-butoxyethanol	111-76-2	CPT	50 ppm 240 mg/m3	PA OEL
		CCT	100 ppm 480 mg/m3	PA OEL
2-butoxyethanol	111-76-2	LMPE-PPT	26 ppm 120 mg/m3	MX OEL
		LMPE-CT	75 ppm 360 mg/m3	MX OEL
		VLE-PPT	20 ppm	NOM-010-STPS-2014
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH

SAFETY DATA SHEET

LUBODRIVE GS

		TWA	5 ppm 24 mg/m ³	NIOSH REL
		TWA	50 ppm 240 mg/m ³	OSHA Z1
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, light yellow	colorless
Odor	: slight	slight
pH	: 8.0 - 9.0, (100 %)	8.0 - 9.0
Flash point	: Not applicable, Does not sustain combustion.	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	

SAFETY DATA SHEET

LUBODRIVE GS

Initial boiling point and boiling range	: 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.009 - 1.021
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns. May cause allergic skin reaction.

SAFETY DATA SHEET

LUBODRIVE GS

Ingestion : May be harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation : No data available

Serious eye damage/eye irritation : No data available

Respiratory or skin sensitization : No data available

Carcinogenicity : No data available

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

SAFETY DATA SHEET

LUBODRIVE GS

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

Ingredients

Acute oral toxicity : Alcohol ethoxylate
LD50 Rat: > 2,000 mg/kg

Alkylamines
LD50 Rat: 338.5 mg/kg

2-butoxyethanol
LD50 Rat: 1,500 mg/kg

Primary, Secondary, Tertiary alkylamines
LD50 Rat: 299 mg/kg

Propylene glycol
LD50 Rat: 22,000 mg/kg

Ingredients

Acute inhalation toxicity : Propylene glycol
4 h LC50 Rat: > 158.5 mg/l
Test atmosphere: dust/mist

Ingredients

Acute dermal toxicity : Alcohol ethoxylate
LD50 Rabbit: 2,290 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Ingredients

Toxicity to fish : Alcohol ethoxylate
96 h LC50: > 1 mg/l

2-butoxyethanol
96 h LC50: 1,474 mg/l

Propylene glycol
96 h LC50: > 10,000 mg/l

Ingredients

Toxicity to daphnia and other : Alkylamines

SAFETY DATA SHEET

LUBODRIVE GS

aquatic invertebrates 48 h EC50 Daphnia: 0.021 mg/l

2-butoxyethanol
48 h EC50: 690 mg/l

Propylene glycol
48 h EC50: 18,340 mg/l

Ingredients

Toxicity to algae : 2-butoxyethanol
72 h EC50: 911 mg/l

Propylene glycol
96 h EC50: 19,000 mg/l

Persistence and degradability

Product AS SOLD

Readily biodegradable.

Product AT USE DILUTION

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SAFETY DATA SHEET

LUBODRIVE GS

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 2735
Description of the goods : AMINES, LIQUID, CORROSIVE, N.O.S.
Class : 8
Packing group : III
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 2735
Description of the goods : AMINES, LIQUID, CORROSIVE, N.O.S.
(Alkylamine(s))
Class : 8
Packing group : III
Marine pollutant : yes


SECTION 15. REGULATORY INFORMATION

For Regulatory information please contact your Ecolab sales representative.

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0


0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

SAFETY DATA SHEET

LUBODRIVE GS

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 17.10.2017
Version : 1.1
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the MSDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.