

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : LAUNDRY POWER EXTRA

Other means of identification : Not applicable.

Recommended use : Laundry detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company

Ecolab Gulf FZE
P.O. Box 17063
Jebel Ali Free Zone Area, Near Container Terminal 3 - North Zone
Dubai
UAE
00971 4 8014444 Customer Services, 00971 48146800 00971 4
8014000 Reception phone numbers

Nalco Egypt Trading
5th Settlement, South 90th St.
The Address Building No 67th – 1st floor
New Cairo, Cairo, Egypt11835
0020 2 25 37 1195,

Ecolab Maroc S.A.R.L.
Batiment, Lot. Mounir 1, Parc Industriel
Attawfik
Route 1029
Sidi Maarouf, Casablanca, Morocco
00212 22 58 25 30 - 35,

Emergency telephone number : +32-(0)3-575-5555

Issuing date : 20.06.2019

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Serious eye damage : Category 1
Respiratory sensitization : Category 1
Carcinogenicity : Category 2

GHS Label element

Hazard pictograms :




Signal Word : Danger

SAFETY DATA SHEET

LAUNDRY POWER EXTRA

- Hazard Statements** : Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Suspected of causing cancer.
- Precautionary Statements** : **Prevention:**
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection. In case of inadequate ventilation wear respiratory protection.
Response:
IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. IF exposed or concerned: Get medical advice/attention.
Storage:
Store locked up.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.
- Other hazards** : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
silicic acid, aluminum sodium salt	1344-00-9	30 - 60
Sodium carbonate peroxyhydrate	15630-89-4	10 - 30
Sodium Carbonate	497-19-8	10 - 30
Sodium silicate	1344-09-8	5 - 10
benzenesulfonic acid, linear alkyl, sodium salt	68411-30-3	5 - 10
Tris[2-(2-methoxyethoxy)ethyl]amine	9016-87-9	0.1 - 1

Section: 4. FIRST AID MEASURES

- In case of eye contact** : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact** : Rinse with plenty of water.
- If swallowed** : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled** : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders** : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician** : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed** : See Section 11 for more detailed information on health effects and symptoms.

SAFETY DATA SHEET

LAUNDRY POWER EXTRA

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Sulphur oxides
metal oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 40 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
silicic acid, aluminum sodium salt	1344-00-9	TWA (Respirable	1 mg/m ³ (Aluminium)	ARE OEL

SAFETY DATA SHEET

LAUNDRY POWER EXTRA

		dust)		
--	--	-------	--	--

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : no data available

pH : 7.0 - 11.5, (1 %)

Flash point : Not applicable.

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 530.0 - 570.0

Water solubility : soluble

Solubility in other solvents : no data available

Partition coefficient: n-octanol/water : no data available

Auto-ignition temperature : no data available

Thermal decomposition : no data available

SAFETY DATA SHEET

LAUNDRY POWER EXTRA

Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Sulphur oxides metal oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: May cause allergic respiratory reaction.
Chronic Exposure	: Suspected of causing cancer.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Toxicity

Product

SAFETY DATA SHEET

LAUNDRY POWER EXTRA

Acute oral toxicity	: Acute toxicity estimate : 2,012 mg/kg
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Components

Acute inhalation toxicity	: Tris[2-(2-methoxyethoxy)ethyl]amine 6 h LC50 rat: 3.6 mg/l Test atmosphere: dust/mist
---------------------------	---

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: Toxic to aquatic life.
-----------------------	--------------------------

Product

Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available

Components

Toxicity to fish	: silicic acid, aluminum sodium salt 96 h LC50 Fish: 1,800 mg/l Sodium Carbonate 96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l Sodium silicate 96 h LC50 Oncorhynchus mykiss (rainbow trout): 260 mg/l benzenesulfonic acid, linear alkyl, sodium salt 96 h LC50 Lepomis macrochirus (Bluegill sunfish): 1.67 mg/l Tris[2-(2-methoxyethoxy)ethyl]amine 96 h LC50 Danio rerio (zebra fish): > 1,000 mg/l
------------------	---

Components

Toxicity to daphnia and other	: Sodium carbonate peroxyhydrate
-------------------------------	----------------------------------

SAFETY DATA SHEET

LAUNDRY POWER EXTRA

aquatic invertebrates

48 h EC50 Daphnia: 4.9 mg/l

Sodium Carbonate

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Sodium silicate

48 h EC50 Daphnia magna (Water flea): 1,700 mg/l

benzenesulfonic acid, linear alkyl, sodium salt

48 h LC50 Daphnia magna (Water flea): 2.4 mg/l

Components

Toxicity to algae

: Sodium silicate

72 h EC50 Desmodesmus subspicatus (green algae): 207 mg/l

benzenesulfonic acid, linear alkyl, sodium salt

96 h EC50 Pseudokirchneriella subcapitata (green algae): 29 mg/l

Tris[2-(2-methoxyethoxy)ethyl]amine

72 h EC50 Desmodesmus subspicatus (green algae): 1,640 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods

: Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

UN number : Not dangerous goods

UN proper shipping name : Not dangerous goods

Transport hazard class(es) : Not dangerous goods

SAFETY DATA SHEET

LAUNDRY POWER EXTRA

Packing group : Not dangerous goods
Environmental hazards : Not dangerous goods
Special precautions for user : Not dangerous goods

Air transport (IATA)

Not dangerous goods

Sea transport (IMDG/IMO)


Not dangerous goods

Section: 15. REGULATORY INFORMATION

For Regulatory information please contact your Ecolab sales representative.

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 20.06.2019
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.