



WARNING • KEEP OUT OF REACH OF CHILDREN

Ecotoxic. Read label before use.



Key Industries

Protecting people, crops and native species

Biforce[®]

Granular Insecticide

GENERAL INFORMATION

For the control of certain pests in turf, Ants, Fleas and Ticks
in external surrounds of buildings and structures.

ACTIVE INGREDIENT

2g/kg Bifenthrin

Biforce[®] is a Registered trademark
of Sherwood Chemicals Australasia Pty Ltd



Distributed by
Key Industries Ltd
15D Paul Matthews Road
PO Box 65-070, Mairangi Bay, Auckland 0754.

Tel 09 917 1791 Fax 09 917 1793 Mobile 0274 941 659
Web www.keyindustries.co.nz Email sales@keyindustries.co.nz

15KG
NET CONTENTS

Biforce® Granular Insecticide

Read label before use. Do not handle until all safety precautions have been read and understood.

HAZARD CLASSIFICATIONS: 91A, 93C, 94A

Some naturally occurring insect biotypes resistant to Biforce Granular Insecticide may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population. If Biforce Granular Insecticide is used repeatedly the effectiveness of Biforce Granular Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Key Industries Ltd accepts no liability for any losses that may result from the failure of Biforce Granular Insecticide to control resistant insects. Biforce Granular Insecticide may be subject to specific resistance management strategies. For further information contact a Key Industries representative.

ECOTOXICITY:

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

VERY TOXIC TO AQUATIC ORGANISMS with long lasting effects. Dangerous to fish and aquatic organisms. Avoid release to the environment. Do NOT contaminate dams, rivers, streams, waterways or drains with product or the used container.

HARMFUL TO TERRESTRIAL VERTEBRATES.

VERY TOXIC TO TERRESTRIAL INVERTEBRATES. Do not treat over bees or apply to plants in flower. Do not treat beneficial predators.

PROTECTION OF PETS AND LIVESTOCK

Must not be applied to areas that may be grazed by livestock. Before treatment, remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Keep away from domestic pets, especially dogs. If dogs eat the granules, contact your veterinary surgeon immediately. Use with caution around pets – ensure product is dispersed i.e swept in between pavers, cracks and crevices and dispersed into soil and/or lawn. Cover or remove fishponds, aquariums etc before application. Do NOT apply Biforce Granular Insecticide within 2 meters of a fishpond or water containing fish or aquatic species.

STORAGE, SPILLAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, and well ventilated area out of direct sunlight. Extinguish all ignition sources, exclude all bystanders, and prevent material entering waterways and coming into contact with Class 1, 2, 3, 4 or 5 substances. Wear appropriate protective clothing to clean up spills. Absorb spills with an inert (such as vermiculite, earth, sand or synthetic absorbent substance) material and place in waste containers. Wash area with a bleach solution (sodium hypochlorite) then absorb any remaining liquid with further inert material. Dispose of waste in an approved landfill. Shake containers empty onto treatment site. Recycle triple rinsed containers through an approved recovery scheme, eg Agrecovery. Otherwise, crush or puncture and bury in a suitably approved landfill. Dispose of this product only by using according to the label. If no landfill is available, bury containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers should not be burnt.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

Have the product container or label with you when calling a poison control centre or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately

Distributed in New Zealand by
Key Industries Ltd
15D Paul Matthews Road
PO Box 65-070, Mairangi Bay, Auckland 0754
Phone 09 917 1791 Fax 09 917 1793
Email: sales@keyindustries.co.nz
Mob 0274 941 659



GENERAL INSTRUCTIONS

For optimum results use a properly calibrated granule applicator

Situations	Pest	Rate (kg/ha)	Rate kg/100m ²	Critical Comments
Turf (For example: lawns, commercial turf farms, parks, recreational areas, golf courses, bowling greens, sports fields)	Lawn Armyworm (<i>Spodoptera maurita</i>) Sod Webworm (<i>Herpetogramma licarsalis</i>)	60	0.6	Broadcast Biforce Granular Insecticide with suitable application equipment to ensure uniform coverage over the treatment area. To ensure optimum control, irrigate the treated area with up to 4mm of water immediately after application. Inspect treated areas for continuing activity. Reapply as required.
	Argentine stem weevil adults (<i>Listronotus bonariensis</i>)	60 - 120	0.6 - 1.2	
	African black beetle (<i>Heteronychus arator</i>)	120 - 180	1.2 - 1.8	
	Ants: including Argentine Ants Darwin Ants White Footed Ants. Coastal brown Ant Iridomyrmex Ant Black Ant	60 - 220	0.6 - 2.2	Broadcast Biforce Granular Insecticide with suitable application equipment to ensure uniform coverage over the treatment area. Apply granules to areas where ants are active. Where possible apply granules directly to the nest. Use the low rate for maintenance treatments or to control light infestations. Use the high rate for heavy infestations and for maximum residual control
External surrounds of buildings and structures: Gardens Lawns Ant nests & trails	Ants: including Argentine Ants Darwin Ants White Footed Ants. Coastal brown Ant Iridomyrmex Ant Black Ant	60 - 220	0.6 - 2.2	Apply granules to areas where ants are active. Where possible apply granules directly to the nest. Use the low rate for maintenance treatments or to control light infestations. Use the high rate for heavy infestations and for maximum residual control. Perimeter Application: Where perimeter pest control is being implemented apply Biforce Granular Insecticide in a two or three metre band, around and adjacent to the building or structure. Pad Mounted Electrical Sites: To reduce or prevent ant mound building activity on electrical pads, uniformly distribute 60 to 220 grams of Biforce Granular Insecticide per 10m ² of mounting pad. Where existing transformers are completely or partially filled with soil excavated by resident ants, remove any excess fill and level the remaining soil prior to application.
	Fleas (Adults & Larvae) (<i>Ctenocephalides</i>)	110 - 220	1.1 - 2.2	Flea larvae develop in the soil of shaded areas that are accessible to pets or other animals. For optimum results irrigate the treated areas with up to 10mm of water immediately after application. Use higher application rates when treating areas with dense ground cover or heavy leaf litter.
	Ticks (<i>Ixodes spp.</i>)	110- 220	1.1-2.2	Applications should be made in late summer/autumn to control larvae and nymphs that reside in the soil and leaf litter. Do not make spot applications. Treat the entire area where exposure to ticks may occur. Use higher application rates when treating area with dense ground cover or heavy leaf litter. Ticks may be reintroduced from surrounding areas on host animals. Retreat as necessary to maintain adequate control.

Notice: This product is designed only for the purpose intended on the label. Failure to use this product as directed may be illegal, prove dangerous or render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage use or disposal of this material. Key Industries Ltd will not accept any responsibility whether for consequential loss or otherwise in connection with supply and use of this product other than those responsibilities imposed to the sale and supply of these goods. AsureQuality approved Category B Food/beverage/dairy factory and storage areas.(Category B point apply)

HSNO Approval Code: HSR000047

UN Number: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Contains 0.2% bifenthrin)

BATCH NO:

DATE OF MANUFACTURE:

