

SECTION 1. PRODUCT IDENTIFICATION

Product name : ECOCARE 250

Other means of identification : Not applicable

Recommended use : Skin antiseptic

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Distributed in the Caribbean by:
Carr. #28 Lote 13-A Urbanización Industrial Luchetti Bayamón, PR
00961

Emergency telephone : Caribbean:787-796-1290 x-6855 / 787-599-6743/1-800-984-1290

Issuing date : 06.04.2021

SECTION 2. HAZARD OR HAZARDS IDENTIFICATION
GHS Classification

Flammable liquids, Category 3	H226
Serious eye damage/eye irritation, Category 2B	H320
Short-term (acute) aquatic hazard, Category 3	H402
Long-term (chronic) aquatic hazard, Category 3	H412

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements	: H226	Flammable liquid and vapor.
	H320	Causes eye irritation.
	H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements	: Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233	Keep container tightly closed.
	P240	Ground and bond container and receiving equipment.
	P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
	P242	Use non-sparking tools.
	P243	Take action to prevent static discharges.
	P273	Avoid release to the environment.
	Response:	
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.

SAFETY DATA SHEET

ECOCARE 250

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235

Store in a well-ventilated place. Keep cool.

Disposal:

P501

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION / INFORMATION OF HAZARDOUS INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
ethanol	64-17-5	5 - 10
glycerin	56-81-5	5 - 10
fatty acids, c14-18 and c16-18-unsatd., potassium salts	68002-80-2	1 - 5
Tetrasodium EDTA	64-02-8	1 - 5

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Potential Health Effects

Eyes : Causes eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

SAFETY DATA SHEET

ECOCARE 250

- Specific hazards during fire fighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapors accumulating to form explosive concentrations.
Vapors can accumulate in low areas.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Oxides of phosphorus
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. MEASURES TO BE TAKEN IN CASE OF ACCIDENTAL SPILLAGE

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : -10 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis

SAFETY DATA SHEET

ECOCARE 250

ethanol	64-17-5	STEL	1.000 ppm	CR OEL
ethanol	64-17-5	TLV-TWA	1.000 ppm	DO OEL
ethanol	64-17-5	CPT	1.000 ppm 1.900 mg/m ³	PA OEL
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m ³	NIOSH REL
		TWA	1.000 ppm 1.900 mg/m ³	OSHA Z1
glycerin	56-81-5	TLV-TWA	10 mg/m ³	DO OEL
glycerin	56-81-5	CPT (total dust and mist)	10 mg/m ³	PA OEL
glycerin	56-81-5	TWA	10 mg/m ³	ACGIH
		TWA (respirable fraction)	5 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: liquid
Color	: clear, green
Odor	: slight
pH	: 8,9 - 9,2, (100 %)
Flash point	: 43 °C closed cup
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,02 - 1,03

SAFETY DATA SHEET

ECOCARE 250

Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: 1759,259 mm ² /s (40 °C)
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Bases
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Experience with human exposure

Eye contact	: Redness, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5.000 mg/kg

SAFETY DATA SHEET

ECOCARE 250

Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 10 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: Mild eye irritation
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Components

Acute dermal toxicity	: ethanol LD50 Rabbit: 15.800 mg/kg glycerin LD50 Rabbit: 23.000 mg/kg fatty acids, c14-18 and c16-18-unsatd., potassium salts LD50 Rabbit: > 2.000 mg/kg Test substance: Information given is based on data obtained from similar substances.
-----------------------	--

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: Harmful to aquatic life with long lasting effects.
-----------------------	--

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: ethanol 96 h LC50 Pimephales promelas: > 100 mg/l glycerin 96 h LC50 Fish: 855 mg/l fatty acids, c14-18 and c16-18-unsatd., potassium salts 96 h LC50 Fish: > 1.000 mg/l Test substance: Information given is based on data obtained from similar substances.
------------------	---

SAFETY DATA SHEET

ECOCARE 250

Tetrasodium EDTA
96 h LC50 Fish: 121 mg/l

Components

Toxicity to daphnia and other : ethanol
aquatic invertebrates 48 h EC50 Aquatic Invertebrate: 857 mg/l

Tetrasodium EDTA
48 h EC50 Daphnia magna (Water flea): 140 mg/l

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION REGARDING THE DISPOSAL OF PRODUCTS

Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of waste in approved waste disposal plants.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Not dangerous goods

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION


Our Safety Data Sheet (SDS) complies with Decree n ° 40705-S

SAFETY DATA SHEET

ECOCARE 250

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 06.04.2021
Version : 1.1
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.