

SECTION 1. PRODUCT IDENTIFICATION

Product name : FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

Other means of identification : Not applicable

Recommended use : Air Freshener

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Distributed in the Caribbean by:
Carr. #28 Lote 13-A Urbanización Industrial Luchetti Bayamón, PR 00961

Emergency telephone : Caribbean:787-796-1290 x-6855 / 787-599-6743/1-800-984-1290

Issuing date : 24.05.2019

SECTION 2. HAZARD OR HAZARDS IDENTIFICATION
GHS Classification

Aerosols, Category 1	H222
Serious eye damage/eye irritation, Category 2B	H320
Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system	H336

GHS label elements

Hazard pictograms :




Signal Word : Danger

Hazard Statements	H222	Extremely flammable aerosol.
	H229	Pressurised container: May burst if heated.
	H320	Causes eye irritation.
	H336	May cause drowsiness or dizziness.

Precautionary Statements	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
	P264	Wash skin thoroughly after handling.
	P271	Use only outdoors or in a well-ventilated area.
	Response:	
	P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

SAFETY DATA SHEET

FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

P337 + P313	and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage: P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION / INFORMATION OF HAZARDOUS INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
ethanol	64-17-5	20 - 30
Butane	106-97-8	20 - 30
propane	74-98-6	20 - 30
2-methylpentane-2,4-diol	107-41-5	5 - 10
Fragrance	Proprietary Ingredient	5 - 10

SECTION 4. FIRST AID MEASURES

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Potential Health Effects

Eyes	: Causes eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Inhalation may cause central nervous system effects.
Chronic Exposure	: Health injuries are not known or expected under normal use.

SAFETY DATA SHEET

FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Extremely flammable aerosol.
Pressurised container: May burst if heated.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Oxides of phosphorus
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. MEASURES TO BE TAKEN IN CASE OF ACCIDENTAL SPILLAGE

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 5 °C to 45 °C

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	STEL	1.000 ppm	CR OEL
ethanol	64-17-5	TLV-TWA	1.000 ppm	DO OEL
ethanol	64-17-5	CPT	1.000 ppm 1.900 mg/m ³	PA OEL

SAFETY DATA SHEET

FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m3	NIOSH REL
		TWA	1.000 ppm 1.900 mg/m3	OSHA Z1
Butane	106-97-8	CCT	1.050 ppm 2.600 mg/m3	PA OEL
		CPT	800 ppm 1.900 mg/m3	PA OEL
Butane	106-97-8	TWA	800 ppm 1.900 mg/m3	NIOSH REL
		STEL	1.000 ppm	ACGIH
2-methylpentane-2,4-diol	107-41-5	C	25 ppm	CR OEL
2-methylpentane-2,4-diol	107-41-5	CPT	25 ppm 120 mg/m3	PA OEL
2-methylpentane-2,4-diol	107-41-5	Ceiling	25 ppm 125 mg/m3	NIOSH REL
		TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m3	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: aerosol
Color	: clear, amber
Odor	: Perfumes, fragrances
pH	: (100 %)
Flash point	: Not applicable, Sustains combustion
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available

SAFETY DATA SHEET

FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0,6 - 0,8
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available
Heat of combustion	: 37,19 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact

Skin contact

Experience with human exposure

Eye contact : Redness, Irritation

SAFETY DATA SHEET

FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5.000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation : No data available

Serious eye damage/eye irritation : Mild eye irritation

Respiratory or skin sensitization : No data available

Carcinogenicity : No data available

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

Components

Acute inhalation toxicity : ethanol
4 h LC50 Rat: 117 mg/l Test atmosphere: vapor

Butane
4 h LC50 Rat: 280000 ppm Test atmosphere: gas

2-methylpentane-2,4-diol
4 h LC50 Rat: > 1,1 mg/l Test atmosphere: dust/mist

Components

Acute dermal toxicity : ethanol
LD50 Rabbit: > 15.800 mg/kg

2-methylpentane-2,4-diol
LD50 Rat: > 2.000 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available

SAFETY DATA SHEET

FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Components

Toxicity to fish : ethanol
96 h LC50 Pimephales promelas: > 100 mg/l

Butane
96 h LC50 Fish: 22,03 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : 2-methylpentane-2,4-diol
48 h EC50 Daphnia: 2.800 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION REGARDING THE DISPOSAL OF PRODUCTS

Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of waste in approved waste disposal plants.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Environmentally hazardous : no

Air transport (IATA)

SAFETY DATA SHEET

FIRST IMPRESSION SPRING SHOWERS MICRO AEROSOL

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)


UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Our Safety Data Sheet (SDS) complies with Decree n ° 40705-S

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 24.05.2019
Version : 1.1
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.