



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### 1.1 Product identifier

**Product name** CHAINDRITE 2 METERED INSECT SPRAY  
**Synonyms** NATURAL PYRETHRUM INSECTICIDE

### 1.2 Uses and uses advised against

**Uses** INSECTICIDE

### 1.3 Details of the supplier of the product

**Supplier name** SHERWOOD CHEMICALS AUSTRALASIA PTY LTD  
**Address** Level 3, 1060 Hay St, West Perth, WA, 6005, AUSTRALIA  
**Telephone** +61 8 9219 4683  
**Fax** +61 8 9219 4672  
**Email** [contact@sherwoodchemicals.com.au](mailto:contact@sherwoodchemicals.com.au)  
**Website** <http://www.sherwoodchemicals.com.au>

### 1.4 Emergency telephone numbers

**Emergency** +61 421 667972

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### Physical Hazards

Aerosols - Flammable: Category 1  
Aerosols - Pressurised: Category 1

#### Health Hazards

Aspiration Hazard: Category 1  
Serious Eye Damage / Eye Irritation: Category 2A

#### Environmental Hazards

Aquatic Toxicity (Chronic): Category 2

### 2.2 GHS Label elements

**Signal word** DANGER

#### Pictograms



#### Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurized container: may burst if heated.  
H304 May be fatal if swallowed and enters airways.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

## PRODUCT NAME CHAINDRITE 2 METERED INSECT SPRAY

### Prevention statements

|      |                                                                            |
|------|----------------------------------------------------------------------------|
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking.           |
| P211 | Do not spray on an open flame or other ignition source.                    |
| P251 | Pressurized container: Do not pierce or burn, even after use.              |
| P264 | Wash thoroughly after handling.                                            |
| P273 | Avoid release to the environment.                                          |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |

### Response statements

|                    |                                                                                                                                  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------|
| P301 + P310        | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.                                                              |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P331               | Do NOT induce vomiting.                                                                                                          |
| P337 + P313        | If eye irritation persists: Get medical advice/attention.                                                                        |
| P391               | Collect spillage.                                                                                                                |

### Storage statements

|             |                                                                      |
|-------------|----------------------------------------------------------------------|
| P405        | Store locked up.                                                     |
| P410 + P412 | Protect from sunlight. Do not expose to temperatures exceeding 50°C. |

### Disposal statements

|      |                                                                        |
|------|------------------------------------------------------------------------|
| P501 | Dispose of contents/container in accordance with relevant regulations. |
|------|------------------------------------------------------------------------|

### 2.3 Other hazards

No information provided.

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

### 3.1 Substances / Mixtures

| Ingredient         | CAS Number | EC Number | Content   |
|--------------------|------------|-----------|-----------|
| ETHANOL            | 64-17-5    | 200-578-6 | 30 to 35% |
| BUTANE             | 106-97-8   | 203-448-7 | 25 to 30% |
| ISOBUTANE          | 75-28-5    | 200-857-2 | 20 to 25% |
| PROPANE            | 74-98-6    | 200-827-9 | 10 to 15% |
| PIPERONYL BUTOXIDE | 51-03-6    | 200-076-7 | 1 to 9%   |
| PYRETHRUM          | 8003-34-7  | 232-319-8 | 1 to 3%   |
| PARFUM             | -          | -         | <1%       |

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

|                      |                                                                                                                                                                                          |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye                  | If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes. |
| Inhalation           | If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.                                                                                                |
| Skin                 | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.                                                                                 |
| Ingestion            | For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.                                               |
| First aid facilities | Eye wash facilities should be available.                                                                                                                                                 |

### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

## 5.2 Special hazards arising from the substance or mixture

Highly flammable aerosol. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Aerosol may explode at temperatures exceeding 50°C.

## 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

## 5.4 Hazchem code

2YE  
 2 Fine Water Spray.  
 Y Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.  
 E Evacuation of people in and around the immediate vicinity of the incident should be considered.

# 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel.

## 6.2 Environmental precautions

Prevent product from entering drains and waterways.

## 6.3 Methods of cleaning up

If aerosol can damaged or leaking, contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

## 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool (< 50°C), dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure aerosol containers/ cans are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for damaged/ leaking containers. Large storage areas should have appropriate fire protection systems.

## 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

### Exposure standards

| Ingredient              | Reference      | TWA        |                   | STEL |                   |
|-------------------------|----------------|------------|-------------------|------|-------------------|
|                         |                | ppm        | mg/m <sup>3</sup> | ppm  | mg/m <sup>3</sup> |
| Butane                  | SWA [AUS]      | 800        | 1900              | --   | --                |
| Butane                  | SWA [Proposed] | --         | --                | 1000 | 2370              |
| Ethanol                 | SWA [AUS]      | 1000       | 1880              | --   | --                |
| Ethanol (Ethyl alcohol) | SWA [Proposed] | 200        | 380               | 800  | 1500              |
| Isobutane               | SWA [AUS]      | 1000       | --                | --   | --                |
| Propane                 | SWA [AUS]      | Asphyxiant |                   |      |                   |
| Pyrethrum               | SWA [AUS]      | --         | 5                 | --   | --                |

**Biological limits** No Biological Limit Value allocated.

**8.2 Exposure controls**

**Engineering controls** Avoid inhalation. If using indoors, ensure there is adequate natural ventilation. Increase air flow by opening windows/doors or using mechanical extraction units. Maintain vapour levels below the recommended exposure standard.

**PPE**

|                    |                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>Eye / Face</b>  | With prolonged use, wear safety glasses and splash-proof goggles.                                                  |
| <b>Hands</b>       | With prolonged use, wear PVC or rubber gloves.                                                                     |
| <b>Body</b>        | Not required under normal conditions of use.                                                                       |
| <b>Respiratory</b> | Respiratory protection is not necessary if the ventilation is adequate. Avoid working in and breathing spray mist. |

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**9.1 Information on basic physical and chemical properties**

|                                  |                                            |
|----------------------------------|--------------------------------------------|
| <b>Appearance</b>                | CLEAR TO YELLOW LIQUID (AEROSOL DISPENSED) |
| <b>Odour</b>                     | ALCOHOLIC ODOUR                            |
| <b>Flammability</b>              | EXTREMELY FLAMMABLE                        |
| <b>Flash point</b>               | < 23°C                                     |
| <b>Boiling point</b>             | NOT AVAILABLE                              |
| <b>Melting point</b>             | NOT AVAILABLE                              |
| <b>Evaporation rate</b>          | NOT AVAILABLE                              |
| <b>pH</b>                        | NOT AVAILABLE                              |
| <b>Vapour density</b>            | NOT AVAILABLE                              |
| <b>Specific gravity</b>          | 0.835 to 0.840                             |
| <b>Solubility (water)</b>        | INSOLUBLE                                  |
| <b>Vapour pressure</b>           | 50 to 60 psi                               |
| <b>Upper explosion limit</b>     | NOT AVAILABLE                              |
| <b>Lower explosion limit</b>     | NOT AVAILABLE                              |
| <b>Partition coefficient</b>     | NOT AVAILABLE                              |
| <b>Autoignition temperature</b>  | NOT AVAILABLE                              |
| <b>Decomposition temperature</b> | NOT AVAILABLE                              |
| <b>Viscosity</b>                 | NOT AVAILABLE                              |
| <b>Explosive properties</b>      | NOT AVAILABLE                              |
| <b>Oxidising properties</b>      | NOT AVAILABLE                              |
| <b>Odour threshold</b>           | NOT AVAILABLE                              |

**9.2 Other information**

|                    |      |
|--------------------|------|
| <b>% Volatiles</b> | 98 % |
|--------------------|------|

---

**10. STABILITY AND REACTIVITY**

---

**10.1 Reactivity**

Carefully review all information provided in sections 10.2 to 10.6.

**10.2 Chemical stability**

Stable under recommended conditions of storage.

**10.3 Possibility of hazardous reactions**

Polymerization will not occur.

**10.4 Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

**10.5 Incompatible materials**

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), alkalis (e.g. sodium hydroxide), heat and ignition sources.

**10.6 Hazardous decomposition products**

May evolve carbon oxides and hydrocarbons when heated to decomposition.

---

**11. TOXICOLOGICAL INFORMATION**

---

## PRODUCT NAME CHAINDRITE 2 METERED INSECT SPRAY

### 11.1 Information on toxicological effects

**Acute toxicity** Acute exposure may result in nausea, vomiting, abdominal pain, diarrhoea, dizziness and drowsiness. This product may have the potential to cause adverse health effects if intentionally misused (e.g. deliberately inhaling contents).

#### Information available for the ingredients:

| Ingredient         | Oral LD50          | Dermal LD50        | Inhalation LC50                    |
|--------------------|--------------------|--------------------|------------------------------------|
| ETHANOL            | 3450 mg/kg (mouse) | --                 | 20000 ppm/10 hours (rat)           |
| BUTANE             | Study not feasible | Study not feasible | 658000 mg/m <sup>3</sup> /4H (rat) |
| PROPANE            | Study not feasible | Study not feasible | > 800000 ppm/15M (rat)             |
| PIPERONYL BUTOXIDE | 2600 mg/kg (mouse) | 200 mg/kg (rabbit) | --                                 |
| PYRETHRUM          | 200 mg/kg (rat)    | 300 mg/kg (rabbit) | 3.4 mg/L (rat)                     |

**Skin** Contact may result in drying and defatting of the skin, rash and dermatitis.

**Eye** Contact may result in irritation, lacrimation and redness.

**Sensitisation** Not classified as causing skin or respiratory sensitisation.

**Mutagenicity** Not classified as a mutagen.

**Carcinogenicity** Not classified as a carcinogen.

**Reproductive** Not classified as a reproductive toxin.

**STOT - single exposure** Over exposure may result in irritation of the nose and throat, coughing, dizziness, drowsiness and headache.

**STOT - repeated exposure** Not classified as causing organ damage from repeated exposure. However, repeated exposure to some solvents have been reported to cause adverse effects to the central nervous system (CNS).

**Aspiration** Aspiration or inhalation may cause chemical pneumonitis and pulmonary oedema.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

No information provided.

### 12.3 Bioaccumulative potential

No information provided.

### 12.4 Mobility in soil

No information provided.

### 12.5 Other adverse effects

No information provided.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Waste disposal** For small amounts, absorb contents with sand or similar and dispose of to an approved landfill site. Do not puncture or incinerate aerosol cans. Contact the manufacturer/supplier for additional information (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

## 14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



**PRODUCT NAME CHAINDRITE 2 METERED INSECT SPRAY**

|                             | LAND TRANSPORT (ADG) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|-----------------------------|----------------------|----------------------------|-----------------------------|
| 14.1 UN Number              | 1950                 | 1950                       | 1950                        |
| 14.2 Proper Shipping Name   | AEROSOLS             | AEROSOLS                   | AEROSOLS                    |
| 14.3 Transport hazard class | 2.1                  | 2.1                        | 2.1                         |
| 14.4 Packing Group          | None allocated.      | None allocated.            | None allocated.             |

**14.5 Environmental hazards**

Marine Pollutant

**14.6 Special precautions for user**

Hazchem code 2YE

GTEPG 2D1

EmS F-D, S-U

**Other information**

The environmentally hazardous substance mark is not required when transported in packages of less than 5 kg/L (UN Model Regulations: Special Provision 375; IATA: Special Provision A197; IMDG: Special Provision 969) or less than 500 kg/L by Australian Road and Rail.

Limited quantity (LQ) exception is possible.

For aerosols or receptacles containing toxic substances the limited quantity value is 120 ml. For all other aerosols or receptacles the limited quantity value is 1000 ml.

**15. REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                    |                                                                                                                                                                 |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Poison schedule    | A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). |
| APVMA Numbers      | 69129                                                                                                                                                           |
| Classifications    | Safework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.                                      |
| Inventory listings | <b>AUSTRALIA: AICS (Australian Inventory of Chemical Substances)</b><br>All components are listed on AICS, or are exempt.                                       |

**16. OTHER INFORMATION**

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional information | <p>EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).</p> <p>RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.</p> <p>PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:<br/>The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.</p> |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations**

|                   |                                                                                                 |
|-------------------|-------------------------------------------------------------------------------------------------|
| ACGIH             | American Conference of Governmental Industrial Hygienists                                       |
| CAS #             | Chemical Abstract Service number - used to uniquely identify chemical compounds                 |
| CNS               | Central Nervous System                                                                          |
| EC No.            | EC No - European Community Number                                                               |
| EMS               | Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)                   |
| GHS               | Globally Harmonized System                                                                      |
| GTEPG             | Group Text Emergency Procedure Guide                                                            |
| IARC              | International Agency for Research on Cancer                                                     |
| LC50              | Lethal Concentration, 50% / Median Lethal Concentration                                         |
| LD50              | Lethal Dose, 50% / Median Lethal Dose                                                           |
| mg/m <sup>3</sup> | Milligrams per Cubic Metre                                                                      |
| OEL               | Occupational Exposure Limit                                                                     |
| pH                | relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). |
| ppm               | Parts Per Million                                                                               |
| STEL              | Short-Term Exposure Limit                                                                       |
| STOT-RE           | Specific target organ toxicity (repeated exposure)                                              |
| STOT-SE           | Specific target organ toxicity (single exposure)                                                |
| SUSMP             | Standard for the Uniform Scheduling of Medicines and Poisons                                    |
| SWA               | Safe Work Australia                                                                             |
| TLV               | Threshold Limit Value                                                                           |
| TWA               | Time Weighted Average                                                                           |

**Report status**

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**Prepared by**

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: [info@rmt.com.au](mailto:info@rmt.com.au)  
Web: [www.rmtglobal.com](http://www.rmtglobal.com)

**[ End of SDS ]**