

SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY

Product name	: RETAIL FREEZER/COOLER CLEANER
Other means of identification	: Not applicable
Recommended use	: Cleaning product
Restrictions on use	: Reserved for industrial and professional use.
Product dilution information	: Product is sold ready to use.
Company	: Chile ECOLAB S.A. Avenida Pedro de Valdivia 3801 Santiago, Santiago Chile (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600 sac.chile@ecolab.com
Emergency telephone	: (+56-2) 2635-3600 (CITUC) EMERGENCY PHONE
Toxicological Emergency Phone	: CITUC (+56-2) 2635-3800 (24 hours) Toxicological Emergencies

SECTION 2. HAZARDS IDENTIFICATION

Classification according to NCH 382 : Class: Class 3 Flammable liquids

Distintivo según NCh 2190 :


GHS Classification

Flammable liquids	: Category 3
Skin irritation	: Category 3
Eye irritation	: Category 2B

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Flammable liquid and vapor.
Causes mild skin irritation.
Causes eye irritation.

Precautionary Statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Keep container tightly closed. Ground/bond container and receiving

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools.

Response:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
glycerin	56-81-5	30 - 60
Isopropanol	67-63-0	5 - 10
Monoethanolamine	141-43-5	1 - 5
poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	34398-01-1	1 - 5

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Expected acute effects

Eyes : Causes eye irritation.

Skin : Causes mild skin irritation.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Expected chronic effects

Chronic Exposure : Health injuries are not known or expected under normal use.

Most important symptoms / effects

Eye contact : Redness, Irritation

Skin contact : slight irritation

Ingestion : No symptoms known or expected.

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

Inhalation : No symptoms known or expected.

SECTION 5. FIREFIGHTING MEASURES

- Extinguishing Agents : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing agents : High volume water jet
- Specific hazards during fire fighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapors accumulating to form explosive concentrations.
Vapors can accumulate in low areas.
- Products generated in combustion and thermal degradation : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NOx)
- Precautions for Emergency Personnel and / or Firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Storage

- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

Recommended and unsuitable packaging by supplier : Use high density plastic containers.

Storage temperature : 0 °C to 35 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
glycerin	56-81-5	CMP (Mist)	10 mg/m ³	AR OEL
glycerin	56-81-5	TWA (Mist)	10 mg/m ³	PE OEL
glycerin	56-81-5	L-8/40 (Mist)	10 mg/m ³	VE OEL
glycerin	56-81-5	LMPE-PPT	10 mg/m ³	MX OEL
glycerin	56-81-5	TWA	10 mg/m ³	ACGIH
		TWA (respirable fraction)	5 mg/m ³	OSHA Z1
Isopropanol	67-63-0	CMP	400 ppm	AR OEL
		CMP - CPT	500 ppm	AR OEL
Isopropanol	67-63-0	LT	310 ppm 765 mg/m ³	BR OEL
Isopropyl Alcohol	67-63-0	LPP	350 ppm 858 mg/m ³	CL OEL
		LPT	500 ppm 1.230 mg/m ³	CL OEL
Isopropanol	67-63-0	TWA	200 ppm 491 mg/m ³	PE OEL
		STEL	400 ppm 983 mg/m ³	PE OEL
Isopropanol	67-63-0	L-8/40	200 ppm	VE OEL
		LB	400 ppm	VE OEL
Isopropanol	67-63-0	VLE-PPT	200 ppm	NOM-010-STPS-2014
		VLE-CT	400 ppm	NOM-010-STPS-2014
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		STEL	500 ppm 1.225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z1
Monoethanolamine	141-43-5	CMP	3 ppm	AR OEL
		CMP - CPT	6 ppm	AR OEL
Monoethanolamine	141-43-5	TWA	3 ppm 7,5 mg/m ³	PE OEL
		STEL	6 ppm 15 mg/m ³	PE OEL
Monoethanolamine	141-43-5	L-8/40	3 ppm	VE OEL
		LB	6 ppm	VE OEL
Monoethanolamine	141-43-5	VLE-PPT	3 ppm	NOM-010-STPS-

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

		VLE-CT	6 ppm	2014
				NOM-010-STPS-2014
Monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: cloudy, light green
Odor	: alcohol-like
pH	: 10,6 - 11,8, (100 %)
Flash point	: 41 °C closed cup, Sustains combustion
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,065 - 1,085
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-	: No data available

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

octanol/water

Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NO _x)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

Product

Acute oral toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 40 mg/l Test atmosphere: vapor
Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Components

Toxicity to fish : glycerin
96 h LC50 Fish: 855 mg/l

Isopropanol
96 h LC50 Pimephales promelas: 9.640 mg/l

poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-
96 h LC50 Pimephales promelas: 5,5 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : Isopropanol
LC50 Daphnia magna (Water flea): > 10.000 mg/l

Monoethanolamine
48 h LC50: 65 mg/l

poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-
48 h EC50 Daphnia magna (Water flea): 5,5 mg/l

Components

Toxicity to algae : poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-
96 h EC50: 5,5 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION OF DISPOSAL

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Official transport classification of the United Nations

UN number	:	1993
Description of the goods	:	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Class	:	3
Packing group	:	III
Environmentally hazardous	:	no

Sea transport (IMDG/IMO)

Official transport classification of the United Nations

UN number	:	1993
Description of the goods	:	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Class	:	3
Packing group	:	III
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	:	Not applicable
Marine pollutant	:	no

SECTION 15. REGULATORY INFORMATION

Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification

NCh 382: Dangerous Good - Classification

D.S. No. 594: Minimum basic conditions in the workplace

D.S. No. 148: Hazardous waste disposal

D.S. No. 72: Mining Safety Regulations

D. S. No. 43: reports on the storage of hazardous substances


D. S. No. 40: Reporting on exposure hazards

SECTION 16. OTHER INFORMATION

SAFETY DATA SHEET

RETAIL FREEZER/COOLER CLEANER

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 09.12.2019
Version : 1.0
Prepared by : Regulatory Affairs

While there is no change in the formula or hazard classifications, this SDS remains valid.

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.