

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Product name : INCIDIN RAPID
Product code : 104365E
Product use : Surface Disinfectant
Product is for professional use only

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Surface disinfectant. Manual process Medical devices . Manual process

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor/ Importer : Ecolab Export GmbH
Reisholzer Werftstrasse 42
40589 Düsseldorf
Germany
Tel: ++49 211 9893 356
Fax: ++ 49 211 9893 207
Email: DEDUSEXPServices@ecolab.com

1.4 Emergency telephone number**National advisory body/Poison Centre**

Telephone number : Giftinformationszentrum-Nord (GIZ-Nord) Göttingen)
Robert-Koch-Straße 40
37075 Göttingen
Tel.: 0551 19240
Fax: 0551/3831881 (24/7)

Manufacturer/ Distributor/ Importer

Telephone number : Ecolab Deutschland GmbH
+49 (0) 211 98 93 700 (24/7)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Product definition : Mixture

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xn; R20/22
C; R34
Xi; R37
R42/43
N; R50

Human health hazards : Harmful by inhalation and if swallowed. Causes burns. Irritating to respiratory system. May cause sensitisation by inhalation and skin contact.

Environmental hazards : Very toxic to aquatic organisms.


See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

SECTION 2: Hazards identification

Hazard symbol or symbols :



Indication of danger : Corrosive, Dangerous for the environment

Contains : Glutaraldehyde
Didecyldimethylammonium chloride
Benzalkonium chloride

Risk phrases : R20/22- Harmful by inhalation and if swallowed.
R34- Causes burns.
R37- Irritating to respiratory system.
R42/43- May cause sensitisation by inhalation and skin contact.
R50- Very toxic to aquatic organisms.

Safety phrases : S2- Keep out of the reach of children.
S23- Do not breathe spray.
S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.
S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

2.3 Other hazards

Other hazards which do not result in classification : Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product/ingredient name	Identifiers	%	Classification		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Propan-2-ol	REACH #: 01-2119457558-25 EC: 200-661-7 CAS: 67-63-0 Index: 603-117-00-0	10-15	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[1] [2]
Glutaraldehyde	EC: 203-856-5 CAS: 111-30-8 Index: 605-022-00-X	2-10	T; R23/25 C; R34 R42/43 N; R50	Met. Corr. 1, H290 Acute Tox. 3, H301 Acute Tox. 3, H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 1, H400	[1] [2]
Didecyldimethylammonium chloride	EC: 230-525-2 CAS: 7173-51-5 Index: 612-131-00-6	5-7	Xn; R22 C; R34 N; R50	Acute Tox. 3, H301 Skin Corr. 1B, H314 Eye Irrit. 2, H319 Aquatic Acute 1, H400	[1]
Benzalkonium chloride	EC: 270-325-2 CAS: 68424-85-1	5-7	Xn; R21/22 C; R34 N; R50	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400	[1]
Alkylpolyglycosides	REACH #: 01-	1-5	Xi; R41	Eye Dam. 1, H318	[1]

SECTION 3: Composition/information on ingredients

Alkylpolyglycosides	2119489418-23 CAS: 110615-47-9 EC: 500-220-1 CAS: 68515-73-1	1-5	Xi; R41 See section 16 for the full text of the R-phrases declared above	Eye Dam. 1, H318 See Section 16 for the full text of the H statements declared above.	[1]
---------------------	---	-----	--	---	-----

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- Eye contact** : Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. In the event of any complaints or symptoms, avoid further exposure.
- Skin contact** : Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

SECTION 4: First aid measures**Potential acute health effects**

- Eye contact** : Corrosive to eyes. Causes burns.
- Inhalation** : Harmful by inhalation. Irritating to respiratory system. May cause sensitisation by inhalation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : Corrosive to the skin. Causes burns. May cause sensitisation by skin contact.
- Ingestion** : Harmful if swallowed. May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
wheezing and breathing difficulties
asthma
- Skin contact** : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
- Ingestion** : Adverse symptoms may include the following:
stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous combustion products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
halogenated compounds
metal oxide/oxides

5.3 Advice for firefighters

- Special precautions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is very toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

SECTION 5: Firefighting measures

Special protective equipment for fire-fighters : Fire-fighters should wear proper protective equipment.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2 Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Small spill: : Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

Large spill : Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitisation problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. Refer to special instructions/safety data sheet. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities : Store between the following temperatures: 0 to 25°C (32 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations : Not applicable.
Industrial sector specific solutions : Not applicable.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters**Occupational exposure limits**

Product/ingredient name	Exposure limit values
Propan-2-ol	TRGS900 AGW (Germany, 8/2010). PEAK: 1000 mg/m ³ 15 minute(s). PEAK: 400 ppm 15 minute(s). TWA: 500 mg/m ³ 8 hour(s). TWA: 200 ppm 8 hour(s).
Glutaraldehyde	TRGS900 AGW (Germany, 8/2010). Skin sensitiser. TWA: 0.2 mg/m ³ 8 hour(s). TWA: 0.05 ppm 8 hour(s).

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

SECTION 8: Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection (EN 166)	: Goggles, face shield, or other full-face protection.
<u>Skin protection</u>	
Hand protection (EN 374)	: 1 - 4 hours : butyl rubber , nitrile rubber .
Body protection (EN 14605)	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection (EN 143, 14387)	: Use appropriate respiratory protection if there is a risk of exceeding any exposure limits.
Thermal hazards	: Not applicable.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Appearance**

Physical state	: Liquid.
Colour	: Green [Light]
Odour	: Fragrance-like
Odour threshold	: Not applicable and/or not determined for the mixture.
pH	: 4 [Conc. (% w/w): 100%]
Melting point/freezing point	: Not applicable and/or not determined for the mixture.
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture.
Flash point	: 34 °C (Closed cup) Product does not support combustion.
Evaporation rate	: Not applicable and/or not determined for the mixture.
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture.
Burning time	: Not applicable and/or not determined for the mixture.
Burning rate	: Not applicable and/or not determined for the mixture.
Upper/lower flammability or explosive limits	: Lower: 2%
Vapour pressure	: Not applicable and/or not determined for the mixture.
Vapour density	: Not applicable and/or not determined for the mixture.
Relative density	: 1
Solubility(ies)	: Easily soluble in the following materials: cold water.
Partition coefficient: n-octanol/water	: Not applicable and/or not determined for the mixture.
Auto-ignition temperature	: Not applicable and/or not determined for the mixture.

SECTION 9: Physical and chemical properties

Decomposition temperature	: Not applicable and/or not determined for the mixture.
Viscosity	: Not applicable and/or not determined for the mixture.
Explosive properties	: Not applicable.
Oxidising properties	: None.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Propan-2-ol	LD50 Oral	Rat	5000 mg/kg	-
Glutaraldehyde	LC50 Inhalation Vapour	Rat	480 mg/m3	4 hours
	LD50 Dermal	Rabbit	2560 mg/kg	-
	LD50 Oral	Rat	134 mg/kg	-
Didecyldimethylammonium chloride	LD50 Oral	Rat	84 mg/kg	-
Benzalkonium chloride	LD50 Dermal	Rabbit	3340 mg/kg	-
	LD50 Oral	Rat	426 mg/kg	-

Conclusion/Summary : Not determined for the mixture.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Propan-2-ol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
Glutaraldehyde	Eyes - Severe irritant	Rabbit	-	24 hours 250 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	1 milligrams	-
	Skin - Severe irritant	Human	-	72 hours 6 milligrams Intermittent	-

SECTION 11: Toxicological information

	Skin - Mild irritant	Rabbit	-	13 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 2 milligrams	-
Didecyldimethylammonium chloride	Skin - Severe irritant	Rabbit	-	500 milligrams	-
Benzalkonium chloride	Skin - Severe irritant	Rabbit	-	25 milligrams	-

Conclusion/Summary : Not determined for the mixture.

Sensitiser

Conclusion/Summary : Not determined for the mixture.

Mutagenicity

Conclusion/Summary : Not determined for the mixture.

Carcinogenicity

Conclusion/Summary : Not determined for the mixture.

Reproductive toxicity

Conclusion/Summary : Not determined for the mixture.

Teratogenicity

Conclusion/Summary : Not determined for the mixture.

Information on the likely routes of exposure : Not determined for the mixture.

Potential acute health effects

Inhalation : Harmful by inhalation. Irritating to respiratory system. May cause sensitisation by inhalation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion : Harmful if swallowed. May cause burns to mouth, throat and stomach.

Skin contact : Corrosive to the skin. Causes burns. May cause sensitisation by skin contact.

Eye contact : Corrosive to eyes. Causes burns.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Adverse symptoms may include the following:
respiratory tract irritation
coughing
wheezing and breathing difficulties
asthma

Ingestion : Adverse symptoms may include the following:
stomach pains

Skin contact : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur

Eye contact : Adverse symptoms may include the following:
pain
watering
redness

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : Not determined for the mixture.

Potential delayed effects : Not determined for the mixture.

Long term exposure

Potential immediate effects : Not determined for the mixture.

SECTION 11: Toxicological information

Potential delayed effects : Not determined for the mixture.

Potential chronic health effects

Conclusion/Summary : Not determined for the mixture.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Other information : Not determined for the mixture.

SECTION 12: Ecological information**12.1 Toxicity**

Product/ingredient name	Result	Species	Exposure
Propan-2-ol	Acute LC50 >1400 mg/L	Fish	96 hours
Glutaraldehyde	Acute EC50 0.75 mg/L	Daphnia	48 hours
	Acute LC50 3.5 mg/L	Fish	96 hours
Didecyltrimethylammonium chloride	Acute EC50 0.018 mg/L	Daphnia	48 hours
	Acute LC50 0.27 mg/L	Fish	96 hours
Benzalkonium chloride	Acute EC50 0.025 mg/l	Daphnia	48 hours
	Acute LC50 0.28 mg/L	Fish	96 hours

Conclusion/Summary : Not determined for the mixture.

12.2 Persistence and degradability

Conclusion/Summary : The ecological evaluation of the product is based on data from the raw material and/or comparable substances. The total of the organic components contained in the product achieve > 60% BOD/COD or CO₂ liberation, or > 70% DOC reduction in tests for ease of degradability - threshold values for 'readily degradable' (e.g. to OECD method 301). The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Propan-2-ol	0.05	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not determined for the mixture.

Mobility : Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste : Yes.

European waste catalogue (EWC)

Waste code	Waste designation
20 01 29*	detergents containing dangerous substances

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	UN2924	UN2924	UN2924	UN2924
14.2 UN proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, Glutaraldehyde)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, Glutaraldehyde)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, Glutaraldehyde). Marine pollutant	Flammable liquid, corrosive, n.o.s. (Isopropanol, Glutaraldehyde)
14.3 Transport hazard class(es)	3 (8)   	3 (8)   	3 (8)   	3 (8)   
14.4 Packing group	III	III	III	III
14.5 Environmental hazards	Yes.	Yes.	Yes.	Yes.

SECTION 14: Transport information

14.6 Special precautions for user	None.	None.	None.	None.
--	-------	-------	-------	-------

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Other EU regulations

Ingredient declaration according to detergent regulation 648/2004/EC:

<5% non-ionic surfactants

contains disinfectants
Contains Perfumes

National regulations

Germany

Storage code : 8B

Hazard class for water : 2 Appendix No. 4

15.2 Chemical Safety Assessment : This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

▮ Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

Date of issue/Date of revision : 12 September 2011

12/14

SECTION 16: Other information

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

REACH# = REACH Registration Number

Full text of abbreviated H statements	: H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.
Full text of classifications [CLP/GHS]	: Acute Tox. 3, H301 ACUTE TOXICITY: ORAL - Category 3 Acute Tox. 3, H331 ACUTE TOXICITY: INHALATION - Category 3 Acute Tox. 4, H302 ACUTE TOXICITY: ORAL - Category 4 Acute Tox. 4, H312 ACUTE TOXICITY: SKIN - Category 4 Aquatic Acute 1, H400 AQUATIC TOXICITY (ACUTE) - Category 1 Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 Flam. Liq. 2, H225 FLAMMABLE LIQUIDS - Category 2 Flam. Liq. 3, H226 FLAMMABLE LIQUIDS - Category 3 Met. Corr. 1, H290 CORROSIVE TO METALS - Category 1 Resp. Sens. 1, H334 RESPIRATORY SENSITIZATION - Category 1 Skin Corr. 1B, H314 SKIN CORROSION/IRRITATION - Category 1B Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1 STOT SE 3, H335 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract irritation] - Category 3 STOT SE 3, H336 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Narcotic effects] - Category 3
Full text of abbreviated R phrases	: R11- Highly flammable. R23/25- Toxic by inhalation and if swallowed. R22- Harmful if swallowed. R20/22- Harmful by inhalation and if swallowed. R21/22- Harmful in contact with skin and if swallowed. R34- Causes burns. R41- Risk of serious damage to eyes. R36- Irritating to eyes. R37- Irritating to respiratory system. R42/43- May cause sensitisation by inhalation and skin contact. R67- Vapours may cause drowsiness and dizziness. R50- Very toxic to aquatic organisms.
Full text of classifications [DSD/DPD]	: F - Highly flammable T - Toxic C - Corrosive Xn - Harmful Xi - Irritant N - Dangerous for the environment
Date of printing	: 9/12/2011.
Date of issue/ Date of revision	: 9/12/2011.

SECTION 16: Other information

Date of previous issue : No previous validation.

Version : 1

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.