

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Oasis Enforce

Other means of identification : Not applicable.

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab (PTY) LTD
1 Ampere Street
Chloorkop, Johannesburg South Africa 1620
+2711578 5000

Nalco Angola Limitada
Rua Tipografia Mama Tita, 22B Predio Soliel
Luanda, Angola
Tel: 244-222-395120
Fax: 244-222-394855

Ecolab Kenya
Tulip House, Mombasa Road
Next to Sameer Business Park
PO Box 63497-00619
Nairobi, Kenya
+254-20-354-0624/189/191
kenya.info@ecolab.com

Emergency telephone number : +32-(0)3-575-5555

Issuing date : 12.11.2018

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Corrosive to metals : Category 1
Skin corrosion : Category 1
Serious eye damage : Category 1
Acute aquatic toxicity : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.
Causes severe skin burns and eye damage.
Very toxic to aquatic life.

Precautionary Statements : **Prevention:**

SAFETY DATA SHEET

Oasis Enforce

Keep only in original container. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
sodium hydroxide	1310-73-2	10 - 30
sodium hypochlorite	7681-52-9	1 - 5
amines, coco alkyl dimethyl, n-oxides	61788-90-7	1 - 5
Polyacrylates	9003-01-4	1 - 5
Sodium Xylenesulfonate	1300-72-7	1 - 5
lauryldimethylamine	112-18-5	< 0,1
dimethyl(tetradecyl)amine	112-75-4	< 0,1
Dimethyl-Hexadecyl-Amine	112-69-6	< 0,1

Section: 4. FIRST AID MEASURES

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

Oasis Enforce

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas.
- Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 25 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

SAFETY DATA SHEET

Oasis Enforce

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	STEL OEL-RL	2 mg/m ³	ZA OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.
Wash face, hands and any exposed skin thoroughly after handling.
Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear, light yellow

Odour : Chlorine

pH : 13,0 - 14,0, (100 %)

Flash point : Not applicable.

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling range : 100 °C

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 1,155 - 1,18

Water solubility : soluble

Solubility in other solvents : no data available

SAFETY DATA SHEET

Oasis Enforce

Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: Yes
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Mixing this product with acid or ammonia releases chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Acids Metals Organic materials
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact
--	---

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain

SAFETY DATA SHEET

Oasis Enforce

Inhalation : Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 5.000 mg/kg
Acute inhalation toxicity : no data available
Acute dermal toxicity : Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation : no data available
Serious eye damage/eye irritation : no data available
Respiratory or skin sensitization : no data available
Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Very toxic to aquatic life.

Product

Toxicity to fish : no data available
Toxicity to daphnia and other aquatic invertebrates : no data available
Toxicity to algae : no data available

Components

Toxicity to fish : sodium hypochlorite
96 h EC50: 0,14 mg/l

amines, coco alkyl dimethyl, n-oxides
96 h LC50 Fish: 1 mg/l

Polyacrylates
96 h LC50 Brachydanio rerio (zebrafish): > 200 mg/l

Dimethyl-Hexadecyl-Amine
96 h LC50 Danio rerio (zebra fish): 0,256 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : sodium hydroxide
48 h EC50: 40 mg/l

sodium hypochlorite

SAFETY DATA SHEET

Oasis Enforce

48 h EC50: 0,071 mg/l

Polyacrylates

48 h EC50 Daphnia magna (Water flea): > 200 mg/l

Dimethyl-Hexadecyl-Amine

48 h EC50 Daphnia magna (Water flea): 0,0665 mg/l

Components

Toxicity to algae

: Polyacrylates

72 h EC50 Selenastrum capricornutum (green algae): 40 mg/l

96 h NOEC: 32,8 mg/l

Sodium Xylenesulfonate

96 h EC50: 230 mg/l

lauryldimethylamine

72 h EC50: 0,024 mg/l

dimethyl(tetradecyl)amine

72 h EC50: 0,03 mg/l

Dimethyl-Hexadecyl-Amine

72 h EC50 Desmodesmus subspicatus (green algae): 0,0099 mg/l

Persistence and degradability

Biodegradable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods

: The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ZA DG)

SAFETY DATA SHEET

Oasis Enforce

UN number : 3266
Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
(sodium hydroxide, sodium hypochlorite)
Class : 8
Packing group : III
Environmentally hazardous : Yes

Air transport (IATA)

UN number : 3266
Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.
(sodium hydroxide, sodium hypochlorite)
Class : 8
Packing group : III
Environmentally hazardous : Yes

Sea transport (IMDG/IMO)

UN number : 3266
Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
(sodium hydroxide, sodium hypochlorite)
Class : 8
Packing group : III
Marine pollutant : Yes

Section: 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

United States TSCA Inventory :

On the inventory, or in compliance with the inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :

not determined

SAFETY DATA SHEET

Oasis Enforce

Section: 16. OTHER INFORMATION

Issuing date : 12.11.2018
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.