

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DAIRY POWER DEFENDER

Other means of identification : Not applicable.

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.3 % - 0.3 %

Company : ECOLAB PTY LTD
2 Drake Avenue
Macquarie Park, NSW Australia 2113
1 800 022 002

Emergency telephone number : 1800 205 506, +64 7 958 2372

Issuing date : 04.05.2025

Section: 2. HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Corrosive to metals : Category 1

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Sub-category 1B

Serious eye damage/eye irritation : Category 1

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS Label element
Product AS SOLD

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.
Harmful if swallowed.
Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
Keep only in original packaging. Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT

SAFETY DATA SHEET

DAIRY POWER DEFENDER

induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in a corrosion resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements

Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards

: Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**Product AS SOLD**

Pure substance/mixture

: Mixture

Chemical Name**CAS-No.****Concentration: (%)**

Phosphoric acid

7664-38-2

30 - 60

Propylene glycol

57-55-6

5 - 10

benzenesulfonic acid, c10-16-alkyl derivs.

68584-22-5

5 - 10

Isopropyl Alcohol

67-63-0

5 - 10

Product AT USE DILUTION

No hazardous ingredients

Section: 4. FIRST AID MEASURES**Product AS SOLD**

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact

: Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed

: Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

SAFETY DATA SHEET

DAIRY POWER DEFENDER

If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766). Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Sulphur oxides Oxides of phosphorus
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Hazchem Code	: 2R

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is
---	--

SAFETY DATA SHEET

DAIRY POWER DEFENDER

conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Product AS SOLD

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Product AT USE DILUTION

- Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m ³	AU OEL
		STEL	3 mg/m ³	AU OEL
Propylene glycol	57-55-6	TWA	150 ppm 474 mg/m ³	AU OEL

SAFETY DATA SHEET

DAIRY POWER DEFENDER

		TWA	10 mg/m ³	AU OEL
Isopropyl Alcohol	67-63-0	STEL	500 ppm 1,230 mg/m ³	AU OEL
		TWA	400 ppm 983 mg/m ³	AU OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

butyl-rubber
Nitrile rubber
Unsupported neoprene

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Multi-purpose combination filter

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.
No personal respiratory protective equipment normally required.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD

Product AT USE DILUTION

SAFETY DATA SHEET

DAIRY POWER DEFENDER

Appearance	: liquid	liquid
Colour	: clear, brown	brown
Odour	: slight	slight
pH	: 1.0, (100 %)	4.5 - 5.5
Flash point	: Not applicable., Does not sustain combustion.	
Odour Threshold	: no data available	
Melting point/freezing point	: no data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: no data available	
Flammability (solid, gas)	: Not applicable.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Relative density	: 1.25 - 1.27	
Water solubility	: soluble	
Solubility in other solvents	: no data available	
Partition coefficient: n-octanol/water	: no data available	
Auto-ignition temperature	: no data available	
Thermal decomposition	: no data available	
Viscosity, kinematic	: no data available	
Explosive properties	: no data available	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	
Molecular weight	: no data available	
VOC	: no data available	

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Organic materials Bases Metals
Hazardous decomposition products	: In the event of fire, see Section 5

SAFETY DATA SHEET

DAIRY POWER DEFENDER

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity : Acute toxicity estimate : 1,127 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

SAFETY DATA SHEET

DAIRY POWER DEFENDER

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : Not classifiable as a human carcinogen.

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute inhalation toxicity : Propylene glycol
4 h LC50 rabbit: 158.5 mg/l
Test atmosphere: dust/mist

Isopropyl Alcohol
4 h LC50 rat: 30 mg/l
Test atmosphere: vapour

Components

Acute dermal toxicity : Isopropyl Alcohol
LD50 rabbit: 12,870 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Product AS SOLD

Environmental Effects : This product has no known ecotoxicological effects.

Product AT USE DILUTION

Environmental Effects : This product has no known ecotoxicological effects.

Product AS SOLD

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Propylene glycol
96 h LC50 Fish: > 10,000 mg/l

benzenesulfonic acid, c10-16-alkyl derivs.
96 h LC50 Fish: 5.07 mg/l

Isopropyl Alcohol
96 h LC50 Fish: 9,640 mg/l

Components

Toxicity to daphnia and other : Phosphoric acid

SAFETY DATA SHEET

DAIRY POWER DEFENDER

aquatic invertebrates 48 h EC50 Daphnia magna (Water flea): > 100 mg/l

Propylene glycol
48 h EC50 Aquatic Invertebrate: 18,340 mg/l

Isopropyl Alcohol
24 h EC50 Daphnia magna (Water flea): 9,714 mg/l

Components

Toxicity to algae : Phosphoric acid
72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of in accordance with local and national regulations.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

UN number : 1805
Description of the goods : PHOSPHORIC ACID, SOLUTION
Class : 8
Packing group : III
Hazchem Code : 2R

Sea transport (IMDG/IMO)

SAFETY DATA SHEET

DAIRY POWER DEFENDER

UN number : 1805
Proper shipping name : PHOSPHORIC ACID SOLUTION
Class : 8
Packing group : III
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

National regulatory information

Standard for the Uniform : Schedule 6
Scheduling of Medicines and
Poisons

The components of this product are reported in the following inventories:

United States TSCA Inventory :
not determined

Canadian Domestic Substances List (DSL) :
This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :
On the inventory, or in compliance with the inventory

New Zealand Inventory of Chemicals (NZIoC) :
not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :
not determined

Korea. Korean Existing Chemicals Inventory (KECI) :
Contains substance(s) not listed on the Korea Existing Chemicals Inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
not determined

China Inventory of Existing Chemical Substances :
not determined

Taiwan Chemical Substance Inventory :
not determined

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet
Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date : 04.05.2025
Date of first issue : 21.09.2015
Version : 2.0
Prepared by : Regulatory Affairs

SAFETY DATA SHEET

DAIRY POWER DEFENDER

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.