



SAFETY DATA SHEET

4XLA ACTIVATOR

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 4XLA ACTIVATOR

Other means of identification : Not applicable

Recommended use : Teat dip

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Equal parts Activator & Base

Company :

Chile ECOLAB S.A., Avenida Pedro de Valdivia 3801, Santiago, Chile, (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600, sac.chile@ecolab.com

Ecolab Argentina S.R.L., Street 11 N° 978, Industrial Park Pilar - Pilar, Buenos Aires, Zip Code: B1629MXA, Telephone: 0230 467 1000

Ecolab Colombia S.A., Avenida Carrera 60 No. 22 – 75 Interior 7., Bogotá, Colômbia, Telephone: 01 8000-120020

ECOLAB Costa Rica SRL, BES Free Zone, El Coyoil 7 km west Juan Santamaria Airport, Alajuela, Costa Rica, ZIP Code: Apdo109-4003

Ecolab Mexico, Avenida Industriales 28, Fraccionamiento Industrial - Cuamatla, Cuautitlán Izcalli, Mexico State, Zip Code: 54730, Telephone: (0155) 5864-1800

Quimiproduktos S. de R.L. de C.V., Carretera Miguel Alemán, 990, Colonia La Encarnación - Apodaca, Nuevo León, Mexico, Zip Code: 66633, Telephone: (0181) 47395900

Peru, Calle Santa Isabel # 326 Miraflores. Lima - Perú, Telephone: 511 7176200

Emergency telephone :

Argentina: Ciquime: 0800-222-2933/ 011 4613-1100, National Poison Control Center: 0800 333 0160

Chile: Poison Information Centre CITUC: (+56-2) 2635-3800

Colômbia: CISPROMQUIM® (24 hour service) Phone: 2886012 (Bogotá), Telephone: 018000916012 (Colombia), Telephone: 08001005012 (Venezuela), Telephone: 1800-59-3005 (Ecuador: solo Quito, La sierra, Centro and norte), Telephone: Ecolab USA and Canadá 1-651-222-5352

Costa Rica: For medical emergency information, call 911 and (506) 2436-3900 in Costa Rica.

National Poison Control Center in Costa Rica: (506)2223-1028

Mexico: Telephone: 01 800 837 2998 Please request assistance in spanish language

Mexico State: Telephone: 01 800 837 2998

Peru: Telephone: 1-651-222-5352 Please request assistance in spanish language

Issuing date : 13.11.2017

SECTION 2. HAZARDS IDENTIFICATION

Product AS SOLD

Physical and chemical hazards : Not flammable or combustible.

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Causes mild skin irritation.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

SAFETY DATA SHEET

4XLA ACTIVATOR

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Physical and chemical hazards : Not flammable or combustible.

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Causes mild skin irritation.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
glycerin	56-81-5	10 - 30
Lactic acid	79-33-4	1 - 5
Isopropyl Alcohol	67-63-0	1 - 5

Product AT USE DILUTION

Chemical name	CAS-No.	Concentration (%)
glycerin	56-81-5	5 - 10
Lactic acid	79-33-4	1 - 5
Isopropyl Alcohol	67-63-0	1 - 5
sodium chlorite	7758-19-2	0.1 - 1
chlorine dioxide...%	10049-04-4	0.1 - 1

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

SAFETY DATA SHEET

4XLA ACTIVATOR

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides
Oxides of phosphorus

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SAFETY DATA SHEET

4XLA ACTIVATOR

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling : Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -10 °C to 40 °C

Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
glycerin	56-81-5	CMP (Mist)	10 mg/m3	AR OEL
glycerin	56-81-5	TWA (Mist)	10 mg/m3	PE OEL
glycerin	56-81-5	L-8/40 (Mist)	10 mg/m3	VE OEL
glycerin	56-81-5	CPT (total dust and mist)	10 mg/m3	PA OEL
glycerin	56-81-5	LMPE-PPT	10 mg/m3	MX OEL
glycerin	56-81-5	TWA	10 mg/m3	ACGIH
		TWA (respirable fraction)	5 mg/m3	OSHA Z1
Isopropyl Alcohol	67-63-0	CMP	400 ppm	AR OEL
		CMP - CPT	500 ppm	AR OEL
Isopropyl Alcohol	67-63-0	LT	310 ppm 765 mg/m3	BR OEL
Isopropyl Alcohol	67-63-0	LPP	350 ppm 858 mg/m3	CL OEL
		LPT	500 ppm 1,230 mg/m3	CL OEL
Isopropyl Alcohol	67-63-0	TWA	200 ppm 491 mg/m3	PE OEL
		STEL	400 ppm 983 mg/m3	PE OEL
Isopropyl Alcohol	67-63-0	L-8/40	200 ppm	VE OEL
		LB	400 ppm	VE OEL
Isopropyl Alcohol	67-63-0	CPT	400 ppm 960 mg/m3	PA OEL
		CCT	500 ppm 1,225 mg/m3	PA OEL
Isopropyl Alcohol	67-63-0	LMPE-PPT	400 ppm 980 mg/m3	MX OEL
		LMPE-CT	500 ppm 1,225 mg/m3	MX OEL
		VLE-PPT	200 ppm	NOM-010-STPS-

SAFETY DATA SHEET

4XLA ACTIVATOR

		VLE-CT	400 ppm	2014
				NOM-010-STPS-2014
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: yellow	yellow
Odor	: slight	Chlorine
pH	: 2.5, (100 %)	2.5 - 2.9
Flash point	: Not applicable, Does not sustain combustion.	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and	: 100 °C	

SAFETY DATA SHEET

4XLA ACTIVATOR

boiling range

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.03

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Thermal decomposition : No data available

Viscosity, kinematic : 48.631 mm²/s (40 °C)

Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : No data available

VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Bases

Hazardous decomposition products : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Health injuries are not known or expected under normal use.

Skin : Causes mild skin irritation.

SAFETY DATA SHEET

4XLA ACTIVATOR

Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Health injuries are not known or expected under normal use.
Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.
Skin : Causes mild skin irritation.
Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Health injuries are not known or expected under normal use.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : No symptoms known or expected.
Skin contact : slight irritation
Ingestion : No symptoms known or expected.
Inhalation : No symptoms known or expected.

Product AT USE DILUTION

Eye contact : No symptoms known or expected.
Skin contact : slight irritation
Ingestion : No symptoms known or expected.
Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity : No data available
Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available
Serious eye damage/eye irritation : No data available
Respiratory or skin sensitization : No data available
Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available

SAFETY DATA SHEET

4XLA ACTIVATOR

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

Ingredients

Acute oral toxicity : glycerin
LD50 Rat: 18,300 mg/kg

Lactic acid
LD50 Rat: 3,543 mg/kg

Isopropyl Alcohol
LD50 Rat: 5,840 mg/kg

Ingredients

Acute inhalation toxicity : Lactic acid
4 h LC50 Rat: > 7.94 mg/l
Test atmosphere: dust/mist

Isopropyl Alcohol
4 h LC50 Rat: > 30 mg/l
Test atmosphere: vapor

Ingredients

Acute dermal toxicity : glycerin
LD50 Rabbit: 23,000 mg/kg

Lactic acid
LD50 Rabbit: > 2,000 mg/kg

Isopropyl Alcohol
LD50 Rabbit: 12,870 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Ingredients

Toxicity to fish : glycerin
96 h LC50 Fish: 855 mg/l

Lactic acid
96 h LC50 Fish: 130 mg/l

Isopropyl Alcohol
96 h LC50 Pimephales promelas: 9,640 mg/l

SAFETY DATA SHEET

4XLA ACTIVATOR

Ingredients

Toxicity to daphnia and other aquatic invertebrates : Isopropyl Alcohol
LC50 Daphnia magna (Water flea): > 10,000 mg/l

Persistence and degradability

Product AS SOLD

Readily biodegradable.

Product AT USE DILUTION

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SAFETY DATA SHEET


4XLA ACTIVATOR

For Regulatory information please contact your Ecolab sales representative.

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:




HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 13.11.2017
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the MSDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.