

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : QUALLIX SANIVERD

Other means of identification : Not applicable

Recommended use : Disinfectant

Product dilution information : 0,01 % - 0,15 %
1,5 G/L

Company : ECOLAB Química Ltda.
Avenida Gupe, 10933
Jd. Belval - Barueri – São Paulo, Brazil Cep.: 06422-120
0800 704 1409
sac.brasil@ecolab.com

Emergency telephone : 0800 701 0450 (Planitox)

Issuing date : 11.08.2015

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Oxidizing solids : Category 2
Acute toxicity (Oral) : Category 5
Skin irritation : Category 3
Serious eye damage : Category 1
Chronic aquatic toxicity : Category 2

Product AT USE DILUTION

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

GHS Label element
Product AS SOLD

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May intensify fire; oxidizer.
May be harmful if swallowed.
Causes mild skin irritation.
Causes serious eye damage.
Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
Keep away from heat. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
Response:
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

QUALLIX SANIVERD

Immediately call a POISON CENTER or doctor/ physician. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Collect spillage.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements

Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards

: Mixing this product with acid or ammonia releases chlorine gas. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture

: Mixture

Chemical Name	CAS-No.	Concentration (%)
sodium chloride	7647-14-5	60 - 100
troclosene sodium	2893-78-9	10 - 30
triphosphoric acid, pentasodium salt	7758-29-4	5 - 10
sodium hydrogencarbonate	144-55-8	5 - 10
citric acid	77-92-9	1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

SAFETY DATA SHEET

QUALLIX SANIVERD

Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Oxidizer. Contact with other material may cause fire.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed.
Environmental precautions	: No special environmental precautions required.
Methods and materials for	: Stop leak if safe to do so. Contain spillage, and then collect with non-

SAFETY DATA SHEET

QUALLIX SANIVERD

containment and cleaning up	combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.
-----------------------------	---

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions for safe storage	: Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: 5 °C to 45 °C

Product AT USE DILUTION

Advice on safe handling	: Wash hands after handling. For personal protection see section 8.
Conditions for safe storage	: Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
----------------------	--

Personal protective equipment

Eye protection	: Safety goggles Face-shield
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
----------------------	--

SAFETY DATA SHEET

QUALLIX SANIVERD

Personal protective equipment

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: powder	liquid
Color	: opaque, white	colorless
Odor	: Chlorine	Chlorine
pH	: 6,5 - 7,5, 1 %	6,5 - 7,1
Flash point	: Not applicable, Does not sustain combustion.	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1,11 - 1,13	
Water solubility	: insoluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: yes	
Molecular weight	: No data available	
VOC	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability	: Stable under normal conditions.
--------------------	-----------------------------------

SAFETY DATA SHEET

QUALLIX SANIVERD

Possibility of hazardous reactions	: Mixing this product with acid or ammonia releases chlorine gas. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Acids Bases Metals Organic materials
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes mild skin irritation.
Ingestion	: May be harmful if swallowed.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: slight irritation
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Product AT USE DILUTION

SAFETY DATA SHEET

QUALLIX SANIVERD

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product AS SOLD

Acute oral toxicity	: Acute toxicity estimate : 2.681 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Ingredients

Acute dermal toxicity	: sodium chloride LD50 Rabbit: > 10.000 mg/kg
	troclosene sodium LD50 Rabbit: > 10.000 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects	: Toxic to aquatic life with long lasting effects.
-----------------------	--

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Ingredients

Toxicity to fish	: sodium chloride 96 h LC50 Fish: 5.840 mg/l
------------------	---

SAFETY DATA SHEET

QUALLIX SANIVERD

citric acid
96 h LC50 Fish: > 100 mg/l

Ingredients

Toxicity to daphnia and other aquatic invertebrates : triphosphoric acid, pentasodium salt
48 h EC50 Daphnia: > 100 mg/l

sodium hydrogencarbonate
48 h EC50 Daphnia: 41.000 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose. DO NOT DUMP INTO SEWERS, ON THE SOIL OR INTO ANY WATER COURSE.

Product AT USE DILUTION

Disposal methods : Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose. DO NOT DUMP INTO SEWERS, ON THE SOIL OR INTO ANY WATER COURSE.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

SAFETY DATA SHEET

QUALLIX SANIVERD

Land transport (ANTT 420)

UN number : 1479
Description of the goods : OXIDIZING SOLID, N.O.S.
(troclosene sodium)
Class : 5.1
Packing group : III
Risk Number : 50
Environmentally hazardous : no

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 1479
Description of the goods : OXIDIZING SOLID, N.O.S.
(troclosene sodium)
Class : 5.1
Packing group : III
Marine pollutant : yes

Product AT USE DILUTION

Not intended for transport.

SECTION 15. REGULATORY INFORMATION


NATIONAL REGULATIONS, BRAZIL

Brazil: Our FISPQ complies with the Brazilian Rule ABNT NBR 14725.

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	1


0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

SAFETY DATA SHEET

QUALLIX SANIVERD

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 11.08.2015
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.