

**SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY**

Product name : DIPPING DE CHLORHEXIDINA  
 Other means of identification : Not applicable  
 Recommended use : Teat dip  
 Restrictions on use : Reserved for industrial and professional use.  
 Product dilution information : No dilution information provided.  
 Company : Chile ECOLAB S.A.  
 Avenida Pedro de Valdivia 3801  
 Santiago, Santiago Chile  
 (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600  
 sac.chile@ecolab.com  
 Emergency telephone : (+56-2) 2247-3600 (CITUC)  
 Toxicological Emergency Phone : CITUC (+56-2) 2635-3800 (24 hours)

**SECTION 2. HAZARDS IDENTIFICATION**

**Classification according to NCH 382** : Not classified according to NCh 382

**Distintivo según NCh 2190** : Not classified according to NCh 382

**GHS Classification**

Flammable liquids : Category 3  
 Acute aquatic toxicity : Category 2

**GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Flammable liquid and vapor.  
 Toxic to aquatic life.

Precautionary Statements : **Prevention:**  
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Avoid release to the environment.  
**Response:**  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

## SAFETY DATA SHEET

### DIPPING DE CHLORHEXIDINA

Rinse skin with water/shower. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

### SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

Pure substance/mixture : Mixture

| Chemical name     | CAS-No. | Concentration (%) |
|-------------------|---------|-------------------|
| Isopropyl Alcohol | 67-63-0 | 1 - 5             |

### SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : No specific measures identified.

**Expected acute effects**

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

**Expected chronic effects**

Chronic Exposure : Health injuries are not known or expected under normal use.

**Most important symptoms / effects**

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

### SECTION 5. FIREFIGHTING MEASURES

Extinguishing Agents : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing : High volume water jet

## SAFETY DATA SHEET

### DIPPING DE CHLORHEXIDINA

agents

- Specific hazards during fire fighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.  
Beware of vapors accumulating to form explosive concentrations.  
Vapors can accumulate in low areas.
- Products generated in combustion and thermal degradation : Decomposition products may include the following materials:  
Carbon oxides  
Nitrogen oxides (NOx)  
Sulfur oxides  
Oxides of phosphorus
- Precautions for Emergency Personnel and / or Firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### SECTION 7. HANDLING AND STORAGE

#### Handling

- Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling.

#### Storage

- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Recommended and unsuitable packaging by supplier : Use high density plastic containers.
- Storage temperature : 0 °C to 40 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## SAFETY DATA SHEET

### DIPPING DE CHLORHEXIDINA

#### Ingredients with workplace control parameters

| Ingredients       | CAS-No. | Form of exposure | Permissible concentration | Basis             |
|-------------------|---------|------------------|---------------------------|-------------------|
| Isopropyl Alcohol | 67-63-0 | CMP              | 400 ppm                   | AR OEL            |
|                   |         | CMP - CPT        | 500 ppm                   | AR OEL            |
| Isopropyl Alcohol | 67-63-0 | LT               | 310 ppm<br>765 mg/m3      | BR OEL            |
| Isopropanol       | 67-63-0 | LPP              | 350 ppm<br>858 mg/m3      | CL OEL            |
|                   |         | LPT              | 500 ppm<br>1.230 mg/m3    | CL OEL            |
| Isopropyl Alcohol | 67-63-0 | TWA              | 200 ppm<br>491 mg/m3      | PE OEL            |
|                   |         | STEL             | 400 ppm<br>983 mg/m3      | PE OEL            |
| Isopropyl Alcohol | 67-63-0 | L-8/40           | 200 ppm                   | VE OEL            |
|                   |         | LB               | 400 ppm                   | VE OEL            |
| Isopropyl Alcohol | 67-63-0 | VLE-PPT          | 200 ppm                   | NOM-010-STPS-2014 |
|                   |         | VLE-CT           | 400 ppm                   | NOM-010-STPS-2014 |
| Isopropyl Alcohol | 67-63-0 | TWA              | 200 ppm                   | ACGIH             |
|                   |         | STEL             | 400 ppm                   | ACGIH             |
|                   |         | TWA              | 400 ppm<br>980 mg/m3      | NIOSH REL         |
|                   |         | STEL             | 500 ppm<br>1.225 mg/m3    | NIOSH REL         |
|                   |         | TWA              | 400 ppm<br>980 mg/m3      | OSHA Z1           |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Impervious gloves, resistant to chemicals.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : blue

## SAFETY DATA SHEET

### DIPPING DE CHLORHEXIDINA

|                                         |                     |
|-----------------------------------------|---------------------|
| Odor                                    | : slight            |
| pH                                      | : 6,0, (100 %)      |
| Flash point                             | : 45 °C closed cup  |
| Odor Threshold                          | : No data available |
| Melting point/freezing point            | : No data available |
| Initial boiling point and boiling range | : No data available |
| Evaporation rate                        | : No data available |
| Flammability (solid, gas)               | : No data available |
| Upper explosion limit                   | : No data available |
| Lower explosion limit                   | : No data available |
| Vapor pressure                          | : No data available |
| Relative vapor density                  | : No data available |
| Relative density                        | : 1,01              |
| Water solubility                        | : No data available |
| Solubility in other solvents            | : No data available |
| Partition coefficient: n-octanol/water  | : No data available |
| Autoignition temperature                | : No data available |
| Thermal decomposition                   | : No data available |
| Viscosity, kinematic                    | : No data available |
| Explosive properties                    | : No data available |
| Oxidizing properties                    | : No data available |
| Molecular weight                        | : No data available |
| VOC                                     | : No data available |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                                                  |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Chemical stability                 | : Stable under normal conditions.                                                                                                                |
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.                                                                                    |
| Conditions to avoid                | : Heat, flames and sparks.                                                                                                                       |
| Incompatible materials             | : None known.                                                                                                                                    |
| Hazardous decomposition products   | : Decomposition products may include the following materials:<br>Carbon oxides<br>Nitrogen oxides (NOx)<br>Sulfur oxides<br>Oxides of phosphorus |

### SECTION 11. TOXICOLOGICAL INFORMATION

|                                          |                                         |
|------------------------------------------|-----------------------------------------|
| Information on likely routes of exposure | : Inhalation, Eye contact, Skin contact |
|------------------------------------------|-----------------------------------------|

## SAFETY DATA SHEET

### DIPPING DE CHLORHEXIDINA

#### Toxicity

##### Product

|                                   |                                                                     |
|-----------------------------------|---------------------------------------------------------------------|
| Acute oral toxicity               | : No data available                                                 |
| Acute inhalation toxicity         | : 4 h Acute toxicity estimate : > 40 mg/l<br>Test atmosphere: vapor |
| Acute dermal toxicity             | : No data available                                                 |
| Skin corrosion/irritation         | : No data available                                                 |
| Serious eye damage/eye irritation | : No data available                                                 |
| Respiratory or skin sensitization | : No data available                                                 |
| Carcinogenicity                   | : No data available                                                 |
| Reproductive effects              | : No data available                                                 |
| Germ cell mutagenicity            | : No data available                                                 |
| Teratogenicity                    | : No data available                                                 |
| STOT-single exposure              | : No data available                                                 |
| STOT-repeated exposure            | : No data available                                                 |
| Aspiration toxicity               | : No data available                                                 |

##### Ingredients

|                     |                                              |
|---------------------|----------------------------------------------|
| Acute oral toxicity | : Isopropyl Alcohol<br>LD50 Rat: 5.840 mg/kg |
|---------------------|----------------------------------------------|

##### Ingredients

|                       |                                                  |
|-----------------------|--------------------------------------------------|
| Acute dermal toxicity | : Isopropyl Alcohol<br>LD50 Rabbit: 12.870 mg/kg |
|-----------------------|--------------------------------------------------|

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

|                       |                          |
|-----------------------|--------------------------|
| Environmental Effects | : Toxic to aquatic life. |
|-----------------------|--------------------------|

##### Product

|                                                     |                     |
|-----------------------------------------------------|---------------------|
| Toxicity to fish                                    | : No data available |
| Toxicity to daphnia and other aquatic invertebrates | : No data available |
| Toxicity to algae                                   | : No data available |

##### Ingredients

|                  |                                                                  |
|------------------|------------------------------------------------------------------|
| Toxicity to fish | : Isopropyl Alcohol<br>96 h LC50 Pimephales promelas: 9.640 mg/l |
|------------------|------------------------------------------------------------------|

##### Ingredients

|                                                     |                                                                       |
|-----------------------------------------------------|-----------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : Isopropyl Alcohol<br>LC50 Daphnia magna (Water flea): > 10.000 mg/l |
|-----------------------------------------------------|-----------------------------------------------------------------------|

#### Persistence and degradability

## SAFETY DATA SHEET

### DIPPING DE CHLORHEXIDINA

Poorly biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. INFORMATION OF DISPOSAL

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
- Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

##### Official transport classification of the United Nations

Not dangerous goods

#### Air transport (IATA)

##### Official transport classification of the United Nations

Contact Regulatory for air freight eligibility

#### Sea transport (IMDG/IMO)

##### Official transport classification of the United Nations

Not dangerous goods

### SECTION 15. REGULATORY INFORMATION

#### Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification


## SAFETY DATA SHEET

### DIPPING DE CHLORHEXIDINA

NCh 382: Dangerous Good - Classification  
D.S. No. 594: Minimum basic conditions in the workplace  
D.S. No. 148: Hazardous waste disposal  
D.S. No. 72: Mining Safety Regulations  
D. S. No. 43: reports on the storage of hazardous substances  
D. S. No. 40: Reporting on exposure hazards

### SECTION 16. OTHER INFORMATION

#### NFPA:



#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 0 |
| FLAMMABILITY    | 2 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 15.12.2017  
Version : 1.0  
Prepared by : Regulatory Affairs

While there is no change in the formula or hazard classifications, this SDS remains valid

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.