

**MEPA Acid Power****Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product name : MEPA Acid Power

Product code : 117186E

Use of the  
Substance/Mixture : Cleaning product

Substance type: : Mixture

**For professional users only.**

Product dilution information : No dilution information provided.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Process cleaner. Cleaning In place (CIP) process

Recommended restrictions  
on use : Reserved for industrial and professional use.**1.3 Details of the supplier of the safety data sheet**Company : Ecolab Deutschland GmbH  
Ecolab-Allee 1  
40789 Monheim am Rhein, Germany +49 (0)2173 599 0  
OfficeService.DEDUS@ecolab.com**1.4 Emergency telephone number**Emergency telephone  
number : +4932221096286  
+32-(0)3-575-5555 Trans-EuropeanDate of Compilation/Revision : 26.03.2018  
Version : 1.0**Section: 2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Skin corrosion, Category 1A H314

Serious eye damage, Category 1 H318

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)**

**MEPA Acid Power**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
P260a Do not breathe dusts or mists.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

Sodium bisulfate

sulphamic acid

**2.3 Other hazards**

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Hazardous components**

| Chemical Name                                | CAS-No.<br>EC-No.<br>REACH No.             | ClassificationREGULATION (EC) No<br>1272/2008                                                                       | Concentration:<br>[%] |
|----------------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------|
| Sodium bisulfate                             | 7681-38-1<br>231-665-7<br>01-2119552465-36 | Serious eye damage Category 1; H318                                                                                 | >= 30 - < 50          |
| sulphamic acid                               | 5329-14-6<br>226-218-8                     | Skin irritation Category 2; H315<br>Eye irritation Category 2; H319<br>Chronic aquatic toxicity Category 3;<br>H412 | >= 20 - < 25          |
| Sodium Carbonate                             | 497-19-8<br>207-838-8<br>01-2119485498-19  | Eye irritation Category 2; H319                                                                                     | >= 5 - < 10           |
| Substances with a workplace exposure limit : |                                            |                                                                                                                     |                       |
| precipitated silica                          | 112926-00-8                                |                                                                                                                     | >= 0.5 - < 1          |

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES**

**MEPA Acid Power**

**4.1 Description of first aid measures**

- |                         |                                                                                                                                                                                                        |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of eye contact  | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.      |
| In case of skin contact | : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. |
| If swallowed            | : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.                                                            |
| If inhaled              | : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.                                                                                                                 |

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

- |           |                          |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

**Section: 5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

- |                                |                                                                                                           |
|--------------------------------|-----------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : None known.                                                                                             |

**5.2 Special hazards arising from the substance or mixture**

- |                                      |                                                                                                                                                                                   |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific hazards during firefighting | : Not flammable or combustible.                                                                                                                                                   |
| Hazardous combustion products        | : Depending on combustion properties, decomposition products may include following materials:<br>Carbon oxides<br>nitrogen oxides (NOx)<br>Sulphur oxides<br>Oxides of phosphorus |

**5.3 Advice for firefighters**

- |                                               |                                                                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for firefighters | : Use personal protective equipment.                                                                                                                                            |
| Further information                           | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes. |

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**MEPA Acid Power**

**6.1 Personal precautions, protective equipment and emergency procedures**

- Advice for non-emergency personnel : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

- Environmental precautions : Do not allow contact with soil, surface or ground water.

**6.3 Methods and materials for containment and cleaning up**

- Methods for cleaning up : Sweep up and shovel into suitable containers for disposal.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**7.2 Conditions for safe storage, including any incompatibilities**

- Requirements for storage areas and containers : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : -20 °C to 40 °C

**7.3 Specific end uses**

- Specific use(s) : Process cleaner. Cleaning In place (CIP) process

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**MEPA Acid Power****Occupational Exposure Limits**

| Components          | CAS-No.     | Value type (Form of exposure)                                                                                                     | Control parameters           | Basis    |
|---------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------|
| precipitated silica | 112926-00-8 | AGW (Inhalable fraction)                                                                                                          | 4 mg/m <sup>3</sup> (Silica) | TRGS 900 |
| Further information | DFG         | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).                        |                              |          |
|                     | 2           | Colloidal amorphous silica, including pyrogenic silica and in wet processes manufactured silica (precipitated silica, silicagel). |                              |          |
|                     | Y           | When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child               |                              |          |

**DNEL**

|                  |   |                                                                                                                                     |
|------------------|---|-------------------------------------------------------------------------------------------------------------------------------------|
| Sodium Carbonate | : | End Use: Workers<br>Exposure routes: Inhalation<br>Potential health effects: Long-term local effects<br>Value: 10 mg/m <sup>3</sup> |
|                  | : | End Use: Consumers<br>Exposure routes: Inhalation<br>Potential health effects: Acute local effects<br>Value: 10 mg/m <sup>3</sup>   |

**8.2 Exposure controls****Appropriate engineering controls**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles  
Face-shield

Hand protection (EN 374) : Recommended preventive skin protection  
Gloves  
Nitrile rubber  
butyl-rubber  
Breakthrough time: 1 – 4 hours  
Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise).  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection (EN 14605) : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes

**MEPA Acid Power**

Respiratory protection (EN 143, 14387) : When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, 89/686/EEC), or equivalent, with filter type:B

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

|                                         |                                                        |
|-----------------------------------------|--------------------------------------------------------|
| Appearance                              | : powder                                               |
| Colour                                  | : white                                                |
| Odour                                   | : odourless                                            |
| pH                                      | : 2.0, 1 %                                             |
| Flash point                             | : Not applicable., Does not sustain combustion.        |
| Odour Threshold                         | : Not applicable and/or not determined for the mixture |
| Melting point/freezing point            | : Not applicable and/or not determined for the mixture |
| Initial boiling point and boiling range | : Not applicable and/or not determined for the mixture |
| Evaporation rate                        | : Not applicable and/or not determined for the mixture |
| Flammability (solid, gas)               | : Not applicable and/or not determined for the mixture |
| Upper explosion limit                   | : Not applicable and/or not determined for the mixture |
| Lower explosion limit                   | : Not applicable and/or not determined for the mixture |
| Vapour pressure                         | : Not applicable and/or not determined for the mixture |
| Relative vapour density                 | : Not applicable and/or not determined for the mixture |
| Relative density                        | : 1.31                                                 |
| Water solubility                        | : soluble                                              |
| Solubility in other solvents            | : Not applicable and/or not determined for the mixture |
| Partition coefficient: n-octanol/water  | : Not applicable and/or not determined for the mixture |
| Auto-ignition temperature               | : Not applicable and/or not determined for the mixture |
| Thermal decomposition                   | : Not applicable and/or not determined for the mixture |
| Viscosity, kinematic                    | : Not applicable and/or not determined for the mixture |
| Explosive properties                    | : Not applicable and/or not determined for the mixture |
| Oxidizing properties                    | : Yes                                                  |

**9.2 Other information**

Not applicable and/or not determined for the mixture

**MEPA Acid Power**

**Section: 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**10.4 Conditions to avoid**

None known.

**10.5 Incompatible materials**

Bases

**10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials:

Carbon oxides

nitrogen oxides (NO<sub>x</sub>)

Sulphur oxides

Oxides of phosphorus

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye irritation : There is no data available for this product.

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

## MEPA Acid Power

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

## Components

Acute oral toxicity : Sodium bisulfate  
LD50 rat: 2,140 mg/kg

sulphamic acid  
 LD50 rat: 3,160 mg/kg

Sodium Carbonate  
LD50 rat: 2,800 mg/kg

precipitated silica  
LD50 rat: > 20,000 mg/kg

## Components

Acute inhalation toxicity : Sodium bisulfate  
4 h LC50 rat: > 2.4 mg/l  
Test atmosphere: dust/mist

## Components

Acute dermal toxicity : sulphamic acid  
LD50 rat: > 2,000 mg/kg

precipitated silica  
LD50 rabbit: > 5,000 mg/kg

## Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

### Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough



**MEPA Acid Power**

**Section: 12. ECOLOGICAL INFORMATION**

**12.1 Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

**Product**

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

**Components**

Toxicity to fish : Sodium bisulfate  
96 h LC50 Fish: 7,960 mg/l

Sodium Carbonate  
96 h LC50 *Lepomis macrochirus* (Bluegill sunfish): 300 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : Sodium Carbonate  
48 h EC50 *Ceriodaphnia* (water flea): 213.5 mg/l

**Components**

Toxicity to algae : sulphamic acid  
72 h EC50: 48 mg/l

**12.2 Persistence and degradability**

**Product**

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

**Components**

Biodegradability : Sodium bisulfate  
Result: Not applicable - inorganic

sulphamic acid  
Result: Not applicable - inorganic

Sodium Carbonate  
Result: Not applicable - inorganic

precipitated silica  
Result: Not applicable - inorganic

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

**MEPA Acid Power**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

Product : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code selection : Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

14.1 UN number : Not dangerous goods

14.2 UN proper shipping name : Not dangerous goods

14.3 Transport hazard class(es) : Not dangerous goods

14.4 Packing group : Not dangerous goods

14.5 Environmental hazards : Not dangerous goods

14.6 Special precautions for user : Not dangerous goods

**MEPA Acid Power****Air transport (IATA)**

14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods  
14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods

**Sea transport (IMDG/IMO)**

14.1 UN number : Not dangerous goods  
14.2 UN proper shipping name : Not dangerous goods  
14.3 Transport hazard class(es) : Not dangerous goods  
14.4 Packing group : Not dangerous goods  
14.5 Environmental hazards : Not dangerous goods  
14.6 Special precautions for user : Not dangerous goods  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not dangerous goods

**Section: 15. REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

according to Detergents : 30 % and more: Zeolites  
Regulation EC 648/2004 less than 5 %: Oxygen-based bleaching agents

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Hazard class for water : WGK 1  
Classification according VwVwS, Annex 4.

German storage class : 8B

**15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

**Section: 16. OTHER INFORMATION****Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

| Classification             | Justification                       |
|----------------------------|-------------------------------------|
| Skin corrosion 1A, H314    | Based on product data or assessment |
| Serious eye damage 1, H318 | Based on product data or assessment |

**MEPA Acid Power**

**Full text of H-Statements**

|      |                                                    |
|------|----------------------------------------------------|
| H315 | Causes skin irritation.                            |
| H318 | Causes serious eye damage.                         |
| H319 | Causes serious eye irritation.                     |
| H412 | Harmful to aquatic life with long lasting effects. |

**Full text of other abbreviations**

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**MEPA Acid Power****Annex: Exposure Scenarios****Exposure Scenario: Process cleaner. Cleaning In place (CIP) process**

Life Cycle Stage : Use at industrial sites

Product category : **PC35** Washing and cleaning products (including solvent based products)

**Contributing scenario controlling environmental exposure for:**

Environmental release category : **ERC4** Industrial use of processing aids in processes and products, not becoming part of articles

Daily amount per site : 50 kg

Type of Sewage Treatment Plant : Municipal sewage treatment plant

**Contributing scenario controlling worker exposure for:**

Process category : **PROC8b** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities

Exposure duration : 60 min

Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : Yes: See Section 8

Respiratory Protection : No

**Contributing scenario controlling worker exposure for:**

Process category : **PROC1** Use in closed process, no likelihood of exposure

Exposure duration : 480 min

Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : No

Respiratory Protection : No