



**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL  
(60 PERCENT) SPRAY**

**Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE  
COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product name : PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY

Product code : 117975E

Use of the  
Substance/Mixture : Surface Disinfectant

Substance type: : Mixture

**For professional users only.**

Product dilution information : No dilution information provided.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Medical devices ; Spray and wipe process

Recommended restrictions  
on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : Ecolab Ltd.  
PO Box 11; Winnington Avenue  
Northwich, Cheshire, United Kingdom CW8 4DX  
+ 44 (0)1606 74488  
ccs@ecolab.com

**1.4 Emergency telephone number**

Emergency telephone : +441618841235  
number : +32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 26.11.2020  
Version : 1.0

**Section: 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

|                                                                                         |      |
|-----------------------------------------------------------------------------------------|------|
| Flammable liquids, Category 3                                                           | H226 |
| Eye irritation, Category 2                                                              | H319 |
| Specific target organ toxicity - single exposure, Category 3,<br>Central Nervous System | H336 |

The classification of this product is based on toxicological assessment.

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY****2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapour.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P261 Avoid breathing spray.  
 P280e Wear eye protection/face protection.

**2.3 Other hazards**

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Hazardous components**

| Chemical Name                                | CAS-No.<br>EC-No.<br>REACH No.           | Classification<br>REGULATION (EC) No 1272/2008                                                                                                 | Concentration<br>: [%] |
|----------------------------------------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Isopropyl Alcohol                            | 67-63-0<br>200-661-7<br>01-2119457558-25 | Flammable liquids Category 2; H225<br>Eye irritation Category 2; H319<br>Specific target organ toxicity - single exposure Category 3; H336     | >= 30 - < 50           |
| propan-1-ol                                  | 71-23-8<br>200-746-9<br>01-2119486761-29 | Flammable liquids Category 2; H225<br>Serious eye damage Category 1; H318<br>Specific target organ toxicity - single exposure Category 3; H336 | >= 25 - < 30           |
| Substances with a workplace exposure limit : |                                          |                                                                                                                                                |                        |
| Propylene glycol                             | 57-55-6<br>200-338-0<br>01-2119456809-23 | Not Classified;                                                                                                                                | >= 1 - < 2.5           |

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES****4.1 Description of first aid measures**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

|                         |                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------|
| In case of skin contact | : Rinse with plenty of water.                                                          |
| If swallowed            | : Rinse mouth. Get medical attention if symptoms occur.                                |
| If inhaled              | : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur. |

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

|           |                          |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

**Section: 5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

|                                |                                                                                                           |
|--------------------------------|-----------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : High volume water jet                                                                                   |

**5.2 Special hazards arising from the substance or mixture**

|                                      |                                                                                                                                                                                                                              |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific hazards during firefighting | : Fire Hazard<br>Keep away from heat and sources of ignition.<br>Flash back possible over considerable distance.<br>Beware of vapours accumulating to form explosive concentrations.<br>Vapours can accumulate in low areas. |
| Hazardous combustion products        | : Depending on combustion properties, decomposition products may include following materials:<br>Carbon oxides                                                                                                               |

**5.3 Advice for firefighters**

|                                               |                                                                                                                                                                                                                              |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for firefighters | : Use personal protective equipment.                                                                                                                                                                                         |
| Further information                           | : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes. |

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

|                                    |                                                                                                                                                    |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice for non-emergency personnel | : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. |
| Advice for emergency responders    | : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable              |

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

materials.

**6.2 Environmental precautions**

Environmental precautions : Do not allow contact with soil, surface or ground water.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Advice on safe handling : Avoid contact with skin and eyes. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 25 °C

**7.3 Specific end uses**

Specific use(s) : Medical devices ; Spray and wipe process

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY****Occupational Exposure Limits**

| Components          | CAS-No. | Value type (Form of exposure)                                                                                                                           | Control parameters                 | Basis    |
|---------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|----------|
| Isopropyl Alcohol   | 67-63-0 | TWA                                                                                                                                                     | 400 ppm<br>999 mg/m <sup>3</sup>   | UKCOSSTD |
|                     |         | STEL                                                                                                                                                    | 500 ppm<br>1,250 mg/m <sup>3</sup> | UKCOSSTD |
| propan-1-ol         | 71-23-8 | STEL                                                                                                                                                    | 250 ppm<br>625 mg/m <sup>3</sup>   | UKCOSSTD |
| Further information | Sk      | Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |                                    |          |
|                     |         | TWA                                                                                                                                                     | 200 ppm<br>500 mg/m <sup>3</sup>   | UKCOSSTD |
| Further information | Sk      | Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. |                                    |          |
| Propylene glycol    | 57-55-6 | TWA (particles)                                                                                                                                         | 10 mg/m <sup>3</sup>               | UKCOSSTD |
|                     |         | TWA (Total vapour and particles)                                                                                                                        | 150 ppm<br>474 mg/m <sup>3</sup>   | UKCOSSTD |

**DNEL**

|                   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isopropyl Alcohol | : | <p>End Use: Workers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>Value: 888 mg/cm<sup>2</sup></p> <p>End Use: Workers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 500 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>Value: 319 mg/cm<sup>2</sup></p> <p>End Use: Consumers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 89 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Ingestion<br/>Potential health effects: Long-term systemic effects<br/>Value: 26 ppm</p> |
| Propylene glycol  | : | <p>End Use: Workers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 168 mg/m<sup>3</sup></p> <p>End Use: Workers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term local effects<br/>Value: 10 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 50 mg/m<sup>3</sup></p>                                                                                                                                                                                                                                                                                      |

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>End Use: Consumers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term local effects<br/>Value: 10 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>Value: 213 mg/cm<sup>2</sup></p> <p>End Use: Consumers<br/>Exposure routes: Ingestion<br/>Potential health effects: Long-term systemic effects<br/>Value: 85 ppm</p> |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## PNEC

|                   |                                                                                                                                                                                                                                                                                                                                                    |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isopropyl Alcohol | <p>: Fresh water<br/>Value: 140.9 mg/l</p> <p>Marine water<br/>Value: 140.9 mg/l</p> <p>Intermittent use/release<br/>Value: 140.9 mg/l</p> <p>Fresh water<br/>Value: 552 mg/kg</p> <p>Marine sediment<br/>Value: 552 mg/kg</p> <p>Soil<br/>Value: 28 mg/kg</p> <p>Sewage treatment plant<br/>Value: 2251 mg/l</p> <p>Oral<br/>Value: 160 mg/kg</p> |
| Propylene glycol  | <p>: Fresh water<br/>Value: 260 mg/l</p> <p>Marine water<br/>Value: 26 mg/l</p> <p>Intermittent use/release<br/>Value: 183 mg/l</p> <p>Fresh water sediment<br/>Value: 572 mg/kg</p> <p>Marine sediment<br/>Value: 57.2 mg/kg</p>                                                                                                                  |

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

|  |  |                                             |
|--|--|---------------------------------------------|
|  |  | Sewage treatment plant<br>Value: 20000 mg/l |
|  |  | Soil<br>Value: 50 mg/kg                     |

**8.2 Exposure controls****Appropriate engineering controls**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Eye/face protection (EN 166) : Safety glasses with side-shields

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:A

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

|                                         |                                                        |
|-----------------------------------------|--------------------------------------------------------|
| Appearance                              | : liquid                                               |
| Colour                                  | : light yellow                                         |
| Odour                                   | : alcohol-like                                         |
| pH                                      | : 8.0, 100 %                                           |
| Flash point                             | : 25 °C closed cup                                     |
| Odour Threshold                         | : Not applicable and/or not determined for the mixture |
| Melting point/freezing point            | : Not applicable and/or not determined for the mixture |
| Initial boiling point and boiling range | : Not applicable and/or not determined for the mixture |
| Evaporation rate                        | : Not applicable and/or not determined for the mixture |

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

|                                        |                                                            |
|----------------------------------------|------------------------------------------------------------|
| Flammability (solid, gas)              | : Not applicable and/or not determined for the mixture     |
| Upper explosion limit                  | : Not applicable and/or not determined for the mixture     |
| Lower explosion limit                  | : Not applicable and/or not determined for the mixture     |
| Vapour pressure                        | : Not applicable and/or not determined for the mixture     |
| Relative vapour density                | : Not applicable and/or not determined for the mixture     |
| Relative density                       | : 0.89                                                     |
| Water solubility                       | : soluble                                                  |
| Solubility in other solvents           | : Not applicable and/or not determined for the mixture     |
| Partition coefficient: n-octanol/water | : Not applicable and/or not determined for the mixture     |
| Auto-ignition temperature              | : Not applicable and/or not determined for the mixture     |
| Thermal decomposition                  | : Not applicable and/or not determined for the mixture     |
| Viscosity, kinematic                   | : Not applicable and/or not determined for the mixture     |
| Explosive properties                   | : Not applicable and/or not determined for the mixture     |
| Oxidizing properties                   | : The substance or mixture is not classified as oxidizing. |

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

Heat, flames and sparks.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**



**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : No skin irritation  
Method: OECD Test Guideline 404  
Test substance: Similar Product

Serious eye damage/eye irritation : Irritating to eyes.  
Method: OECD Test Guideline 405  
Test substance: Similar Product

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

**Components**

Acute oral toxicity : Isopropyl Alcohol LD50 rat: 5,840 mg/kg  
propan-1-ol LD50 : 1,870 mg/kg  
Propylene glycol LD50 rat: 22,000 mg/kg

**Components**

Acute inhalation toxicity : Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l  
Test atmosphere: vapour  
propan-1-ol 4 h LC50 : 26.76 mg/l  
Test atmosphere: dust/mist  
Propylene glycol 4 h LC50 rat: > 158.5 mg/l  
Test atmosphere: dust/mist

**Components**

Acute dermal toxicity : Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg  
propan-1-ol LD50 : 4,032 mg/kg

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

**Potential Health Effects**

|                  |                                                                    |
|------------------|--------------------------------------------------------------------|
| Eyes             | : Causes serious eye irritation.<br>Causes serious eye irritation. |
| Skin             | : Health injuries are not known or expected under normal use.      |
| Ingestion        | : Health injuries are not known or expected under normal use.      |
| Inhalation       | : Inhalation may cause central nervous system effects.             |
| Chronic Exposure | : Health injuries are not known or expected under normal use.      |

**Experience with human exposure**

|              |                                  |
|--------------|----------------------------------|
| Eye contact  | : Redness, Pain, Irritation      |
| Skin contact | : No symptoms known or expected. |
| Ingestion    | : No symptoms known or expected. |
| Inhalation   | : Dizziness, Drowsiness          |

**Section: 12. ECOLOGICAL INFORMATION**

**12.1 Ecotoxicity**

|                       |                                                       |
|-----------------------|-------------------------------------------------------|
| Environmental Effects | : This product has no known ecotoxicological effects. |
|-----------------------|-------------------------------------------------------|

**Product**

|                                                     |                     |
|-----------------------------------------------------|---------------------|
| Toxicity to fish                                    | : no data available |
| Toxicity to daphnia and other aquatic invertebrates | : no data available |
| Toxicity to algae                                   | : no data available |

**Components**

|                  |                                                                                                                                                                          |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish | : Isopropyl Alcohol 96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l<br><br>propan-1-ol 96 h EC50: 3,800 mg/l<br><br>Propylene glycol 96 h LC50: > 10,000 mg/l |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Components**

|                                                     |                                                                                                                                                            |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l<br><br>propan-1-ol 48 h LC50: 1,000 mg/l<br><br>Propylene glycol 48 h EC50: 18,340 mg/l |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Components**

|                   |                                     |
|-------------------|-------------------------------------|
| Toxicity to algae | : propan-1-ol 48 h EC50: 9,170 mg/l |
|-------------------|-------------------------------------|

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

Propylene glycol 96 h EC50: 19,000 mg/l

**12.2 Persistence and degradability**

**Product**

no data available

**Components**

Biodegradability : Isopropyl Alcohol Result: Readily biodegradable.

propan-1-ol Result: Readily biodegradable.

Propylene glycol Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

Product : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

14.1 UN number : 1987  
14.2 UN proper shipping name : ALCOHOLS, N.O.S.  
(Isopropanol, Propanol)  
14.3 Transport hazard class(es) : 3  
14.4 Packing group : III  
14.5 Environmental hazards : No  
14.6 Special precautions for user : None

**Air transport (IATA)**

14.1 UN number : 1987  
14.2 UN proper shipping name : Alcohols, n.o.s.  
(Isopropanol, Propanol)  
14.3 Transport hazard class(es) : 3  
14.4 Packing group : III  
14.5 Environmental hazards : No  
14.6 Special precautions for user : None

**Sea transport (IMDG/IMO)**

14.1 UN number : 1987  
14.2 UN proper shipping name : ALCOHOLS, N.O.S.  
(Isopropanol, Propanol)  
14.3 Transport hazard class(es) : 3  
14.4 Packing group : III  
14.5 Environmental hazards : No  
14.6 Special precautions for user : None  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

**Section: 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
Seveso III: Directive : FLAMMABLE LIQUIDS P5c  
2012/18/EU of the European Lower tier : 5,000 t  
Parliament and of the Council Upper tier : 50,000 t  
on the control of major-  
accident hazards involving

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

dangerous substances.

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : The Chemicals (Hazard Information and Packaging for Supply) Regulations.  
The Control of Substances Hazardous to Health Regulations.  
Health and Safety at Work Act.

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

**Section: 16. OTHER INFORMATION****Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

| Classification                                           | Justification                       |
|----------------------------------------------------------|-------------------------------------|
| Flammable liquids 3, H226                                | Based on product data or assessment |
| Eye irritation 2, H319                                   | Based on product data or assessment |
| Specific target organ toxicity - single exposure 3, H336 | Calculation method                  |

**Full text of H-Statements**

H225 Highly flammable liquid and vapour.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Full text of other abbreviations**

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Annex: Exposure Scenarios**

**Exposure Scenario: Medical devices ; Spray and wipe processExposure Scenario:**

Life Cycle Stage : Widespread use by professional workers

Product category : **PC35** Washing and cleaning products (including solvent based products)

**Contributing scenario controlling environmental exposure for:**

Environmental release category : **ERC8a** Wide dispersive indoor use of processing aids in open systems

Daily amount per site : 7.5 kg

Type of Sewage Treatment Plant : Municipal sewage treatment plant

**Contributing scenario controlling worker exposure for:**

Process category : **PROC10** Roller application or brushing

Exposure duration : 480 min

Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

**PRACTICEPROTECT SURFACE DISINFECTION ALCOHOL (60 PERCENT) SPRAY**

General ventilation                      Ventilation rate per hour                      1

Skin Protection                      :    see section 8

Respiratory Protection                      :    see section 8

**Contributing scenario controlling worker exposure for:**

Process category                      :    **PROC8a**    Transfer of substance or preparation (charging/  
discharging) from/ to vessels/ large containers at non-  
dedicated facilities

Exposure duration                      :    60 min

Operational conditions and  
risk management measures                      :    Indoor

Local Exhaust Ventilation is not required

General ventilation                      Ventilation rate per hour                      1

Skin Protection                      :    see section 8

Respiratory Protection                      :    see section 8

**Contributing scenario controlling worker exposure for:**

Process category                      :    **PROC11**    Non industrial spraying

Exposure duration                      :    60 min

Operational conditions and  
risk management measures                      :    Indoor

Local Exhaust Ventilation is not required

General ventilation                      Ventilation rate per hour                      1

Skin Protection                      :    see section 8

Respiratory Protection                      :    see section 8