

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : 酸性消毒水  
OXONIA ACTIVE

Other means of identification : Not applicable.

Recommended use : Sanitizer

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.2 % - 2.3 %

Company : Ecolab Limited  
15/F, Lu Plaza, 2 Wing Yip Street  
Kwun Tong, Kowloon Hong Kong  
+852-2372 7768

Emergency telephone number : 800-968-793 (Hong Kong)  
1-651-222-5352 (United States)

Issuing date : 2021.01.20

**Section: 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Oxidizing liquids : Category 3  
Organic peroxides : Type F  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 3  
Skin corrosion/irritation : Category 1A  
Serious eye damage/eye irritation : Category 1  
Acute aquatic toxicity : Category 3

**Product AT USE DILUTION**

Skin corrosion/irritation : Category 1  
Serious eye damage/eye irritation : Category 1

**GHS Label element**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Heating may cause a fire.  
May intensify fire; oxidiser.  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
Toxic if inhaled.

## MATERIAL SAFETY DATA SHEET

### OXONIA ACTIVE

Harmful to aquatic life.

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep/Store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Keep only in original container. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**  
Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store at temperatures not exceeding .? °C/ .? °F. Keep cool. Store away from other materials.

**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

#### Product AT USE DILUTION

Hazard pictograms

:



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

**Storage:**  
Store locked up.

**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

#### Product AS SOLD

Other hazards

: Do not mix with bleach or other chlorinated products – will cause

# MATERIAL SAFETY DATA SHEET

## OXONIA ACTIVE

chlorine gas.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Product AS SOLD

Pure substance/mixture : Mixture

| Chemical Name                         | CAS-No.   | Concentration: (%) |
|---------------------------------------|-----------|--------------------|
| Hydrogen peroxide                     | 7722-84-1 | 10 - 30            |
| Acetic acid                           | 64-19-7   | 5 - 10             |
| Peroxyacetic acid, type F, stabilized | 79-21-0   | 5 - 10             |

#### Product AT USE DILUTION

No hazardous ingredients

### Section: 4. FIRST AID MEASURES

#### Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Product AT USE DILUTION

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

# MATERIAL SAFETY DATA SHEET

## OXONIA ACTIVE

### Section: 5. FIREFIGHTING MEASURES

#### Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Special protective equipment for firefighters  
Oxidizer. Contact with other material may cause fire.  
Oxidizer; material is an oxidizer which may readily react with other materials, especially upon heating.  
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides
- Special protective equipment for firefighters : In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization\* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. \*NEUTRALIZATION : once diluted, neutralize with a suitable alkali such as sodium bicarbonate. Combustible materials exposed to this product should be rinsed immediately with large amounts of water to ensure that all product is removed. Residual product which is allowed to dry on organic materials such as rags, cloths, paper, fabrics, cotton, leather, wood, or other combustibles may spontaneously ignite and result in a fire.

#### Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

# MATERIAL SAFETY DATA SHEET

## OXONIA ACTIVE

listed in sections 7 and 8.

- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

#### Product AS SOLD

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Do not store on wooden pallets. Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to gas evolution if the container is not adequately vented.
- Storage temperature : -10 °C to 40 °C

#### Product AT USE DILUTION

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Components with workplace control parameters

| Components        | CAS-No.   | Form of exposure | Permissible concentration      | Basis  |
|-------------------|-----------|------------------|--------------------------------|--------|
| Hydrogen peroxide | 7722-84-1 | OEL-TWA          | 1 ppm<br>1.4 mg/m <sup>3</sup> | HK OEL |
| Acetic acid       | 64-19-7   | OEL-TWA          | 10 ppm<br>25 mg/m <sup>3</sup> | HK OEL |
|                   |           | OEL-STEL         | 15 ppm<br>37 mg/m <sup>3</sup> | HK OEL |

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

## MATERIAL SAFETY DATA SHEET

### OXONIA ACTIVE

|                        |                                                                                                                                                                                                                                                                                                                      |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye protection         | : Safety goggles<br>Face-shield                                                                                                                                                                                                                                                                                      |
| Hand protection        | : Wear the following personal protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.                                                                                                                           |
| Skin protection        | : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing                                                                                                                                                                                                       |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.                                                                                                                                                                                                   |
| Hygiene measures       | : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard. |

#### Product AT USE DILUTION

|                      |                                                                                                            |
|----------------------|------------------------------------------------------------------------------------------------------------|
| Engineering measures | : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards. |
|----------------------|------------------------------------------------------------------------------------------------------------|

#### Personal protective equipment

|                        |                                                                                                                                                                                            |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye protection         | : Safety goggles<br>Face-shield                                                                                                                                                            |
| Hand protection        | : Wear the following personal protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. |
| Skin protection        | : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing                                                                             |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.                                                                         |

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         | Product AS SOLD     | Product AT USE DILUTION |
|-----------------------------------------|---------------------|-------------------------|
| Appearance                              | : liquid            | liquid                  |
| Colour                                  | : colourless        | colourless              |
| Odour                                   | : pungent           | pungent                 |
| pH                                      | : 1.0, (100 %)      | 2.0 - 3.0               |
| Flash point                             | : Not applicable.   |                         |
| Odour Threshold                         | : no data available |                         |
| Melting point/freezing point            | : no data available |                         |
| Initial boiling point and boiling range | : no data available |                         |
| Evaporation rate                        | : no data available |                         |
| Flammability (solid, gas)               | : Not applicable.   |                         |

## MATERIAL SAFETY DATA SHEET

### OXONIA ACTIVE

|                                        |                     |
|----------------------------------------|---------------------|
| Upper explosion limit                  | : no data available |
| Lower explosion limit                  | : no data available |
| Vapour pressure                        | : no data available |
| Relative vapour density                | : no data available |
| Relative density                       | : 1.1 - 1.14        |
| Water solubility                       | : no data available |
| Solubility in other solvents           | : no data available |
| Partition coefficient: n-octanol/water | : no data available |
| Auto-ignition temperature              | : no data available |
| Thermal decomposition                  | : no data available |
| Viscosity, kinematic                   | : no data available |
| Explosive properties                   | : no data available |
| Oxidizing properties                   | : no data available |
| Molecular weight                       | : no data available |
| VOC                                    | : no data available |

### Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD

|                                    |                                                                                                                  |
|------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.                                                    |
| Chemical stability                 | : pressure build-up<br>Contamination may result in dangerous pressure increases - closed containers may rupture. |
| Possibility of hazardous reactions | : Do not mix with bleach or other chlorinated products – will cause chlorine gas.                                |
| Conditions to avoid                | : Direct sources of heat.<br>Exposure to sunlight.                                                               |
| Incompatible materials             | : Bases<br>Metals<br>Organic materials                                                                           |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides                     |

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

|      |                              |
|------|------------------------------|
| Eyes | : Causes serious eye damage. |
| Skin | : Causes severe skin burns.  |

## MATERIAL SAFETY DATA SHEET

### OXONIA ACTIVE

|                  |                                                                                                          |
|------------------|----------------------------------------------------------------------------------------------------------|
| Ingestion        | : Harmful if swallowed. Causes digestive tract burns.                                                    |
| Inhalation       | : Toxic if inhaled. May cause respiratory tract irritation. May cause nose, throat, and lung irritation. |
| Chronic Exposure | : Health injuries are not known or expected under normal use.                                            |

#### Product AT USE DILUTION

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Eyes             | : Causes serious eye damage.                                  |
| Skin             | : Causes severe skin burns.                                   |
| Ingestion        | : Causes digestive tract burns.                               |
| Inhalation       | : May cause nose, throat, and lung irritation.                |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

#### Experience with human exposure

##### Product AS SOLD

|              |                                 |
|--------------|---------------------------------|
| Eye contact  | : Redness, Pain, Corrosion      |
| Skin contact | : Redness, Pain, Corrosion      |
| Ingestion    | : Corrosion, Abdominal pain     |
| Inhalation   | : Respiratory irritation, Cough |

#### Product AT USE DILUTION

|              |                                 |
|--------------|---------------------------------|
| Eye contact  | : Redness, Pain, Corrosion      |
| Skin contact | : Redness, Pain, Corrosion      |
| Ingestion    | : Corrosion, Abdominal pain     |
| Inhalation   | : Respiratory irritation, Cough |

#### Toxicity

##### Product AS SOLD Product

|                                   |                                                                    |
|-----------------------------------|--------------------------------------------------------------------|
| Acute oral toxicity               | : Acute toxicity estimate : 1,599 mg/kg                            |
| Acute inhalation toxicity         | : Acute toxicity estimate : 0.6 mg/l<br>Test atmosphere: dust/mist |
| Acute dermal toxicity             | : Acute toxicity estimate : > 5,000 mg/kg                          |
| Skin corrosion/irritation         | : no data available                                                |
| Serious eye damage/eye irritation | : no data available                                                |
| Respiratory or skin sensitization | : no data available                                                |
| Carcinogenicity                   | : no data available                                                |
| Reproductive effects              | : no data available                                                |
| Germ cell mutagenicity            | : no data available                                                |



## MATERIAL SAFETY DATA SHEET

### OXONIA ACTIVE

Teratogenicity : no data available  
STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

### Section: 12. ECOLOGICAL INFORMATION

#### Product AS SOLD Toxicity

Environmental Effects : Harmful to aquatic life.

#### Product

Toxicity to fish : 96 h LC50: 17.8 mg/l  
Toxicity to daphnia and other aquatic invertebrates : 96 h LC50: 21.2 mg/l  
Toxicity to algae : no data available  
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 96 h NOEC: 15 mg/l

#### Components

Toxicity to algae : Hydrogen peroxide  
72 h EC50: 1.38 mg/l  
  
Acetic acid  
72 h EC50 Skeletonema costatum (marine diatom): > 1,000 mg/l  
  
Peroxyacetic acid, type F, stabilized  
72 h EC50: 0.7 mg/l

#### Persistence and degradability

**Product AS SOLD**  
Not applicable - Biocide

**Product AS SOLD**  
Readily biodegradable.

**Product AT USE DILUTION**  
Not applicable - Biocide

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

**Product AS SOLD**

## MATERIAL SAFETY DATA SHEET

### OXONIA ACTIVE

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

#### Product AT USE DILUTION

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (CN\_DG)

- UN number : 3109
- Description of the goods : ORGANIC PEROXIDE TYPE F, LIQUID  
( )
- Class : 5.2 (8)
- Environmentally hazardous : No

#### Air transport (IATA)

Contact Regulatory for air freight eligibility

#### Sea transport (IMDG/IMO)

- UN number : 3109
- Description of the goods : ORGANIC PEROXIDE TYPE F, LIQUID  
(Peroxyacetic acid, type F, stabilized)
- Class : 5.2 (8)
- Marine pollutant : No

### Section: 15. REGULATORY INFORMATION

#### National Regulations

Authored with regard to the Factories & Industrial Undertakings (Dangerous Substances) Regulations.  
**The components of this product are reported in the following inventories:**

#### United States TSCA Inventory :

On the inventory, or in compliance with the inventory

#### Canadian Domestic Substances List (DSL) :

## MATERIAL SAFETY DATA SHEET

### OXONIA ACTIVE

All components of this product are on the Canadian DSL.

**Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :**

On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :**

On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

On the inventory, or in compliance with the inventory

**Korea. Korean Existing Chemicals Inventory (KECI) :**

On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

On the inventory, or in compliance with the inventory

**China Inventory of Existing Chemical Substances :**

On the inventory, or in compliance with the inventory

**Taiwan Chemical Substance Inventory :**

On the inventory, or in compliance with the inventory

### Section: 16. OTHER INFORMATION

|                     |                      |
|---------------------|----------------------|
| Issuing date        | : 2021.01.20         |
| Date of first issue | : 2019.08.16         |
| Version             | : 1.1                |
| Prepared by         | : Regulatory Affairs |

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.