

1. SECTION: PRODUCT AND COMPANY IDENTIFICATION

Product name : 洗力霸 XL
SOLID POWER XL

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.06 % - 0.156 %

Company : Ecolab Limited
10F., No.172, Sec.4, Chengde Rd., Shilin Dist., Taipei, Taiwan 111
(02) 8978-1234

Emergency telephone : +1-651-222-5352 (United States)

Issuing date : 02.10.2017

2. SECTION: HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Corrosive to Metals : Category 1
Skin corrosion/irritation : Category 1A
Serious eye damage/eye irritation : Category 1
Acute aquatic toxicity : Category 3

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.
Causes severe skin burns and eye damage.
Harmful to aquatic life.

Precautionary Statements : **Prevention:**
Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

SAFETY DATA SHEET

SOLID POWER XL

comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements

Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards

: None known.

3. SECTION: COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture

: Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium hydroxide	1310-73-2	60 - 100

Product AT USE DILUTION

Contains no hazardous ingredients according to GHS

4. SECTION: FIRST AID MEASURES

First aid measures for different exposure routes

Product AS SOLD

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact

: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed

: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled

: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SAFETY DATA SHEET

SOLID POWER XL

Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

5. SECTION: FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

6. SECTION: ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal.

7. SECTION: HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling	: Do not ingest. Avoid contact with skin and eyes. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing.
Conditions for safe storage	: Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: -10 °C to 50 °C

SAFETY DATA SHEET

SOLID POWER XL

8. SECTION: EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Sodium hydroxide	1310-73-2	TWA	2 mg/m ³	TW OEL
		STEL	4 mg/m ³	TW OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Hand protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Skin protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Respiratory protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

9. SECTION: PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD
Appearance	: Cast Solid
Color	: opaque, white
Odor	: odorless
pH	: 12.5 - 12.8, (1 %)
Flash point	: Not applicable
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available

Product AT USE DILUTION

colorless
odorless
10.11 - 10.91

SAFETY DATA SHEET

SOLID POWER XL

Relative vapor density	: No data available
Relative density	: No data available
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

10. SECTION: STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Metals Organic materials Acids
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Sulfur oxides Oxides of phosphorus

11. SECTION: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

SAFETY DATA SHEET

SOLID POWER XL

Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Toxicity

Product AS SOLD

Product

Acute oral toxicity	: No data available
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

12. SECTION: ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects	: Harmful to aquatic life.
-----------------------	----------------------------

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Ingredients

Toxicity to daphnia and other aquatic invertebrates	: Sodium hydroxide 48 h EC50: 40 mg/l
---	--

Persistence and degradability

Product AS SOLD

Biodegradable

Bioaccumulative potential

SAFETY DATA SHEET

SOLID POWER XL

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. SECTION: DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water courses or the soil.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

14. SECTION: TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 1823
Description of the goods : SODIUM HYDROXIDE, SOLID
Class : 8
Packing group : II
Environmentally hazardous : no

Air transport (IATA)

UN number : 1823
Description of the goods : Sodium hydroxide, solid
Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1823
Description of the goods : SODIUM HYDROXIDE, SOLID
Class : 8
Packing group : II
Marine pollutant : no

Special precautions for user : None

SAFETY DATA SHEET

SOLID POWER XL

15. SECTION: REGULATORY INFORMATION

National regulatory information

Regulations on Labelling and Hazard Communication of Hazardous Chemicals

National regulatory information

Regulations on Occupational Safety and Health Facilities

National regulatory information

Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste

National regulatory information

Rules on Road Traffic Safety

National regulatory information

Standards of Permissible Exposure Limits in Workplace

National regulatory information

Regulations on Labelling and Hazard Communication of Hazardous Chemicals

National regulatory information

Regulations on Occupational Safety and Health Facilities

National regulatory information

Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste

National regulatory information

Rules on Road Traffic Safety

National regulatory information

Standards of Permissible Exposure Limits in Workplace

The ingredients of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :

not determined

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

SOLID POWER XL

China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :

not determined

16. SECTION: OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

IARC: (International Agency for Research on Cancer)

US. National Toxicology Program (NTP) Report on Carcinogens

ECHA List of Publishable Substances Registered

EU HPVCs (High Production Volume Chemicals)

Issuing date	: 02.10.2017
Version	: 1.5
Prepared by	: Regulatory Affairs
Local contact	: Ecolab Limited
Address	: 10F., No.172, Sec.4, Chengde Rd., Shilin Dist., Taipei, Taiwan 111
Telephone	: (02) 8978-1234
Name	: Regulatory Specialist
Position	: Regulatory Specialist

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.