

DO NOT APPLY TO AREAS ACCESSIBLE TO CHILDREN AND PETS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ECOTOXIC HAZARDS. This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

PHYSICAL OR CHEMICAL HAZARDS. Do not apply this product around electrical equipment due to the possibility of shock hazard.

Ecotoxic

READ SAFETY INSTRUCTIONS BEFORE OPENING

Active Ingredient: Abamectin B1 0.5g/kg in a form of a gel
Approved pursuant to the HSNO Act 1996 Code HSR100408

For the control of cockroaches as specified in the directions for use. Before using this product read directions on the enclosed leaflet.

Distributed in New Zealand by Key Industries Ltd
15D Paul Matthews Road, Rosedale, Auckland
Phone 09 9171791 Fax 09 9171793

Email: sales@keyindustries.co.nz

Website www.keyindustries.co.nz

* Registered Trademark of McLaughlin Gormley King Company

NET CONTENTS 30GM



Active ingredient: contains Abamectin B1 0.5 g/kg
Approved pursuant to the HSN0 Act 1996 Code HSR100408

FIRST AID

- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes.
 - Call a poison control centre or doctor for treatment advice.

Have the product container or label with you when calling a poison control centre or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

PRECAUTIONARY STATEMENTS

DO NOT APPLY TO AREAS ACCESSIBLE TO CHILDREN AND PETS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ECOTOXIC HAZARDS. This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

PHYSICAL OR CHEMICAL HAZARDS. Do not apply this product around electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

Do not apply to humans, animals, clothing, or bedding.

Do not contaminate feed or food products, or food preparation surfaces, dishes, kitchen utensils or food containers.

Do not use residual insecticide sprays on or near Vendetta gel bait placements.

NZFSA approved Type D (Fish Game and Meat processing plants except dairy)
Asurequality approved for food beverage including dairy factory type B & C: B food areas only
with no possible contact risk.

GENERAL USE DIRECTIONS:

This product is for use in the following areas:

As a spot or crack and crevice treatment for the indoor control of Cockroaches in residential areas (only in areas inaccessible to children and pets) and both food/feed and non-food/non-feed areas of institutional, warehousing, and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, buses, boats/ships, aircraft, trains, pet shops, and zoos.

Non-food/non-feed areas such as garbage rooms, lavatories, floor drains, sewer entrances, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas.

Food/feed areas including storage areas for receiving, packing, canning, bottling, wrapping, boxing, and preparing edible produce or waste storage, and enclosed processing systems such as mills & dairies. Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

Vendetta is for use in controlling Cockroaches indoors. The pre-filled plastic reservoir containing Vendetta is

intended for use with bait injector application devices common to the pest control industry. Inject into cracks and crevices, void spaces, and other locations where insects may harbour, live and breed. Concentrate the bait placements as individual spots at insect activity sites (only in areas inaccessible to children and pets).

Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces. Do not treat food preparation surfaces. Do not use this product in or on electrical equipment where a possibility of shock hazard exists. Avoid contact with textiles and clothing, as bait may stain.

Avoid placing gel on fabrics or carpets since it may stain some absorbent materials. To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

APPLICATIONS IN AIRCRAFT: DO NOT APPLY ANY BAIT IN COCK PIT AREA

Application within passenger areas of aircraft is limited to Crack & Crevice treatment only. Apply Vendetta in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, areas between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor). Use 12 -24 bait placements per 10 m². Do not apply bait to areas where food utensils or food preparation surfaces may become contaminated. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surfaces. During follow-up visits, inspect bait placements and re-apply when necessary.

APPLICATION RATES:

For light infestations of Cockroaches, 4 – 6 bait points are recommended per 10m² of treatment area. For heavy infestations of Cockroaches, 12 – 24 bait points are recommended per 10 m² of treatment areas. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm in diameter equals 0.25 grams of product, while a spot approximately 6 mm in diameter equals 0.50 grams of product

TO APPLY GEL:

1. Remove the cap from the nozzle, touch the top to the surface to be treated, and push down on the plunger. Apply bait as spots in cracks and crevices. Recap the dispenser after treatment is completed.
2. Store in a cool, dry place.
3. Do not apply gel to areas that have been recently sprayed with insecticide, and do not spray insecticide over gel, as this may cause the bait to become repellent.
4. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to Cockroaches as long as it is visibly present.
5. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapply when bait is no longer visibly present, according to the level of infestation. Replace bait before it is completely consumed to keep Cockroaches from returning.

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

Distributed in New Zealand by **Key Industries Ltd**
15D Paul Matthews Road, Rosedale, Auckland
Phone 09 9171791 Fax 09 9171793
Email: sales@keyindustries.co.nz
Website www.keyindustries.co.nz