

Safety Data Sheet

3610 ULV Insecticide

SECTION 1. IDENTIFICATION

Product Identifier	Professional 3610 Ultra-Low Volume Insecticide	
Other Means of Identification	Code: 5180680	P.C.P. Act Registration No.: 11540
Recommended Use	Insecticide	
Restrictions on Use	None Known	
Initial Supplier Identifier	Premier Tech Brighton Ltd., 1 avenue Premier, Riviere-du-Loup, QC G5R 6C1	
Emergency Telephone Number	In the event of an emergency involving dangerous goods, call CANUTEC at 1-888-CAN-UTEC (226-8832), 613-996-666 or *666 on a cellular phone.	

SECTION 2. HAZARD IDENTIFICATION

Classification	Flammable Liquid – Category 4; H227 Aspiration hazard – Category 1: H304 Acute Oral Toxicity – Category 5; H303 Acute Dermal Toxicity – Category 5; H313 Acute Inhalation Toxicity – Category 3; H331
----------------	---

Label Elements



Signal Word:
DANGER

Hazard Statement(s):
 Combustible Liquid; H227
 May be fatal if swallowed and enters airways; H304
 Toxic if swallowed; H301
 May be harmful in contact with skin; H313
 Toxic if inhaled; H331

Precautionary Statement(s):

Prevention:
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Wear NIOSH/MSHA approved respirator, safety goggles, chemical resistant gloves and coveralls.
 Avoid breathing mists and vapours.
 Use only outdoors or in a well-ventilated area.

Response:

In case of fire: Use Foam, Carbon Dioxide, Dry Chemical or Water to extinguish.
 IF SWALLOWED: Immediately call doctor and obtain medical advice. Do NOT induce vomiting. Give 1 to 2 glasses of water (200 to 500mL) to dilute material. Rinse mouth. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing of vomitus. Never give anything by mouth to an unconscious person.



Safety Data Sheet

3610 ULV Insecticide

IF ON SKIN:

Call a doctor if you feel unwell.

Flush skin with running water and thoroughly wash with soap and water. If skin irritation persists, seek medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a doctor and restore breathing if required. Obtain medical advice if symptoms persist.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing with running water for 20 minute. Hold eyelids open during flushing. If eye irritation persists: Get medical attention.

Wear self-contained Breathing Apparatus and impervious clothing. Minimize the amount of water used and dike the area for runoff.

Storage:

Store in a well-ventilated place.

Store locked up.

Keep container tightly closed.

Storage temperature Min: 0°C Max: 50°C

Disposal:

Dispose of empty container with household garbage.

Dispose of contents in accordance with local, provincial or federal government regulations.

Other Hazards

This substance is toxic to aquatic life with long lasting effects. Do Not contaminate local water supplies or environments.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration
Petroleum Distillates	64742-47-8	75% – 85%
N-Octyl Bicycloheptene Dicarboximide	113-48-4	10.0%
Piperonyl Butoxide	51-03-6	6.0%
Pyrethrins	8003-34-7	3.0%

SECTION 4. FIRST-AID MEASURES

Inhalation

Move victim to fresh air and restore breathing if required. Obtain Medical Advice if symptoms persist/. May cause temporary irritation to the eyes, nose, throat and respiratory tract.

Skin Contact

Flush skin with running water and thoroughly wash with soap and water. If irritation persist seek Medical Attention. Take off contaminated clothing and wash it before reuse.



Safety Data Sheet

3610 ULV Insecticide

Eye Contact	Flush eyes with running water for 20 minutes. Hold eyelids open during flushing. Remove contact lenses if present and easy to do. If irritation persists, seek Medical Attention. May cause temporary irritation to the eyes.
Ingestion	Immediately call doctor and obtain Medical Advice. Do NOT induce vomiting. Rinse mouth. Give 1 to 2 glasses of water (200 to 500 mL) to dilute material. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing of vomitus. Never give anything by mouth to an unconscious person.
Most Important Symptoms and Effects, Acute and Delayed	Acute Effects of Overexposure: May cause temporary irritation to the eyes, nose, throat and respiratory tract. Prolonged exposure to vapours can cause headache, dizziness, nausea and nervous system depression. Effects of Chronic Exposure Prolonged exposure may cause defatting and drying of the skin, possibly progressing to dermatitis.
Immediate Medical Attention and Special Treatment	None Known

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media Suitable	Foam, Carbon Dioxide, Dry Chemical or Water. Wear self-contained Breathing Apparatus and impervious clothing.
Extinguishing Media Unsuitable	None Known.
Specific Hazards Arising from the Product	Container may explode under intense heat. Vapour is heavier than air, may travel along the ground to ignition sources and then flash back. Materials to Avoid: Acidic or alkaline conditions may cause product to decompose. Hazardous Decomposition Products: Carbon Monoxide and Carbon Dioxide.
Special Protective Equipment and Precautions for Fire-Fighters	Fire-fighters must wear Self contained Breathing Apparatus and impervious clothing. Eliminate all ignition sources. Minimize the amount of water used and dike the area for runoff.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures	Eliminate all ignition sources. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment recommended: NIOSH/MSHA approved respirator, safety goggles, chemical resistant gloves and coveralls. Evacuate the area immediately, isolate the hazard area. Keep out unnecessary and unprotected personnel. Environmental Precautions: Do not allow in local waterways or environments.
---	--

Safety Data Sheet

3610 ULV Insecticide

Methods for Containment and Cleaning Up

Stop leak and contain spill by diking and absorb with suitable absorbent and transfer into waste containers for disposal.
Clean area with detergent and water, absorb waste and place in waste container.
Remove any contaminated soil for proper disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Ensure source of ventilation.
Avoid breathing vapours and mists, contact with eyes, skin and clothing.
Wash thoroughly after use.
Wear personal protective equipment, NIOSH/MSHA approved respirator, safety goggles, chemical resistant gloves and coveralls to avoid direct contact with product.

Conditions for Safe Storage

Store in cool, dry, well ventilated area.
Avoid prolonged exposure to elevated temperatures.
Storage temperature Min: 0°C Max: 50°C
Keep out of reach of children and pets.
Store locked up.
Materials to avoid: Acidic or alkaline conditions may cause product to decompose.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH® TLV®	
	T.W.A. – T.L.V.	LD50 (mg/Kg)
Petroleum Distillates	300 ppm	Oral, rat >5000 Dermal, rabbit >3000
N-Octyl Bicycloheptene Dicarboximide	LC50, rat >4.08 mg/L	Oral, rat 4220 Dermal, rabbit >2000
Piperonyl Butoxide	No data available	Oral, rat 2010
Pyrethrins	5 mg/m3	Oral, rat 200 Dermal, rat 1800
Calculated LD50 for Mixture		4900

Appropriate Engineering Controls

Source of ventilation.

Individual Protection Measures Eye/Face Protection

Safety Goggles

Skin Protection

Chemical resistant gloves and coveralls

Respiratory Protection

NIOSH/MSHA approved respirator

Safety Data Sheet

3610 ULV Insecticide

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, amber liquid
Odour	Hydrocarbon
Odour Threshold	No data available
pH	No data available
Melting Point and Freezing Point	No data available
Initial Boiling Point and Boiling Range	184 to 212°C
Flash Point	>61°C T.C.C.
Evaporation Rate	1.1 approx.
Flammability (solid, gas)	No data available
Upper and Lower Flammability or Explosive Limit	9.3%(upper explosion limit); 1.4% (Lower explosion limit)
Vapour Pressure	0.147 kPa @ 20°C
Vapour Density (air = 1)	5.4
Relative Density (water = 1)	No data available
Solubility in Water	Insoluble
Solubility in Other Liquids	No data available
Partition Coefficient, n-Octanol / Water (Log Kow)	Not available
Auto-ignition Temperature	227°C
Decomposition Temperature	No data available
Viscosity	No data available



Safety Data Sheet

3610 ULV Insecticide

Specific Gravity 0.865

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Hazardous Polymerization will not occur
Chemical Stability	Stable
Possibility of Hazardous Reactions	None expected under normal conditions of storage and use.
Conditions to Avoid	Prolonged exposure to elevated temperatures
Incompatible Materials	Acidic or alkaline conditions may cause product to decompose
Hazardous Decomposition Products	Carbon Monoxide and Carbon Dioxide

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

☒ Inhalation ☒ Skin contact ☒ Eye contact ☒ Ingestion

Acute Toxicity

Chemical Name	LD50 (mg/Kg)
Petroleum Distillates	Oral, rat >5000 Dermal, rabbit >3000
N-Octyl Bicycloheptene Dicarboximide	Oral, rat 4220 Dermal, rabbit >2000
Piperonyl Butoxide	Oral, rat 2010
Pyrethrins	Oral, rat 200 Dermal, rat 1800
Calculated LD50 for Mixture	4900

Skin Corrosion / Irritation

Prolonged exposure may cause defatting and drying of the skin, possibly progressing to dermatitis.

Serious Eye Damage / Irritation

May cause temporary irritation to the eyes

Respiratory and/or Skin Sensitization

May cause temporary irritation to eyes, nose, throat and respiratory tract.



Safety Data Sheet

3610 ULV Insecticide

STOT (Specific Target Organ Toxicity) – Single Exposure

Acute Effects of Overexposure:

May cause temporary irritation to the eyes, nose, throat and respiratory tract.

Prolonged exposure to vapours can cause headache, dizziness, nausea and nervous system depression.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Effects of Chronic Exposure:

Prolonged exposure may cause defatting and drying of the skin, possibly progressing to dermatitis.

Carcinogenicity: No data available

Reproductive Toxicity: No data available.

**Germ cell
Mutagenicity:** No data available

Sexual Function and Fertility: No data available

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

REACH registrations identify this substance is toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods Dispose of empty container with household garbage. Dispose of waste product in accordance with Local, Provincial or Federal government regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations.

In the event of an emergency involving dangerous goods, call CANUTEC at 1-888-CAN-UTEC (226-8832), 613-996-666 or *666 on a cellular phone.

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

P.C.P. Act Registration No.: 11540

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency (PMRA) and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label. Refer to the PMRA registered label for all hazard information.

Safety Data Sheet

3610 ULV Insecticide

SECTION 16. OTHER INFORMATION

Legend to abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists.
CANUTEC	CANUTEC stands for Canadian Transport Emergency Centre, which is operated by the Transportation of Dangerous Goods (TDG) Directorate of Transport Canada. CANUTEC provides information and communications assistance in case of transportation emergencies involving dangerous goods. It is accessible in Canada by telephone, 24 hours a day, year-round at (613) 996-6666 (collect) or *666 on a cell phone.
CAS	CAS Registry Number – the Chemical Abstracts Service Registry Number. This identification number is assigned to a chemical by the Chemical Abstracts Service, a division of the American Chemical Society.
HPA / HPR	Hazardous Products Act / Hazardous Products Regulations – The Hazardous Products Regulations (HPR) are Canadian federal regulations enabled by the Hazardous Products Act (HPA). They are part of the national Workplace Hazardous Materials Information System (WHMIS 2015), and replace the Controlled Products Regulations (CPR). The HPR applies to all suppliers (importers or sellers) in Canada of hazardous products intended for use, handling or storage in Canadian work places. The regulations specify the criteria for classification of hazardous products. They also specify what information must be included on labels and Safety Data Sheets (SDSs).
LC50	(Lethal Concentration ₅₀) – the airborne concentration of a substance or mixture that causes the death of 50 per cent of the group of animals in tests that measure the ability of a substance or mixture to cause poisoning when it is inhaled. These tests are usually conducted over a 4-hour period. The LC ₅₀ is usually expressed as parts of test substance or mixture per million parts of air (ppm) for gases, or as milligrams of test substance or mixture per litre of air (mg/l) for dusts, mists or vapours.
LD50	(Lethal Dose ₅₀) – the single dose of a substance or mixture that causes the death of 50 per cent of the group of animals in tests that measure the ability of a substance or mixture to cause poisoning when it is swallowed (oral exposure) or absorbed through the skin (dermal exposure). The LD ₅₀ can vary depending on factors such as the species of animal tested and by the route of entry. The LD ₅₀ is usually expressed as milligrams of substance or mixture per kilogram of test animal body weight (mg/kg).
LOCAL	The movement of air by mechanical means. The removal of contaminated air directly at its source. This type of ventilation can help

Safety Data Sheet

3610 ULV Insecticide

EXHAUST VENTILATION	reduce worker exposure to airborne substances more effectively than general ventilation, because it does not allow the substance to enter the work environment. It is usually recommended for hazardous airborne substances.
MSHA	Mine Safety Health Administration
NIOSH	National Institute for Occupational Safety and Health. NIOSH is a branch of the United States government. It is the mission of NIOSH to develop new knowledge in the field of occupational safety and health, and to transfer that knowledge into practice.
PCP	Pesticide Control Products Act
REACH	Stands for Registration, Evaluation, Authorization & Restriction of Chemicals. It is a regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals.
PPE	Personal protective equipment
STEL	Short-term exposure limit (STEL) is the average concentration to which workers can be exposed for a short period (usually 15 minutes) without harmful effects. ACGIH specifically defines the harmful effects as irritation, long-term or irreversible tissue damage, reduced alertness or other toxic effects. The number of times the concentration reaches the STEL and the amount of time between these occurrences can also be restricted.
TDG	Transportation of Dangerous Goods – federal legislation that controls the conditions under which dangerous goods may be transported on public roads, in the air, by rail or by ship. Its purpose is to protect the health and safety of persons in the vicinity of transport accidents involving those goods.
TLV	Threshold limit values - airborne concentrations of substances to which it is believed that nearly all workers may be exposed day after day without experiencing adverse effects. ACGIH® develops these values.
TWA	Time-weighted average exposure limit is the time-weighted average concentration of a chemical in air for up to 10 hours a day, 40 hours a week, to which nearly all workers may be exposed day after day without harmful effects. “Time-weighted average” means that the average concentration has been calculated using the duration of exposure to different concentrations of the chemical during a specific time (usually 8 hours). In this way, higher and lower exposures are averaged over the day or week
WHMIS	Workplace Hazardous Materials Information System. WHMIS is Canada’s national hazard communication system for hazardous products in the work place. It applies to suppliers, importers, and



Safety Data Sheet

3610 ULV Insecticide

	distributors of hazardous products that are sold in or imported into Canada and intended for use, handling or storage in Canadian work places, as well as to the employers and workers who use those products.
--	--

References

UNITED NATIONS (UN). 2015. Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Sixth revised edition, New York and Geneva, 527 pages
http://www.unece.org/fileadmin/DAM/trans/danger/publi/ghs/ghs_rev06/English/ST-SG-AC10-30-Rev6e.pdf (November 12, 2016)

CANADIAN CENTRE FOR OCCUPATIONAL HEALTH AND SAFETY (CCOHS). 2016. WHMIS/GHS/(M)SDS, Website, Government of Canada,
www.ccohs.ca/topics/legislation/WHMIS/index.html (November 12, 2016)

Base INCHEM

<http://www.inchem.org/>

Information on Chemicals from European Chemicals Agency (ECHA)

<https://echa.europa.eu/information-on-chemicals>

TRANSPORT CANADA. 2016. CANUTEC, Website, Canadian Transport Emergency Centre, Government du Canada, <https://www.tc.gc.ca/eng/canutec/menu.htm> (November 12, 2016)

Date of Latest Revision

March 27, 2017

Additional Information: The information above is accurate to the best of our knowledge as at the date of preparation of the SDS. However, such information is not to be interpreted as representing a warranty or guarantee as to its accuracy or completeness. No warranty of any kind is given or implied under the terms hereof, and PREMIER TECH BIOTECHNOLOGIES will not be liable for any damages, losses, injuries or consequential damages which may result, directly and/or indirectly, from the uses or reliance on any information contained. The users must do their own research as for the pertinence of the information for specific use. For more information : www.premiertech.com