



**KAY AMH HAND WASH**

**Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product name : KAY AMH HAND WASH

Product code : 113355E

Use of the Substance/Mixture : Biocide

Substance type: : Mixture

**For professional users only.**

Product dilution information : Product is sold ready to use.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Skin disinfectant

Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : KAY BV  
Havenlaan 4  
B-3980 Tessenderlo, Belgium +32 13 67 06 90 (Belgium)  
BEKAYcustomerservice@ecolab.com

**1.4 Emergency telephone number**

Emergency telephone number : +32 13 67 06 90 (Belgium)

Poison Information Centre telephone number : 114 Ulusal Zehir Danışma Merkezi (UZEM)

Date of Compilation/Revision : 06.11.2020  
Version : 1.2

**Section: 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification (T.R. SEA No 28848)**

|                                      |      |
|--------------------------------------|------|
| Eye irritation, Category 2           | H319 |
| Acute aquatic toxicity, Category 1   | H400 |
| Chronic aquatic toxicity, Category 1 | H410 |

**KAY AMH HAND WASH**

**2.2 Label elements**

**Labelling (T.R. SEA No 28848)**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P273 Avoid release to the environment.

**2.3 Other hazards**

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Hazardous components**

| Chemical Name                                              | CAS-No.<br>EC-No.       | Classification<br>(T.R. SEA No 28848)                                                                                                                                                                                                                           | Concentration:<br>[%] |
|------------------------------------------------------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| citric acid, monohydrate                                   | 5949-29-1<br>201-069-1  | Eye irritation Category 2; H319                                                                                                                                                                                                                                 | >= 5 - < 10           |
| Sodium p-cumenesulphonate                                  | 15763-76-5<br>239-854-6 | Eye irritation Category 2; H319                                                                                                                                                                                                                                 | >= 5 - < 10           |
| monoethanolamine                                           | 141-43-5<br>205-483-3   | Acute toxicity Category 4; H302<br>Acute toxicity Category 4; H332<br>Acute toxicity Category 4; H312<br>Skin corrosion Sub-category 1B; H314<br>Chronic aquatic toxicity Category 3; H412<br>Specific target organ toxicity - single exposure Category 3; H335 | >= 5 - < 10           |
| Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt | 68891-38-3<br>500-234-8 | Skin irritation Category 2; H315<br>Serious eye damage Category 1; H318<br>Chronic aquatic toxicity Category 3; H412                                                                                                                                            | >= 1 - < 2.5          |
| C10-16 Polyglycoside                                       | 110615-47-9             | Skin irritation Category 2; H315<br>Serious eye damage Category 1; H318                                                                                                                                                                                         | >= 1 - < 2.5          |
| d-glucopyranose, oligomeric, decyl octyl                   | 68515-73-1<br>500-220-1 | Serious eye damage Category 1; H318                                                                                                                                                                                                                             | >= 1 - < 2.5          |

**KAY AMH HAND WASH**

|                         |                        |                                                                                                                                                                |              |
|-------------------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| glycosides<br>triclosan | 3380-34-5<br>222-182-2 | Skin irritation Category 2; H315<br>Eye irritation Category 2; H319<br>Acute aquatic toxicity Category 1; H400<br>Chronic aquatic toxicity Category 1;<br>H410 | >= 1 - < 2.5 |
|-------------------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically.

**Section: 5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides  
Sulphur oxides  
metal oxides  
Hydrogen chloride

**5.3 Advice for firefighters**

- Special protective equipment : Use personal protective equipment.

## **KAY AMH HAND WASH**

for firefighters

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### **Section: 6. ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

#### **6.2 Environmental precautions**

Environmental precautions : Do not allow contact with soil, surface or ground water.

#### **6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### **6.4 Reference to other sections**

See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

### **Section: 7. HANDLING AND STORAGE**

#### **7.1 Precautions for safe handling**

Advice on safe handling : Avoid contact with skin and eyes. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

#### **7.2 Conditions for safe storage, including any incompatibilities**

**KAY AMH HAND WASH**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 25 °C

**7.3 Specific end uses**

Specific use(s) : Skin disinfectant

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Occupational Exposure Limits**

| Components          | CAS-No.  | Value type (Form of exposure)                                                                          | Control parameters             | Basis  |
|---------------------|----------|--------------------------------------------------------------------------------------------------------|--------------------------------|--------|
| monoethanolamine    | 141-43-5 | STEL 15 min                                                                                            | 3 ppm<br>7.6 mg/m <sup>3</sup> | TR OEL |
| Further information | Deri     | A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                                |        |
|                     |          | TWA (8 Hour)                                                                                           | 1 ppm<br>2.5 mg/m <sup>3</sup> | TR OEL |
| Further information | Deri     | A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                                |        |

**DNEL**

|                  |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Propylene glycol | : | <p>End Use: Workers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 168 mg/m<sup>3</sup></p> <p>End Use: Workers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term local effects<br/>Value: 10 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 50 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term local effects<br/>Value: 10 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>Value: 213 mg/cm<sup>2</sup></p> <p>End Use: Consumers<br/>Exposure routes: Ingestion</p> |
|------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**KAY AMH HAND WASH**

|                                                            |   |                                                                                                                                                                                                                                        |
|------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                            |   | Potential health effects: Long-term systemic effects<br>Value: 85 ppm                                                                                                                                                                  |
| Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt | : | End Use: Workers<br>Exposure routes: Dermal<br>Potential health effects: Long-term systemic effects<br><br>End Use: Workers<br>Exposure routes: Inhalation<br>Potential health effects: Long-term systemic effects<br>Value: 175 mg/m3 |

**PNEC**

|                                                            |   |                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Propylene glycol                                           | : | Fresh water<br>Value: 260 mg/l<br><br>Marine water<br>Value: 26 mg/l<br><br>Intermittent use/release<br>Value: 183 mg/l<br><br>Fresh water sediment<br>Value: 572 mg/kg<br><br>Marine sediment<br>Value: 57.2 mg/kg<br><br>Sewage treatment plant<br>Value: 20000 mg/l<br><br>Soil<br>Value: 50 mg/kg |
| Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt | : | Fresh water<br>Value: 0.24 mg/l<br><br>Marine water<br>Value: 0.024 mg/l<br><br>Intermittent use/release<br>Value: 0.071 mg/l<br><br>Sewage treatment plant<br>Value: 10000 mg/l<br><br>Fresh water sediment<br>Value: 5.45 mg/kg<br><br>Marine sediment<br>Value: 0.545 mg/kg                        |

**KAY AMH HAND WASH**

|  |                            |
|--|----------------------------|
|  | Soil<br>Value: 0.946 mg/kg |
|--|----------------------------|

**8.2 Exposure controls**

**Appropriate engineering controls**

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Eye/face protection (EN 166) : Safety glasses with side-shields

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Appearance : liquid  
Colour : light yellow  
Odour : slight  
pH : 5.3 - 5.7, 100 %  
Flash point : Not applicable.  
Odour Threshold : Not applicable and/or not determined for the mixture  
Melting point/freezing point : Not applicable and/or not determined for the mixture  
Initial boiling point and : Not applicable and/or not determined for the mixture

## KAY AMH HAND WASH

boiling range

|                                        |                                                            |
|----------------------------------------|------------------------------------------------------------|
| Evaporation rate                       | : Not applicable and/or not determined for the mixture     |
| Flammability (solid, gas)              | : Not applicable and/or not determined for the mixture     |
| Upper explosion limit                  | : Not applicable and/or not determined for the mixture     |
| Lower explosion limit                  | : Not applicable and/or not determined for the mixture     |
| Vapour pressure                        | : Not applicable and/or not determined for the mixture     |
| Relative vapour density                | : Not applicable and/or not determined for the mixture     |
| Relative density                       | : 1.09 - 1.1                                               |
| Water solubility                       | : soluble                                                  |
| Solubility in other solvents           | : Not applicable and/or not determined for the mixture     |
| Partition coefficient: n-octanol/water | : Not applicable and/or not determined for the mixture     |
| Auto-ignition temperature              | : Not applicable and/or not determined for the mixture     |
| Thermal decomposition                  | : Not applicable and/or not determined for the mixture     |
| Viscosity, kinematic                   | : Not applicable and/or not determined for the mixture     |
| Explosive properties                   | : Not applicable and/or not determined for the mixture     |
| Oxidizing properties                   | : The substance or mixture is not classified as oxidizing. |

### 9.2 Other information

Not applicable and/or not determined for the mixture

## Section: 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials:



**KAY AMH HAND WASH**

Carbon oxides  
Sulphur oxides  
metal oxides  
Hydrogen chloride

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 5 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate : > 2,000 mg/kg

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye irritation : There is no data available for this product.

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

**Components**

Acute oral toxicity : citric acid, monohydrate  
LD50 rat: 11,700 mg/kg

Sodium p-cumenesulphonate  
LD50 rat: > 7,000 mg/kg

monoethanolamine  
LD50 rat: 1,089 mg/kg

Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt

**KAY AMH HAND WASH**

LD50 rat: 3,350 mg/kg

d-glucopyranose, oligomeric, decyl octyl glycosides

LD50 rat: > 5,000 mg/kg

triclosan

LD50 rat: > 5,000 mg/kg

**Components**

Acute inhalation toxicity : monoethanolamine  
4 h LC50 rat: > 1.6 mg/l  
Test atmosphere: dust/mist

**Components**

Acute dermal toxicity : citric acid, monohydrate  
LD50 rat: > 2,000 mg/kg

monoethanolamine  
LD50 rabbit: 1,025 mg/kg

Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt  
LD50 rabbit: 8,000 mg/kg

d-glucopyranose, oligomeric, decyl octyl glycosides  
LD50 rabbit: > 2,000 mg/kg

triclosan  
LD50 rabbit: > 6,000 mg/kg

**Potential Health Effects**

Eyes : Causes serious eye irritation.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

Eye contact : Redness, Pain, Irritation  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

**Section: 12. ECOLOGICAL INFORMATION**

**KAY AMH HAND WASH**

**12.1 Ecotoxicity**

Environmental Effects : Very toxic to aquatic life with long lasting effects.

**Product**

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

**Components**

Toxicity to fish : citric acid, monohydrate  
96 h LC50 Fish: > 100 mg/l

Sodium p-cumenesulphonate  
96 h LC50 Oncorhynchus mykiss (rainbow trout): > 1,000 mg/l

Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt  
96 h LC50 Fish: 7.1 mg/l

C10-16 Polyglycoside  
96 h LC50 Fish: 5 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : monoethanolamine  
48 h LC50: 65 mg/l

**Components**

Toxicity to algae : Sodium p-cumenesulphonate  
96 h EC50 Pseudokirchneriella subcapitata (algae): > 230 mg/l

d-glucopyranose, oligomeric, decyl octyl glycosides  
72 h EC50: 18 mg/l

**12.2 Persistence and degradability**

**Product**

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

**Components**

Biodegradability : citric acid, monohydrate  
Result: Readily biodegradable.

Sodium p-cumenesulphonate  
Result: Readily biodegradable.

monoethanolamine  
Result: Readily biodegradable.

Linear(C12-C14)alkanol, ethoxylated, sulfated, sodium salt

**KAY AMH HAND WASH**

Result: Readily biodegradable.

C10-16 Polyglycoside

Result: Readily biodegradable.

d-glucopyranose, oligomeric, decyl octyl glycosides

Result: Readily biodegradable.

triclosan

Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

|                                   |                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                           | : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.                                 |
| Contaminated packaging            | : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.                                                                                            |
| Guidance for Waste Code selection | : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to |

**KAY AMH HAND WASH**

determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

- 14.1 UN number : 3082
- 14.2 UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triclosan)
- 14.3 Transport hazard class(es) : 9
- 14.4 Packing group : III
- 14.5 Environmental hazards : Yes
- 14.6 Special precautions for user : None

**Air transport (IATA)**

- 14.1 UN number : 3082
- 14.2 UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (triclosan)
- 14.3 Transport hazard class(es) : 9
- 14.4 Packing group : III
- 14.5 Environmental hazards : Yes
- 14.6 Special precautions for user : None

**Sea transport (IMDG/IMO)**

- 14.1 UN number : 3082
- 14.2 UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (triclosan)
- 14.3 Transport hazard class(es) : 9
- 14.4 Packing group : III
- 14.5 Environmental hazards : Yes
- 14.6 Special precautions for user : None
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

**Section: 15. REGULATORY INFORMATION**

**KAY AMH HAND WASH**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

according to Detergents : 5 % or over but less than 15 %: Anionic surfactants  
Regulation EC 648/2004 less than 5 %: Non-ionic surfactants  
Contains: Disinfectants

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : According to 11 December 2013, Numbered 28848 (Bis), "Ministry of Environment and Forestry"; Regulation on Classification, Labelling and Packaging of Substances and Mixtures.  
According to 13 Dec 2014, Numbered 29204, "Ministry of Environment and Urbanization"; Regulation on Safety Data Sheets regarding Dangerous Substances and Mixtures.

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

**Section: 16. OTHER INFORMATION**

**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008 and Regulation T.R. SEA No 28848**

| Classification                   | Justification      |
|----------------------------------|--------------------|
| Eye irritation 2, H319           | Calculation method |
| Acute aquatic toxicity 1, H400   | Calculation method |
| Chronic aquatic toxicity 1, H410 | Calculation method |

**Full text of H-Statements**

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Full text of other abbreviations**

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading

**KAY AMH HAND WASH**

rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by : Name, Surname: Nuryıl Subaşı  
Certificate number: GBF-A-0-2776  
Certificate date: 09.05.2018  
Certificate expiry date: 09.05.2021  
Contact: +902164586983

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.