

Dryden Aqua Ltd

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation APF Public
of the mixture
Registration number -
Synonyms None.
Issue date 26-August-2014
Version number 04
Revision date 13-October-2016
Supersedes date 27-November-2014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Multi-spectrum flocculant and coagulant
Uses advised against No other uses are advised.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Distributor	Ecolab Gulf FZE P.O. Box 17063 Jebel Ali Free Zone Area, Near Container Terminal 3 – North Zone, Dubai, UAE	Customer Services 00971 4 8014444 Reception phone numbers 00971 48146800 00971 4 8014000
--------------------------	--	--

1.4 Emergency Telephone Number
+32-(0)3-575-5555

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Corrosive to metals	Category 1	H290 - May be corrosive to metals.
---------------------	------------	------------------------------------

Health hazards

Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye damage.
-----------------------------------	------------	-----------------------------------

Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
--------------------	------------	---

Hazard summary May be corrosive to metals. Causes serious eye damage. May cause an allergic skin reaction.
Occupational exposure to the substance or mixture may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Aluminium chloride hydroxide sulphate, Aluminium Chlorohydrate, Lanthanum Chloride, Anhydrous Hazard



pictograms

Material name: APF Public

SDS UK

Signal word	Danger
Hazard statements	
H290	May be corrosive to metals.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
Precautionary statements	
Prevention	
P234	Keep only in original container.
P260	Do not breathe vapour.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material damage.
Storage	
P406	Store in corrosive resistant container with a resistant inner liner.
Disposal	
P501	Dispose of contents/container (in accordance with related regulations).
Supplemental label information	EUH210 - Safety data sheet available on request.
2.3. Other hazards	None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Aluminium chloride hydroxide sulphate	15 - 25	39290-78-3 254-400-7	01-2119531540-51-xxxx	-	
Classification:	Met. Corr. 1;H290, Eye Dam. 1;H318				
Aluminium Chlorohydrate	5 - < 10	12042-91-0 234-933-1	01-2119533142-53-xxxx	-	
Classification:	-				
Lanthanum Chloride, Anhydrous	1 - < 3	10099-58-8 233-237-5	01-2119452063-49-xxxx	-	
Classification:	Met. Corr. 1;H290, Skin Sens. 1;H317, Eye Dam. 1;H318, Aquatic Chronic 2;H411				
POLYDADMAC	1 - < 3	26062-79-3 -	-	-	
Classification:	Aquatic Chronic 3;H412				

List of abbreviations and symbols that may be used above

#: This substance has been assigned Community workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

M: M-factor

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed May cause temporary blindness and severe eye damage. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Rash. Dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards Non-combustible, substance itself does not burn. No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).
Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture This product is an aqueous mixture which will not burn.
Irritating and toxic gases or fumes may be released during a fire.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures Move containers from fire area if you can do it without risk.

No unusual fire or explosion hazards noted.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel
Wear appropriate protective equipment and clothing during clean-up. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not breathe vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders
Use personal protection recommended in Section 8 of the SDS. Keep unnecessary personnel away.

6.2. Environmental precautions
Prevent further leakage or spillage if safe to do so.
Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up
Large Spills: Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections
For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Wear appropriate personal protective equipment. Provide adequate ventilation. Do not breathe vapour. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities
Storage temperature: between 5°C and 35°C. Store in a cool, dry place out of direct sunlight.
Store in corrosive resistant container with a resistant inner liner.
Keep only in the original container Store in a well-ventilated place.
Do not allow material to freeze.
Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)
The specified uses for this material are shown in section 1 of this document

8.1. Control parameters

Occupational exposure limits

United Kingdom				
Components	Type		Value	Form
Aluminium chloride	TWA	2 mg/m3 hydroxide sulphate (CAS 39290-78-3)		Soluble aluminium salts
Aluminium Chlorohydrate (CAS 12042-91-0)	TWA		2 mg/m3	soluble aluminium salts

Biological limit values
No biological exposure limits noted for the ingredient(s).

Recommended monitoring
Follow standard monitoring procedures. procedures

Derived no-effect level (DNEL)
Not available.

Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
Aluminium Chlorohydrate (CAS 12042-91-0)	Not applicable	STP	20 mg/l	
		Water	0.3 ug/l	freshwater

Chloride, Anhydrous (CAS 10099-58-8)	Not applicable	STP	12.5 mg/l	Water	0.03 ug/l Lanthanum	marine water
				Water	17.6 µg/l	freshwater
				Water	1.76 µg/l	marine water

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures, such as personal protective equipment	
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Do not get in eyes. Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear: Safety goggles
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Contains a potential skin sensitizer.
- Other protection	Wear appropriate chemical resistant clothing. (EN 14605 for splashes, EN ISO 13982 for dust) Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Not applicable.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Avoid release to the environment. Contain spills and prevent releases and observe national regulations on emissions. Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Blue liquid
Physical state	Liquid.
Form	Liquid.
Colour	Blue
Odour	Odourless.
Odour threshold	Not available.
pH	3.0 - 4.0

Material name: APF Public

SDS UK

Melting point/freezing point	< -3 °C (< 26.6 °F)
Initial boiling point and boiling range	102 °C (215.6 °F)
Flash point	Not applicable.
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not applicable
Flammability limit - upper (%)	Not applicable
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Miscible
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	60 - 100 cP @ 25C
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2. Other information

Density	1.10 - 1.30 g/cm ³
Percent volatile	69.4 % estimated
Specific gravity	1.05 - 1.25

SECTION 10: Stability and reactivity

10.1. Reactivity	May be corrosive to metals. The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Contact with incompatible materials. None under normal conditions. Do not expose to temperatures above 75 °C. Do not freeze.
10.5. Incompatible materials	May be corrosive to metals. Metals. Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Incomplete toxicological data are available for this product. Occupational exposure to the substance or mixture may cause adverse effects.
---------------------	--

Information on likely routes of exposure

Material name: APF Public

SDS UK

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	May cause temporary blindness and severe eye damage. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Product	Species	Test results
APF Public (CAS Mixture)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg bw
Oral		
LD50	Rat	> 2000 mg/kg bw

Components	Species	Test results
Aluminium chloride hydroxide sulphate (CAS 39290-78-3)		
Acute		
Dermal		
LD50	Rat	2360 mg/kg bw
Inhalation		
LC50	Rat	5 mg/l, 4 hours
Oral		
LD50	Rat	>= 2000 mg/kg bw

Aluminium Chlorohydrate (CAS 12042-91-0)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg bw
Oral		
LD50	Rat	> 2000 mg/kg bw

Components	Species	Test results
Lanthanum Chloride, Anhydrous (CAS 10099-58-8)		
Acute		
Dermal		
LD50	Rabbit	> 1638 mg/kg bw
Oral		
LD50	Rat	2361 - 2909 mg/kg bw

POLYDADMAC (CAS 26062-79-3)		
Acute Oral		
LD50	Rat	> 5000 mg/kg

Material name: APF Public

SDS UK

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Contains a substance which causes risk of hazardous effects to the environment.
----------------	--

Components		Species	Test results
Aluminium chloride hydroxide sulphate (CAS 39290-78-3)			
Aquatic			
Algae	ErC50	Algae	14 mg/l, 72 hours dissolved Al = 0.24mg/l
	NOEC	Algae	1 mg/l Growth rate (0.02mg/l as Al)
Crustacea	EC50	Daphnia	> 200 mg/l, 48 hours > 0.15 mg/l, 48 hours dissolved Al
Fish	EC50	Danio (Danio)	> 0.357 mg/l dissolved Al
Aluminium Chlorohydrate (CAS 12042-91-0)			
Aquatic			
Algae	NOEC	Algae	1 mg/l Growth rate
Crustacea	NOEC	Daphnia	> 160 mg/l, 48 hours similar substance
Fish	LC50	Zebra danio (Danio rerio)	> 100 mg/l, 96 hours
Components		Species	Test results
	NOEC	Zebra danio (Danio rerio)	> 0.357 mg/l, 96 hours aluminium
Lanthanum Chloride, Anhydrous (CAS 10099-58-8)			
Aquatic			
Algae	EC50	Algae	28.2 mg/l, 72 hours Growth inhibition

Crustacea	EC50	Daphnia	43.2 µg/l, 48 hours static
			0.974 mg/l, 21 days mortality
	NOEC	Daphnia	0.176 mg/l, 21 days mortality
Fish	NOEC	Carp (Cyprinus carpio)	0.46 mg/l, 21 days OECD 24
POLYDADMAC (CAS 26062-79-3)			
Aquatic			
Crustacea	EC50	Daphnia	> 10 mg/l, 48 hours OECD202
Fish	LC50	Fish	> 10 mg/l, 96 hours OECD203

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability	The product contains inorganic compounds which are not biodegradable. The other components of the product are slowly biodegradable.
12.3. Bioaccumulative potential	Theoretically low bioaccumulation potential
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	The product is miscible with water. May spread in water systems.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN3264
-----------------	--------

Material name: APF Public

SDS UK

14.2. UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Aluminium chloride hydroxide sulphate)

14.3. Transport hazard class(es)

Class	8
Subsidiary risk	-
Label(s)	8
Hazard No. (ADR)	80
Tunnel restriction code	E

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

user

RID

14.1. UN number UN3264

14.2. UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Aluminium chloride hydroxide sulphate)

14.3. Transport hazard class(es)

Class	8
Subsidiary risk	-
Label(s)	8

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN3264

14.2. UN proper shipping name Corrosive Liquid, Inorganic, N.o.s. (Aluminium chloride hydroxide sulphate)

14.3. Transport hazard class(es)

Class	8
Subsidiary risk	-
Label(s)	8

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling. user

IATA

14.1. UN number UN3264

14.2. UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. (Aluminium chloride hydroxide sulphate)

14.3. Transport hazard class(es)

Class	8
-------	---

Subsidiary risk -

14.4. Packing group III

14.5. Environmental hazards No.

ERG Code 8L

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

user

Other information

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

IMDG

14.1. UN number UN3264

14.2. UN proper shipping Corrosive liquid, acidic, inorganic, n.o.s. (Aluminium chloride hydroxide sulphate)

name

14.3. Transport hazard class(es)

Class 8

Subsidiary risk 14.4. Packing

group III

14.5. Environmental hazards

Marine pollutant No.

EmS F-A, S-B

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Material name: APF Public

SDS UK

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by

ECHA Not listed. Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use

Not regulated.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding.

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Always applicable.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended.

15.2. Chemical safety
assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region

Inventory name

On inventory (yes/no)*

Australia

Australian Inventory of Chemical Substances (AICS)

No

Canada

Domestic Substances List (DSL)

Yes

Material name: APF Public

SDS UK

Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

List of abbreviations	Not available.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H290 May be corrosive to metals. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.
Training information	Follow training instructions when handling this material.
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. MANUFACTURER DISCLAIMER: The information given within this SDS is correct to the best of our knowledge, information and belief at the date of its revision and publication. However, the manufacturer makes no representation, warranty or guarantee as to its accuracy, reliability or completeness, nor assumes any liability for its use. It is the user's responsibility to confirm in advance that the information is current, applicable and suitable to their circumstances for each particular use. No representative of ours has authority to waive this provision. Please call for document accuracy if the revision date has exceeded 3 years.