

Components	Species	Calculated/Test Results
Oral		
LD50	Rat	> 25 ml/kg
Other		
LD50	Rabbit	> 5 mg/kg, 4 Hours
Solvent naphtha (petroleum), light arom. (CAS 64742-95-6)		
<u>Acute</u>		
Inhalation		
LC50	Rat	73680 mg/l, 4 Hours 61 mg/l, 4 Hours
Oral		
LD50	Rat	> 25 ml/kg
Other		
LD50	Rabbit	> 5 mg/kg, 4 Hours
TRIMETHYLBENZENE (CAS 25551-13-7)		
<u>Acute</u>		
Oral		
LD50	Rat	8970 mg/kg
XYLENE (CAS 1330-20-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 43 g/kg
Inhalation		
LC50	Mouse	3907 mg/l, 6 Hours
	Rat	6350 mg/l, 4 Hours
Oral		
LD50	Mouse	5627 mg/kg 1590 mg/kg
	Rat	3523 - 8600 mg/kg 6670 mg/kg 4300 mg/kg
Other		
LD50	Rat	3.8 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	May cause cancer.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
CUMENE (CAS 98-82-8)	2B Possibly carcinogenic to humans.	
NAPHTHALENE (CAS 91-20-3)	2B Possibly carcinogenic to humans.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)		
Not listed.		
US. National Toxicology Program (NTP) Report on Carcinogens		
CUMENE (CAS 98-82-8)	Reasonably Anticipated to be a Human Carcinogen.	
NAPHTHALENE (CAS 91-20-3)	Known To Be Human Carcinogen.	
	Reasonably Anticipated to be a Human Carcinogen.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.	
Specific target organ toxicity - single exposure	Causes damage to organs. Respiratory tract irritation.	