

<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

#### Information on toxicological effects

**Acute toxicity** May be fatal if swallowed and enters airways.

Components	Species	Calculated/Test Results
1-Methoxypropan-2-ol (CAS 107-98-2)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	13 g/kg
<b>Inhalation</b>		
LC50	Guinea pig	15000 mg/l, 10 Hours
	Rat	15000 mg/l, 4 Hours
		54.6 mg/l, 4 Hours
<b>Oral</b>		
LD50	Dog	4.6 g/kg
	Mouse	10.8 g/kg
	Rabbit	5.3 g/kg
	Rat	36 g/kg
		7.51 g/kg
		5.71 g/kg
<b>Other</b>		
LD50	Dog	1.8 g/kg
	Mouse	5.9 g/kg
		4.9 g/kg
	Rabbit	4.6 g/kg
		1.1 g/kg
	Rat	7.2 g/kg
		3.9 g/kg
CUMENE (CAS 98-82-8)		
<b>Acute</b>		
<b>Inhalation</b>		
LC50	Mouse	2000 ppm, 7 Hours
		24.7 mg/l, 2 Hours
	Rat	8000 ppm, 4 Hours
<b>Oral</b>		
LD50	Rat	1400 mg/kg
		2.91 g/kg
PROPAN-2-OL (CAS 67-63-0)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	12800 mg/kg
<b>Oral</b>		
LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
		4.5 g/kg