FIR No. 174282

Contact product manufacturer for latest (M)SDS

ADVICS CO.,LTD. Date prepared: 2016.02.18

3. FIRST AID MEASURES

"If any of the symptoms persists, seek medical attention immediately."

Skin: Wash skin with soap and water after handling parts. Seek medical attention for persistent

rritation.

Eyes: Flush eyes with cool running water if dust becomes embedded. Seek medical attention if

reddening persists.

Inhalation: Remove affected person to fresh air. **Ingestion:** Not an anticipated route of entry.

Advice to physician: No specialized first aid or medical treatment procedures are required.

4. FIRE FIGHTING MEASURES

Flammable Properties

Flash point: Not applicable
Upper flame limit: Not applicable
Lower flame limit: Not applicable

Extinguishing Media: Water, Fog, Foam or Dry Chemical

Unusual Fire and Toxic and irritating materials may be released in a fire. Wear self-contained breathing

Explosion Hazards: apparatus in case dusts are formed during a structural fire.

5. ACCIDENTAL RELEASE MEASURES

Release of the finished form of product into the environment poses no hazard.

6. HANDLING AND STORAGE

Handling: Always wear recommended personal protective equipment. Avoid breathing or creating dust.

Storage: Product must be stored in any suitable area away from strong acids and oxidizers.