Contact product manufacturer for latest (M)SDS

TMDFRICTION

A NISSHINBO GROUP COMPANY

Printing date 08/21/2014 Reviewed on 08/21/2014

Trade name: HPC4300

		(Contd. of page 1
· Dangerou	s components:	
7440-50-8		10-25%
	♦ Aquatic Acute 1, H400	
7782-42-5	Graphite	10-25%
7440-47-3	chromium	≤ 2.5%
7779-90-0	trizinc bis(orthophosphate)	≤ 2.5%
	aluminium powder (pyrophoric)	<i>≤</i> 2.5%
7440-66-6	zinc powder -zinc dust (stabilized)	≤ 2.5%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Prevent formation of dust.
- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)