## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact**Based on available data, the classification criteria are not met. **Eye contact**Based on available data, the classification criteria are not met.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics

Aspiration may cause pulmonary edema and pneumonitis. Dizziness.

Information on toxicological effects

**Acute toxicity** May be fatal if swallowed and enters airways.

0	0.00	Only late IIT at Box Its
Components	Species	Calculated/Test Results
NAPHTHALENE (CAS 91-	-20-3)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2 g/kg
	Rat	> 20 g/kg
Oral		
LD50	Guinea pig	1200 mg/kg
	Rat	2400 mg/kg
		2200 mg/kg
		490 mg/kg
		2.6 g/kg
Other		
LD50	Mouse	969 mg/kg
		710 mg/kg
		533 mg/kg
		150 mg/kg
		100 mg/kg
Solvent naphtha (petroleur	m), heavy arom. (CAS 64742-94-5)	
<u>Acute</u>		
Inhalation		
LC50	Rat	73680 mg/l, 4 Hours
		61 mg/l, 4 Hours
Oral		

LD50

Rat > 25 ml/kg

Other

LD50 Rabbit > 5 mg/kg, 4 Hours

**Skin corrosion/irritation**Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye**Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

NAPHTHALENE (CAS 91-20-3) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

FIR No.: 189765 SDS US

Version: 01 5 / 9

Issue Date: 09-13-2022