Relative density	2 - 3 (20 °C)
Solubility(ies)	
Solubility (water)	Not applicable.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non reactive under normal conditions of storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	None known.
Incompatible materials	None known.
Hazardous decomposition products	Carbon dioxide. Carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Inhalation may lead to deposition in lung and in sufficient quantities produce baritosis.
Skin contact	Dust may irritate skin.
Eye contact	Dust may irritate the eyes.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity The ingredients may be released as general dust from the product by operations such as overheating, burning, machining, abrading, or riveting.

Components	Species	Test Results
Barium sulphate (CAS 7727-43-7)		
Acute		
Oral		
LD50	Rat	307 g/kg
Graphite (CAS 7782-42-5)		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Magnesium oxide (CAS 1309-48-4)		
Acute		
Oral		
LD50	Rat	3870 - 3990 mg/kg

Skin corrosion/irritation	Dust may irritate skin.
Serious eye damage/eye irritation	Dust may irritate the eyes.
Respiratory or skin sensitization	
Respiratory sensitization	No data available.