## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Based on available data, the classification criteria are not met. May cause irritation to the

respiratory system. Prolonged inhalation may be harmful.

**Skin contact**Based on available data, the classification criteria are not met. Prolonged skin contact may

cause temporary irritation.

Eye contact Based on available data, the classification criteria are not met. Direct contact with eyes may

cause temporary irritation.

**Ingestion** Based on available data, the classification criteria are not met. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

**Acute toxicity** 

Components Species Calculated/Test Results

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8)

<u>Acute</u>

**Dermal** 

LD50 Rabbit 9.5 g/kg

Oral

LD50 Rat 5.4 ml/kg

5.35 g/kg

Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9)

**Acute** 

Oral

LD50 Rat > 5000 mg/kg

12200 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

FIR No.: 152626 SDS US
Version: 01 5 / 7

Issue Date: 07-21-2023