SAFETY DATA SHEET

Honeywell

\sim	\mathbf{n}	\mathbf{n}	\sim	\sim	4	078	'n
					K I	() />	ĸ
.,.	,,,					.,,.	п

Version 3.2 Revision Date 08/03/2018 Print Date 05/08/2019

Method: OECD Test Guideline 416

Aspiration toxicity : Not applicable, as this product is a gas. study technically not

feasible

Teratogenicity : Species: RatApplication Route: inhalation (gas)

General Toxicity Maternal - No observed adverse effect level:

50,000 ppm

Developmental Toxicity - No observed adverse effect level:

50,000 ppm

Method: OECD Test Guideline 414

: Species: RabbitApplication Route: inhalation (gas)

General Toxicity Maternal - Lowest observed adverse effect

concentrati: 2,500 ppm

Embryo-fetal toxicity - No observed adverse effect

concentration: 4,000 ppm

Method: OECD Test Guideline 414

Note: Embryo-fetal toxicity observed at maternally toxic

concentrations

Further information : Note: Cardiac Sensitization (dog): No effects for exposures

up to 12% (120,189 ppm)

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish : LC50: > 197 mg/l

Exposure time: 96 h

Species: Cyprinus carpio (Carp)
Method: OECD Test Guideline 203

Note: No demonstrable toxic effect in saturated solution.

Page 13 / 17