FIR No. 169777

Pour pointNot available.Specific gravity0.877 (liquid)Partition coefficientNot available.

(n-octanol/water)

Flash point 78.0 °F (25.55 °C) Tag Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(/0)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Vapor density

Relative density

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

Not available.

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

•

Hazardous polymerization does not occur.

reactions

Chemical stability Material is stable under normal conditions.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Do not mix with other chemicals.

Incompatible materials

Hazardous decomposition

products

Strong oxidizing agents.

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Information on likely routes of exposure

Ingestion Not applicable under normal conditions of use.

Inhalation Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Health injuries are not known or expected under normal use.

Skin contact Not expected to be a primary skin irritant.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Narcotic effects.