

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Components	Species	Calculated/Test Results
Ammonia, aqueous solution (CAS 1336-21-6)		
<u>Acute</u>		
Oral		
LD50	Rat	350 mg/kg
ISOBUTANE (CAS 75-28-5)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	52 mg/l, 1 Hours
	Rat	570000 ppm, 15 Minutes
PROPANE (CAS 74-98-6)		
<u>Acute</u>		
Inhalation		
LC50	Rat	> 1464 mg/l, 15 Minutes
		> 1443 mg/l, 15 Minutes
Propane-1,2-diol (CAS 57-55-6)		
<u>Acute</u>		
Oral		
LD50	Dog	19 g/kg
	Guinea pig	18.4 g/kg
	Mouse	23.9 g/kg
	Rabbit	18 g/kg
	Rat	30 g/kg
Other		
LD50	Mouse	6630 mg/kg
		17.3 g/kg
	Rat	6660 mg/kg
		6423 mg/kg
		22.5 g/kg
		14 g/kg
Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)		
<u>Acute</u>		
Inhalation		
LC50	Rat	73680 mg/l, 4 Hours
		61 mg/l, 4 Hours
Oral		
LD50	Rat	> 25 ml/kg
Other		
LD50	Rabbit	> 5 mg/kg, 4 Hours
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	