Odor Hydrocarbon-like. Odor threshold Not available. Not available. Ha Not available. Melting point/freezing point

Not available.

Initial boiling point and boiling

range

Flash point

>314.6 °F (>157.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure <1 mm Hq Vapor density >1 (Air=1)

Relative density 0.83 - 0.85 (Water=1) Relative density temperature 60 °F (15.56 °C)

Solubility(ies)

(n-octanol/water)

Solubility (water) Negligible Not available. Partition coefficient

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** 19 - 20 cSt 104 °F (40 °C) Viscosity temperature

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met. Prolonged inhalation may be

harmful.

Skin contact Based on available data, the classification criteria are not met. Prolonged skin contact may

cause temporary irritation.

Eve contact Based on available data, the classification criteria are not met. Direct contact with eyes may

cause temporary irritation.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a

serious chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eve damage/eve Direct contact with eyes may cause temporary irritation.

irritation

Issue Date: 08-05-2024

FIR No.: 196825 SDS US Version: 01