According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALCANCE® SYNC TEC

Other means of identification

Product code 50000812

Unique Formula Identifier :

(UFI)

MR50-03WQ-9N43-CF2K

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Herbicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Chemicals Hellas MEPE

Syngrou Avenue 348 17674 Kallithea

Greece

Telephone: +30 211 1982768 Telefax: +30 211 1138614

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Greece: 30-2111768478 (CHEMTREC)

Medical emergency:

Greece: 30 210 77 93 777

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# ALCANCE® SYNC TEC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.05.2023

 1.1
 01.09.2023
 50000812
 Date of first issue: 08.05.2023

Reproductive toxicity, Category 2 H361d: Suspected of damaging the unborn child.

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H410: Very toxic to aquatic life with long lasting

effects.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Danger

Hazard statements : H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

**Prevention:** 

P201 Obtain special instructions before use.

P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention. Storage:

P405 Store locked up.

Disposal:

P501 Disposal of contents/container in accordance with na-

tional legislation.

#### Hazardous components which must be listed on the label:

pendimethalin (ISO)

**Additional Labelling** 

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **ALCANCE® SYNC TEC**

VersionRevision Date:SDS Number:Date of last issue: 08.05.20231.101.09.202350000812Date of first issue: 08.05.2023

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pendimethalin (ISO)	40487-42-1 254-938-2 609-042-00-X	Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	>= 25 - < 30
calcium chloride	10043-52-4 233-140-8 017-013-00-2	Eye Irrit. 2; H319	>= 1 - < 10
sodium nitrate	7631-99-4 231-554-3	Ox. Sol. 2; H272 Eye Irrit. 2; H319	>= 1 - < 10
clomazone (ISO)	81777-89-1 613-340-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 2,5 - < 10

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023

1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

| Acute toxicity estimate | Acute oral toxicity: 768 mg/kg | Acute inhalation toxicity (dust/mist): 4,85 mg/l

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks : Suspected of damaging the unborn child.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Nitrogen oxides (NOx) Hydrogen cyanide Carbon oxides Sodium oxides

Chlorinated compounds Halogenated compounds

Hydrogen chloride Sulphur oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage (0 - 40°C). Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present.

A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium chloride	Consumers	Inhalation	Long-term local ef- fects	2,5 mg/m3

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

Form : viscous

Colour : dark yellow

Odour : slight

Odour Threshold : not determined

Melting point/freezing point : not determined

Initial boiling point and boiling

range

not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : > 100 °C

Auto-ignition temperature : No data available

Decomposition temperature : not determined

pH : 6,2 (21 °C)

Concentration: 1 %

Viscosity

Viscosity, dynamic : 129 - 397 mPa.s (20 °C)

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative density : 1,13 (20 °C)

Relative vapour density : not determined

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

Shape : Not applicable

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

9.2 Other information

Explosives : Not explosive

Oxidizing properties : Non-oxidizing

Flammability (liquids) : Not applicable

Self-ignition : 267 °C

Evaporation rate : not determined

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

# 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,48 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Assessment: The substance or mixture has no acute inhala-

tion toxicity

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

**Components:** 

pendimethalin (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Acute inhalation toxicity : LC50 (Rat): > 2,26 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: US EPA Test Guideline OPP 81-3

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: US EPA Test Guideline OPP 81-2

calcium chloride:

Acute oral toxicity : LD50 (Rat, male): 2.120 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg

sodium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 3.430 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LD50 (Rat): > 0,527 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

clomazone (ISO):

Acute oral toxicity : Acute toxicity estimate: 768 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

LD50 (Rat, female): 767,5 mg/kg

Method: US EPA Test Guideline OPP 81-1

LD50 (Rat, female): 300 - 2.000 mg/kg Method: OECD Test Guideline 423

Target Organs: Liver

Assessment: The component/mixture is moderately toxic after

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

single ingestion.

Acute inhalation toxicity : Acute toxicity estimate: 4,85 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

LC50 (Rat, female): 4,85 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: US EPA Test Guideline OPP 81-3

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Method: US EPA Test Guideline OPP 81-2

Assessment: The component/mixture is minimally toxic after

single contact with skin.

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Assessment : Not classified as irritant

Result : No skin irritation

#### **Components:**

#### pendimethalin (ISO):

Species : Rabbit

Assessment : Not classified as irritant

Method : US EPA Test Guideline OPP 81-5

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

calcium chloride:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

clomazone (ISO):

Species : Rabbit

Method : US EPA Test Guideline OPP 81-5

Result : No skin irritation

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404 Remarks : May cause mild irritation.

Minimal effects that do not meet the threshold for classifica-

tion.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : slight irritation

# Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Assessment : No eye irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

**Components:** 

pendimethalin (ISO):

Species : Rabbit

Assessment : No eye irritation

Method : US EPA Test Guideline OPP 81-4

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

calcium chloride:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

sodium nitrate:

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Result : Eye irritation

clomazone (ISO):

Species : Rabbit

Method : US EPA Test Guideline OPP 81-4

Result : No eye irritation

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405 Remarks : May cause mild irritation.

Minimal effects that do not meet the threshold for classifica-

tion.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# ALCANCE® SYNC TEC

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

#### Respiratory sensitisation

Not classified based on available information.

**Product:** 

Result : Did not cause sensitisation on laboratory animals.

**Components:** 

pendimethalin (ISO):

Method : US EPA Test Guideline OPP 81-6
Result : May cause sensitisation by skin contact.

sodium nitrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

clomazone (ISO):

Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : US EPA Test Guideline OPP 81-6

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Test Type : Buehler Test Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 406

GLP : yes

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

calcium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 471

Result: negative

sodium nitrate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Mouse

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# ALCANCE® SYNC TEC

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.05.2023

 1.1
 01.09.2023
 50000812
 Date of first issue: 08.05.2023

**Application Route: Oral** 

Result: negative

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Rat Result: negative

Carcinogenicity

Not classified based on available information.

Components:

clomazone (ISO):

Species : Rat, male and female

Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

**Product:** 

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

**Components:** 

pendimethalin (ISO):

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

calcium chloride:

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

**Application Route: Oral** 

Method: OECD Test Guideline 414

Remarks: No significant adverse effects were reported

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.05.2023

 1.1
 01.09.2023
 50000812
 Date of first issue: 08.05.2023

Application Route: Oral

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral Result: negative

clomazone (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral Symptoms: Maternal effects

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral Symptoms: Maternal effects

Result: negative

#### STOT - single exposure

Not classified based on available information.

## **Components:**

clomazone (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

# STOT - repeated exposure

Not classified based on available information.

#### **Components:**

clomazone (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

#### Repeated dose toxicity

# **Components:**

clomazone (ISO):

Species : Rat, male and female

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# ALCANCE® SYNC TEC

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

NOEL : 1000 ppm Application Route : Oral Exposure time : 90 days

Symptoms : increased liver weight

## **Aspiration toxicity**

Not classified based on available information.

#### **Product:**

No aspiration toxicity classification

#### Components:

## clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Further information**

**Product:** 

Remarks : No data available

#### **Components:**

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity,

tearing eyes, bleeding from the nose and incoordination.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Product:**

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 17,6

mg/l

Exposure time: 72 h

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.05.2023

 1.1
 01.09.2023
 50000812
 Date of first issue: 08.05.2023

ErC50 (Navicula pelliculosa (Diatom)): 1,63 mg/l

Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0,477 mg/l

Exposure time: 7 d

ErC50 (Lemna gibba (duckweed)): 8,7 mg/l

Exposure time: 7 d

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Components:** 

pendimethalin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,28 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- :

icity)

100

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

EC50:

>1000 parts per million Exposure time: 14 d Species: worms

Toxicity to terrestrial organ-

isms

LD50: 1.421 mg/kg

Species: Anas platyrhynchos (Mallard duck)

LD50: 101,2 µg/bee

Species: Apis mellifera (bees)

calcium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.630 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.400 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 2.900 mg/l

Exposure time: 72 h

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## ALCANCE® SYNC TEC

Version Revision Date: SDS Number: Date of last issue: 08.05.2023 1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

EC10 (Chlorella vulgaris (Fresh water algae)): 1.000 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: 320 mg/l Exposure time: 21 d

sodium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 8.600 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 : > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 157 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6,3 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 14,4 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 5,2 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12,7 mg/l

Exposure time: 48 h Test Type: static test

LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Crustaceans): 0,53 mg/l

Exposure time: 96 h

(Hyalella azteca (Amphipod)):

Toxicity to algae/aquatic : EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.05.2023

 1.1
 01.09.2023
 50000812
 Date of first issue: 08.05.2023

plants Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l

Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l

Exposure time: 120 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l

End point: Growth rate Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to fish (Chronic tox-

icity)

NOEC: 2,3 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 2,2 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0,032 mg/l Exposure time: 28 d

Species: Americamysis bahia (mysid shrimp)

Test Type: flow-through test

NOEC: 1,25 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: static test

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to soil dwelling or-

ganisms

LC50: 156 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 2.510 mg/kg

Species: Anas platyrhynchos (Mallard duck)

LC50: > 5620 ppm

Species: Anas platyrhynchos (Mallard duck)

Remarks: Dietary

LC50: > 85.29

Species: Apis mellifera (bees)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# ALCANCE® SYNC TEC

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

LC50: > 100

Species: Apis mellifera (bees)

Remarks: Contact

LD50: > 2000

Species: Coturnix japonica (Japanese quail)

NOEC: 94 mg/kg

End point: Reproduction Test Species: Colinius virginianus

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

**Components:** 

pendimethalin (ISO):

Biodegradability : Remarks: Substance/product is moderately persistent in the

environment.

Stability in water : Degradation half life (DT50): 21 d

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: Substance/product is moderately persistent in the

environment.

Primary degradation half-lives vary with circumstances, from a

few weeks to a few months in aerobic soil and water.

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data is available on the product itself.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

**Components:** 

pendimethalin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 5.100

Remarks: The product/substance has a potential to bioaccu-

mulate.

It is rapidly excreted.

Partition coefficient: n-

octanol/water

log Pow: 5,2

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40

Remarks: Low potential for bioaccumulation

Partition coefficient: n-

octanol/water

log Pow: 2,365 (20 °C)

Method: OECD Test Guideline 107

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

: Remarks: No data is available on the product itself.

**Components:** 

pendimethalin (ISO):

Distribution among environ-

mental compartments

Koc: 17491 ml/g, log Koc: 4,24

Kd: 228 ml/g

Remarks: Slightly mobile in soils

Stability in soil

clomazone (ISO):

Distribution among environ-

mental compartments

Koc: 300 ml/g, log Koc: 2,47

Remarks: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

**Product:** 

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Pendimethalin, Clomazone)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Pendimethalin, Clomazone)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# ALCANCE® SYNC TEC

SDS Number: Version **Revision Date:** Date of last issue: 08.05.2023 01.09.2023 50000812 Date of first issue: 08.05.2023 1.1

**RID** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Pendimethalin, Clomazone)

**IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Pendimethalin, Clomazone)

Environmentally hazardous substance, liquid, n.o.s. **IATA** 

(Pendimethalin, Clomazone)

14.3 Transport hazard class(es)

Class Subsidiary risks

**ADN** 9 **ADR** 9 **RID** 9 **IMDG** 9 **IATA** 9

14.4 Packing group

**ADN** 

Packing group Ш Classification Code M6 Hazard Identification Number : 90 Labels 9

**ADR** 

Packing group Ш Classification Code M6 Hazard Identification Number : 90 Labels 9 Tunnel restriction code (-)

RID

Ш Packing group Classification Code M6 Hazard Identification Number 90 Labels 9

**IMDG** 

Packing group Ш Labels 9 F-A, S-F **EmS Code** 

IATA (Cargo)

Packing instruction (cargo

964 aircraft)

Packing instruction (LQ) Y964 Packing group Ш

Labels Miscellaneous

IATA (Passenger)

Packing instruction (passen-964

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## ALCANCE® SYNC TEC

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75, 3

pendimethalin (ISO) calcium chloride

1,2-benzisothiazol-3(2H)-one octamethylcyclotetrasiloxane [D4]

(Number on list 70)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023 1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspisodium nitrate (ANNEX II) cious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

E2

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

**ENVIRONMENTAL HAZARDS** 

Not applicable

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

2-(2-CHLOROBENZYL)-4,4-DIMETHYLISOXAZOLIDIN-3-

ONE

pendimethalin (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08.05.2023

 1.1
 01.09.2023
 50000812
 Date of first issue: 08.05.2023

TECI: Not in compliance with the inventory

# 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed.

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H361d : Suspected of damaging the unborn child.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Repr. : Reproductive toxicity

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **ALCANCE® SYNC TEC**

Version Revision Date: SDS Number: Date of last issue: 08.05.2023
1.1 01.09.2023 50000812 Date of first issue: 08.05.2023

striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Repr. 2 H361d Calculation method

Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 2 H410 Based on product data or assessment

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

# **Prepared by**

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

GR / 6N