according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

#### **SECTION 1. IDENTIFICATION**

**Product identifier** 

Product name Harmony® SG Herbicide (with TotalSol® soluble granules)

Other means of identification

Product code 50000142

Recommended use of the chemical and restrictions on use

**Recommended use** Can be used as herbicide only.

**Restrictions on use**Use as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

**Emergency telephone** 

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

**GHS** label elements

Not a hazardous substance or mixture.

Other hazards

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
thifensulfuron-methyl (ISO)	79277-27-3	50
sodium carbonate	497-19-8	>= 10 - < 20

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Remove to fresh air.

Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water. Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version **Revision Date:** SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

fighting courses.

Hazardous combustion prod-

ucts

Thermal decomposition can lead to release of irritating gases

and vapors.

Nitrogen oxides (NOx)

Sulfur oxides Carbon oxides

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Use personal protective equipment.

Wear self-contained breathing apparatus for firefighting if nec-

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation. Remove all sources of ignition.

Immediately evacuate personnel to safe areas. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

**Environmental precautions** Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Sweep up and collect the leakage in a dry sealed container.

Keep in suitable, closed containers for disposal.

Clean contaminated surface thoroughly.

#### **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse

storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

## Personal protective equipment

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : solid

Form : granules

Color : light brown

Odor : mild

pH : 9.2 (77 °F / 25 °C)

Concentration: 10 g/l

Melting point/range : ca. 360 °F / 182 °C

Flash point : not determined

Flammability (solid, gas) : Not highly flammable, may be ignitable

Lower explosion limit / Lower

flammability limit

0.1 - 0.25 g/l

Density : No data available

Bulk density : ca. 696 kg/m3 packed

Solubility(ies)

Water solubility : soluble

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Viscosity

Viscosity, dynamic : No data available

Explosive properties : Not explosive

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Protect from frost, heat and sunlight.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

## **Product:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: Fixed Dose Method

GLP: yes

Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity estimate: 10.71 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

**Components:** 

thifensulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2.3 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Target Organs: Skin Symptoms: Erythema

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

**Components:** 

thifensulfuron-methyl (ISO):

Assessment : No skin irritation

Method : OECD Test Guideline 404

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

sodium carbonate:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

#### Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

**Components:** 

thifensulfuron-methyl (ISO):

Result : No eye irritation

Method : OECD Test Guideline 405

sodium carbonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Product:** 

Test Type : Maximization Test

Species : Guinea pig

Method : US EPA Test Guideline OPPTS 870.2600

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

**Components:** 

thifensulfuron-methyl (ISO):

Species : Guinea pig

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

**Product:** 

Germ cell mutagenicity - : Not mutagenic in Ames Test., Did not show mutagenic effects

Assessment in animal experiments.

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

**Components:** 

thifensulfuron-methyl (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 476

Result: negative

Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

**Product:** 

Remarks : The product contains no ingredients known to be carcinogen-

ic.

Carcinogenicity - Assess-

ment

ment

Did not show carcinogenic effects in animal experiments.

**Components:** 

thifensulfuron-methyl (ISO):

Carcinogenicity - Assess-

Weight of evidence does not support classification as a car-

cinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

**Product:** 

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Reproductive toxicity - As-

sessment

: Animal testing showed no reproductive toxicity.

Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

**Components:** 

thifensulfuron-methyl (ISO):

Reproductive toxicity - As-

sessment

Did not show teratogenic effects in animal experiments.

sodium carbonate:

Effects on fetal development : Species: Rat

Application Route: Oral

Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight

Teratogenicity: NOAEL: > 245 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified based on available information.

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

**Components:** 

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

thifensulfuron-methyl (ISO):

Species : Rat

LOAEL : ca. 200 mg/kg

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Exposure time : 90 d

Target Organs : No specific target organs noted

Symptoms : Reduced body weight

sodium carbonate:

Species : Rat, male and female

NOAEL : > 0.01 mg/kg

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist

**Aspiration toxicity** 

Not classified based on available information.

**Product:** 

The mixture does not have properties associated with aspiration hazard potential.

**Further information** 

**Product:** 

Remarks : Information presented in this Section conforms to the require-

ments of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection

Agency (EPA), or by state Regulatory Agencies.

Remarks : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 120 mg/l

Exposure time: 48 h
Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Lemna gibba (duckweed)): 0.00130 mg/l

Exposure time: 14 d

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

Remarks: Information source: Internal study report

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Components:** 

thifensulfuron-methyl (ISO):

Toxicity to fish : LC50 (Salmo gairdneri): 100 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 470 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (green algae): 0.0159 mg/l

Exposure time: 72 h

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.4

mg/l

Exposure time: 72 h

EC50 (Lemna minor (duckweed)): 1.3 μg/l

Toxicity to fish (Chronic tox-

icity)

NOEC (Salmo gairdneri): 250 mg/l

Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 10.6 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aquatic invertebrates (C

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 2,000 mg/kg

Toxicity to terrestrial organ-

isms

LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm

Remarks: Dietary

LD50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

LD50 (Apis mellifera (bees)): > 7.1 μg/bee

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 100 μg/bee

End point: Acute contact toxicity

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): 200 mg/l

Exposure time: 48 h Test Type: semi-static test

Persistence and degradability

**Components:** 

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Primary degradation half-lives vary with circumstances, from a

few days to a few weeks in aerobic water and soil.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Bioaccumulative potential

**Components:** 

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1

Remarks: Does not bioaccumulate.

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

## Mobility in soil

#### **Components:**

thifensulfuron-methyl (ISO):

Distribution among environ-

mental compartments

Koc: 28.3, log Koc: 1.45

Remarks: Highly mobile in soils

Stability in soil

#### Other adverse effects

#### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

Environmental hazards

Do not apply directly to water, or to areas where surface water

is present, or to intertidal areas below the mean high water

mark.

Do not contaminate water when cleaning equipment or dis-

posing of equipment washwaters or rinsate.

Do not apply where/when conditions favour runoff.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Thifensulfuron-methyl)

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Thifensulfuron-methyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

- : 956

956

Packing instruction (passenger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Thifensulfuron-methyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **Domestic regulation**

#### 49 CFR Road

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

thifensulfuron-methyl (ISO) 79277-27-3 Lactose monohydrate 10039-26-6 sodium carbonate 497-19-8

#### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 3-{[(4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-

YL)CARBAMOYL]SULFAMOYL}THIOPHENE-2-

**CARBOXYLATE** 

Lactose monohydrate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

## **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

#### NFPA 704:

# Health 1 0 Instability

Special hazard

**0** No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

## HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund

according to the OSHA Hazard Communication Standard



# Harmony® SG Herbicide (with TotalSol® soluble granules)

Version Revision Date: SDS Number: Date of last issue: -

1.1 12/04/2023 50000142 Date of first issue: 02/01/2018

Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

#### Prepared by:

**FMC Corporation** 

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet