

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KAIEN® 150EC

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical emergency:
86 532 8388 9090

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: liquid
Color	: amber
Odor	: faint burn smell

Combustible liquid. Harmful if swallowed. Causes mild skin irritation. May cause damage to organs (Central nervous system). Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 3

Specific target organ toxicity - : Category 2 (Central nervous system)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

single exposure

Specific target organ toxicity - repeated exposure : Category 1 (Blood, Nervous system)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms



Signal Word : DANGER

Hazard Statements : H227 Combustible liquid.
H302 Harmful if swallowed.
H316 Causes mild skin irritation.
H371 May cause damage to organs (Central nervous system).
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 Collect spillage.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Combustible liquid.

Health hazards

Harmful if swallowed. Causes mild skin irritation. May cause damage to organs. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6	≥ 10 -< 20
Fatty acids, C8-10, Me esters	85566-26-3	≥ 50 -< 70
Fatty acids, soya, Me esters	68919-53-9	≥ 1 -< 10
calcium dodecylbenzenesulphonate	26264-06-2	≥ 3 -< 10
2-ethylhexan-1-ol	104-76-7	≥ 1 -< 2.5

4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Move to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Take off all contaminated clothing immediately. Wash off with soap and water. If symptoms persist, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

- | | |
|---|--|
| If swallowed | : Do NOT induce vomiting.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed.
Causes mild skin irritation.
May cause damage to organs.
Causes damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Dry chemical
Water spray
Carbon dioxide (CO ₂)
Foam |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Chlorinated compounds
Fluorinated compounds
Nitrogen oxides (NO _x)
Carbon oxides
Hydrogen cyanide
Sulfur oxides |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Evacuate personnel to safe areas. Do not touch or walk through the spilled material. If it can be safely done, stop the leak. Use personal protective equipment.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Never return spills in original containers for re-use. Collect as much of the spill as possible with a suitable absorbent material. Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.
Prevention of secondary hazards	: Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. For disposal considerations see section 13.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Avoidance of contact	: Strong oxidizing agents Strong acids and strong bases

Storage

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Conditions for safe storage : Keep tightly closed in a dry, cool and well-ventilated place.
Observe label precautions.
Keep container closed when not in use.
Keep locked up or in an area accessible only to qualified or authorized persons.
Keep in properly labeled containers.
No smoking.
Electrical installations / working materials must comply with the technological safety standards.

Recommended storage temperature : > 0 °C

Further information on storage stability : Do not freeze.

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: amber
Odor	: faint burn smell
Odor Threshold	: No data available
pH	: 6.6 (20 - 25 °C) Concentration: 10 g/l 1 %
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 69 °C
Evaporation rate	: No data available
Flammability (liquids)	: Not highly flammable, ignitable
Self-ignition	: 255 °C
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Viscosity Viscosity, dynamic	: 5.6 mPa.s (25 °C)
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Molecular weight	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Vapors may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Routes of exposure	: Inhalation Skin contact
--------------------	------------------------------

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	: LD50 (Rat, female): 977 mg/kg
---------------------	---------------------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 425

Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Components:

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 281 - 291 mg/kg
Method: OECD Test Guideline 420
Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions
GLP: yes

LD50 (Rat, female): 179 mg/kg
Method: OECD Test Guideline 401
Target Organs: Nervous system
Symptoms: hypoactivity, Tremors, ataxia, Fatality
GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: nasal discharge, lethargy
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Fatty acids, C8-10, Me esters:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality
Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality
Based on data from similar materials

Fatty acids, soya, Me esters:

Acute oral toxicity : LD50 (Rat): 5,000 - 15,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

indoxacarb (ISO):

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight irritation
GLP	:	yes

Fatty acids, C8-10, Me esters:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

Fatty acids, soya, Me esters:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

2-ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

Remarks	:	Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---	---

Components:

indoxacarb (ISO):

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Fatty acids, C8-10, Me esters:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Regulation (EC) No. 440/2008, Annex, B.5

Fatty acids, soya, Me esters:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

2-ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species	:	Guinea pig
Result	:	Did not cause sensitization on laboratory animals.

Components:

indoxacarb (ISO):

Species	:	Guinea pig
Result	:	May cause sensitization by skin contact.
Test Type	:	Maximization Test
Species	:	Guinea pig
Assessment	:	May cause sensitization by skin contact.
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	May cause sensitization by skin contact.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

GLP : yes

Fatty acids, C8-10, Me esters:

Test Type	: Maximization Test
Routes of exposure	: Intradermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

Fatty acids, soya, Me esters:

Result : Does not cause skin sensitization.

calcium dodecylbenzenesulphonate:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity - Assessment : Test on bacterial cultures did not show mutagenic effects.,
Animal testing did not show any mutagenic effects.

Components:

indoxacarb (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Fatty acids, C8-10, Me esters:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Components:

indoxacarb (ISO):

Species	: Rat, female
Application Route	: Oral
Exposure time	: 24 m
	: 2.13 mg/kg bw/day
Result	: negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Fatty acids, soya, Me esters:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Components:

indoxacarb (ISO):

Effects on fertility	: Test Type: Two-generation study Species: Rat Result: Animal testing did not show any effects on fertility.
----------------------	--

Effects on fetal development	: Species: Rabbit General Toxicity Maternal: NOEL: 500 mg/kg bw/day Developmental Toxicity: NOEL: 500 mg/kg bw/day
------------------------------	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Method: EPA OPP 83-3

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on fetal development.

Fatty acids, C8-10, Me esters:

Effects on fertility : Species: Rat
Application Route: Oral
Dose: 0, 250, 500 and 1000 mg/kg bw
General Toxicity Parent: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 422
Remarks: Based on data from similar materials
No significant adverse effects were reported

Effects on fetal development : Species: Rat
Application Route: Oral
Teratogenicity: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 422
Remarks: Based on data from similar materials
No significant adverse effects were reported

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

STOT-single exposure

May cause damage to organs (Central nervous system).

Components:

indoxacarb (ISO):

Target Organs	: Central nervous system
Assessment	: The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

2-ethylhexan-1-ol:

Assessment	: May cause respiratory irritation.
------------	-------------------------------------

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:

indoxacarb (ISO):

Target Organs	: Blood, Nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Fatty acids, C8-10, Me esters:

Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	--

Repeated dose toxicity

Components:

indoxacarb (ISO):

Species	: Rat, female
NOAEL	: 1.7 mg/kg
LOAEL	: 4.1 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 408
GLP	: yes
Target Organs	: Blood

Fatty acids, C8-10, Me esters:

Species	: Rat
NOAEL	: 1,000 mg/kg
Application Route	: Oral
Dose	: 0, 250, 500 and 1000 mg/kg bw/
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials No significant adverse effects were reported

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks	: No data available
---------	---------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 7.0 mg/l
	Exposure time: 96 h
	Test Type: static test
	Method: OECD Test Guideline 203
	GLP: yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.67 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 16 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Components:

indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.17 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.6 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 0.17 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (algae)): 0.0793 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l
Exposure time: 90 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

NOEC (Pimephales promelas (fathead minnow)): 0.0675 mg/l
Exposure time: 28 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.09 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202
GLP: yes

NOEC (Daphnia magna (Water flea)): 0.0351 mg/l
Exposure time: 21 d
Test Type: Static renewal test
Method: OECD Test Guideline 211
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,250 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 0.232 µg/bee
Exposure time: 48 d
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0.068 µg/bee
Exposure time: 48 d
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (Colinus virginianus (Bobwhite quail)): 98 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 720 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

NOEC (Colinus virginianus (Bobwhite quail)): 144 ppm
Exposure time: 147 d
End point: Reproduction Test

Fatty acids, C8-10, Me esters:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (green algae): 1.35 mg/l
Exposure time: 96 h
Method: QSAR
Remarks: Based on data from similar materials

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 800 - 5,243 mg/l
Exposure time: 48 h

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Remarks: Based on data from similar materials

EC50 (*Pseudokirchneriella subcapitata* (green algae)): 65.4 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 1.65 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

NOEC (*Daphnia magna* (Water flea)): 1.18 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 1,356 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 17.1 - 28.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (*Desmodesmus subspicatus* (green algae)): 3.2 mg/l
Exposure time: 72 h

EC50 (*Desmodesmus subspicatus* (green algae)): 11.5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (*Anabaena flos-aquae* (cyanobacterium)): 16.6 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

Fatty acids, C8-10, Me esters:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 7.84 mg/l
Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Fatty acids, soya, Me esters:

Biodegradability : Result: Readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 77.3
Exposure time: 21 d
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.52 (20 °C)
Method: OECD Test Guideline 107
GLP: yes

Fatty acids, soya, Me esters:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9 (25 °C)

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil.

Kd: 46 - 150

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of contents/ container to an approved waste disposal plant.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

N.O.S.
(Indoxacarb)

Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Indoxacarb)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)
Class	:	9
Packing group	:	III
Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version 1.1	Revision Date: 2024/09/10	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : applicable

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Fatty acids, C8-10, Me esters Fatty acids, C6-10, Me esters
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

16. OTHER INFORMATION

Revision Date : 2024/09/10

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for de-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



KAIEN® 150EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2024/09/10	50000122	Date of first issue: 2018/03/01

termining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN