SAFETY DATA SHEET

F9944-74

Version	Revision Date:	SDS Number:	Date of last issue: 19.11.2021
1.1	13.01.2023	50002186	Date of first issue: 19.11.2021

Section 1: Identification

Product name : F9944-74

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : IRD number: 101-200-019
6 Clayton Street, Newmarket
1023 Auckland
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixom)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Acute toxicity (Oral) : Acute Tox.4

Acute toxicity (Inhalation) : Acute Tox.4

Hazardous to the aquatic environment - acute hazard : Aquatic Acute1

Hazardous to the aquatic environment - chronic hazard : Aquatic Chronic1

GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fluindapyr Technical	1383809-87-7	>= 30 -< 50
glycerol	56-81-5	>= 1 -< 10
Methyloxirane, Polymer with oxirane	9003-11-6	>= 1 -< 10
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 1 -< 2.5
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.0025 -< 0.025

Section 4: First-aid measures

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed or if inhaled. May be harmful in contact with skin.
Notes to physician	:	Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Thermal decomposition can lead to release of irritating gases and vapours. Carbon oxides Sulphur oxides Nitrogen oxides (NOx) Fluorine compounds
Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Hazchem Code	:	3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage stability	:	No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	WES-TWA (Mist)	10 mg/m3	NZ OEL

Personal protective equipment

Respiratory protection	:	In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	light brown
Odour	:	hydrocarbon-like
pH	:	5.89
Flash point	:	> 150 °C
Self-ignition	:	No data available
Vapour pressure	:	No data available
Relative density	:	1.12 (20 °C)
Density	:	1.1327 g/cm3 (22.1 °C)
Solubility(ies)		
Water solubility	:	dispersible
Viscosity		
Viscosity, kinematic	:	186.8 mm2/s (20.2 °C)
		155.6 mm2/s (40.4 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Protect from frost, heat and sunlight.
Incompatible materials	:	Strong acids Strong oxidizing agents Strong bases
Hazardous decomposition products	:	Stable under recommended storage conditions.

Section 11: Toxicological information

Acute toxicity

Harmful if swallowed or if inhaled.
May be harmful in contact with skin.

Product:

Acute oral toxicity	:	LD50 (Rat, female): 550 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	:	LC50 (Rat, male and female): ca. 2.10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402

Components:

Fluindapyr Technical:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 5.19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

Methyloxirane, Polymer with oxirane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation

Components:

Fluindapyr Technical:

Method : OECD Test Guideline 404
Result : No skin irritation

glycerol:

Species : Rabbit
Result : No skin irritation

Methyloxirane, Polymer with oxirane:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Components:

Fluindapyr Technical:

Result : No eye irritation
Method : OECD Test Guideline 405

glycerol:

Species : Rabbit
Result : No eye irritation

Methyloxirane, Polymer with oxirane:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result : Eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea
Result : No eye irritation
Method : OECD Test Guideline 437

Species : Rabbit
Result : Irreversible effects on the eye
Method : EPA OPP 81-4

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Components:

Fluindapyr Technical:

Method	:	OECD Test Guideline 429
Result	:	May cause sensitisation by skin contact.

1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.
Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitisation by skin contact.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

glycerol:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Ames test Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
Genotoxicity in vivo	:	Test Type: unscheduled DNA synthesis assay Species: Rat (male)

Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

glycerol:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 years Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

glycerol:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Result: negative

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

glycerol:

Species	:	Rat
LOAEL	:	1 mg/kg
Application Route	:	Inhalation
Exposure time	:	14 d
Dose	:	0, 1, 1.93, 3.91 mg/L
Symptoms	:	respiratory tract irritation, Fatality

Species	:	Rat
NOAEL	:	0.165 mg/l
LOAEL	:	0.662 mg/l
Application Route	:	Inhalation
Exposure time	:	13 w
Dose	:	0, 0.033, 0.165, 0.662 mg/L
Symptoms	:	respiratory tract irritation

1,2-benzisothiazol-3(2H)-one:

Species	:	Rat, male and female
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation

Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks	:	No data available

Section 12: Ecological information

Ecotoxicity

Product:

Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 282.34 µg/bee End point: Acute oral toxicity Method: OECD Test Guideline 213 LD50 (Apis mellifera (bees)): > 467.29 µg/bee End point: Acute contact toxicity Method: OECD Test Guideline 214

Components:

Fluindapyr Technical:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.121 mg/l Exposure time: 96 h LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.43 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.414 mg/l Exposure time: 48 h LC50 (Mysidopsis bahia (opossum shrimp)): 0.33 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): > 4.83 mg/l Exposure time: 72 h EC50 (Lemna sp.): > 2 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.031 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.12 mg/l Exposure time: 21 d NOEC (Mysidopsis bahia (opossum shrimp)): 0.062 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1

Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
		LD50 (Apis mellifera (bees)): > 32.8 µg/bee

glycerol:

Toxicity to fish	:	LC50 (Fish): 885 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): 2,900 mg/l Exposure time: 192 h
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 10,000 mg/l Exposure time: 16 h

Methyloxirane, Polymer with oxirane:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50: > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50: > 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to microorganisms	:	(activated sludge): Remarks: Based on data from similar materials

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish	:	LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Fluindapyr Technical:

Biodegradability : Result: Not readily biodegradable.

glycerol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 24 h

Methyloxirane, Polymer with oxirane:

Biodegradability : Method: OECD Test Guideline 301B
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Fluindapyr Technical:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Remarks: See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: > 3

glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.75 (25 °C)
pH: 7.4

Methyloxirane, Polymer with oxirane:

Partition coefficient: n-octanol/water : log Pow: -1.58

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 6.62
Exposure time: 56 d

Method: OECD Test Guideline 305
Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 7

log Pow: 0.99 (20 °C)
pH: 5

Mobility in soil

Components:

Fluindapyr Technical:

Distribution among environmental compartments : Remarks: Low mobility in soil

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Section 13: Disposal considerations

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Fluindapyr)

Class	:	9
Packing group	:	III
Labels	:	9

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Fluindapyr)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	3Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

not allocated

The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. 3-(DIFLUOROMETHYL)-N-[(3RS)-7-FLUORO-2,3-DIHYDRO-1,1,3-TRIMETHYL-1H-INDEN-4-YL]-1-METHYL-1H-PYRAZOLE-4-CARBOXAMIDE
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

Section 16: Other information

Revision Date	:	13.01.2023
Date format	:	dd.mm.yyyy

Full text of other abbreviations

NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N