

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name RHIZOMAGIC®

Other means of identification

Product code 50001219

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Crop nutrition

Recommended restrictions
on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Limited
Rectors Lane, Pentre
Flintshire
CH5 2DH
United Kingdom

Telephone: + 44 1244 537370
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:
England and Wales: 111
Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)**

Corrosive to metals, Category 1

H290: May be corrosive to metals.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Eye irritation, Category 2

H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H290 May be corrosive to metals.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P234 Keep only in original packaging.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/ attention.
P390 Absorb spillage to prevent material damage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version 1.8 Revision Date: 11.04.2025 SDS Number: 50001219 Date of last issue: 28.06.2024
Date of first issue: 08.11.2018

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
phosphoric acid	7664-38-2 231-633-2 015-011-00-6	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412 specific concentra- tion limit Skin Corr. 1B; H314 ≥ 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	≥ 5 - < 10
boric acid	10043-35-3 233-139-2 005-007-00-2	Repr. 1B; H360FD	≥ 0.3 - < 1
Zinc sulphate, monohydrate	7446-19-7	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	≥ 0.1 - < 0.25
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute	≥ 0.0025 - < 0.025

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

		aquatic toxicity): 10 specific concentra- tion limit Skin Sens. 1A; H317 >= 0.036 %	
--	--	----------------------------------------------------------------------------------------------------	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice | : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes.
First Aid responders should pay attention to self-protection
and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific
personal protective equipment. |
| If inhaled | : Move to fresh air.
If unconscious, place in recovery position and seek medical
advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from ex-
posure. Light cases: Keep person under surveillance. Get
medical attention immediately if symptoms develop. Serious
cases: Get medical attention immediately or call for an ambu-
lance. |
| In case of skin contact | : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist. |
| If swallowed | : Gently wipe or rinse the inside of the mouth with water.
Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.
May damage fertility. May damage the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Sulphur oxides
Metal oxides
Oxides of phosphorus
metal fumes

Fire may produce irritating, corrosive and/or toxic gases.

5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labelled containers.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aer-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

osol. When using do not eat or drink. When using do not
smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m3	GB EH40
		STEL	2 mg/m3	GB EH40
		TWA	1 mg/m3	2000/39/EC
Further information: Indicative				
		STEL	2 mg/m3	2000/39/EC
Further information: Indicative				

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
boric acid	Fresh water	2.9 mg/l
	Marine water	2.9 mg/l
	Sewage treatment plant	10 mg/l
	Soil	5.7 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	13.7 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version 1.8 Revision Date: 11.04.2025 SDS Number: 50001219 Date of last issue: 28.06.2024
Date of first issue: 08.11.2018

Zinc sulphate, monohydrate	Sewage treatment plant	5.2 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Marine sediment	0.00499 mg/l

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Tightly fitting safety goggles
Ensure that eyewash stations and safety showers are close to the workstation location.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

No personal respiratory protective equipment normally required.
- Protective measures : Plan first aid action before beginning work with this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
Form : No data available
Colour : dark brown
Odour : characteristic
Odour Threshold : No data available
pH : 3.0 - 5.0
Concentration: 100 %
- Melting point/ range : No data available
Boiling point/boiling range : No data available
- Flash point : No data available
Evaporation rate : No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.21 - 1.25
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	
	:	Not explosive
Oxidizing properties	:	Non-oxidizing

9.2 Other information

Molecular weight	:	Not applicable
Self-ignition	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	-----------------------------------------------------

10.4 Conditions to avoid

Conditions to avoid	:	Avoid extreme temperatures Avoid formation of aerosol.
---------------------	---	-----------------------------------------------------------

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	------------------------------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

- | | |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity | : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method
Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method
Assessment: The substance or mixture has no acute dermal toxicity |

Components:

phosphoric acid:

- | | |
|---------------------|--------------------------------------------------------------------------------|
| Acute oral toxicity | : LD50 (Rat, female): > 300 - < 2,000 mg/kg
Method: OECD Test Guideline 423 |
|---------------------|--------------------------------------------------------------------------------|

boric acid:

- | | |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity | : LD50 (Rat, male): > 2,600 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality |
| Acute inhalation toxicity | : LC0 (Rat, male and female): > 2.03 mg/l
Exposure time: 5 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: no mortality |
| Acute dermal toxicity | : LD50 (Rabbit, male and female): > 2,000 mg/kg
Remarks: no mortality |

Zinc sulphate, monohydrate:

- | | |
|-----------------------|---------------------------------|
| Acute oral toxicity | : LD50 (Rat, male): 1,710 mg/kg |
| Acute dermal toxicity | : LD50 (Rat): > 2,000 mg/kg |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Method: OECD Test Guideline 402

Symptoms: irritating

Remarks: no mortality

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

phosphoric acid:

Species : Rabbit
Assessment : Corrosive
Result : Corrosive after 3 minutes to 1 hour of exposure

boric acid:

Species : Rabbit
Result : No skin irritation

Zinc sulphate, monohydrate:

Species : Mouse
Result : slight irritation
Remarks : Based on data from similar materials

Species : Rabbit
Result : slight irritation
Remarks : Based on data from similar materials

Species : Guinea pig
Result : slight irritation
Remarks : Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Assessment	:	Irritating to eyes.
Result	:	Eye irritation
Remarks	:	Eye irritation

Components:

phosphoric acid:

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity

boric acid:

Species	:	Rabbit
Result	:	slight irritation

Zinc sulphate, monohydrate:

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Result	:	No data available
Remarks	:	Not expected to cause skin sensitisation

Components:

boric acid:

Test Type	:	Buehler Test
Species	:	Guinea pig

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Zinc sulphate, monohydrate:

Exposure routes : Skin contact
Species : Mouse
Result : Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Species : Guinea pig
Method : FIFRA 81.06
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

phosphoric acid:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

boric acid:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Test Type: sister chromatid exchange assay
Result: negative

Test Type: gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Zinc sulphate, monohydrate:

Genotoxicity in vitro	:	Test Type: gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
-----------------------	---	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	:	Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
--	---	-----------------------------------------------------------------------------

	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
--	---	-------------------------------------------------------------------------------------------------------

Genotoxicity in vivo	:	Test Type: unscheduled DNA synthesis assay Species: Rat (male) Cell type: Liver cells Application Route: Ingestion Exposure time: 4 h Method: OECD Test Guideline 486 Result: negative
----------------------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative
--	---	----------------------------------------------------------------------------------------------------------------------------------

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	----------------------------------------------------------------------------

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

boric acid:

Species	:	Mouse, male and female
Application Route	:	Oral
Exposure time	:	103 weeks
Dose	:	0, 446, 1150mg/kg/bw/day

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Result : > 1,150 mg/kg bw/day
: negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Zinc sulphate, monohydrate:

Remarks : No human information is available.

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

phosphoric acid:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 500 mg/kg body weight
General Toxicity F1: NOAEL: 500 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 370 mg/kg body weight
Developmental Toxicity: NOAEL: 370 mg/kg body weight
Result: negative
Remarks: Based on data from similar materials

boric acid:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 5.9, 17.5, 58.5(mgb)/kg/bw/d
General Toxicity - Parent: LOAEL: 58.5 mg/kg bw/day
General Toxicity F1: LOAEL: 58.5 mg/kg bw/day
General Toxicity F2: LOAEL: 58.5 mg/kg bw/day
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 3.3, 6.3, 9.6, 13.3, 25mgb/kg
General Toxicity Maternal: LOAEL: 13.3 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: >= 12.9 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

Zinc sulphate, monohydrate:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

boric acid:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Zinc sulphate, monohydrate:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

phosphoric acid:

Species : Rat, male and female
NOAEL : 250 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Application Route : Oral - gavage
Exposure time : 42 - 54 d
Method : OECD Test Guideline 422

boric acid:

Species : Rat, male and female
LOAEL : 58.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 2 years
Dose : 0, 5.9, 17.5, 58.5mg/kg/bw/d

Species : Rat, female
NOAEC : 0.47 mg/l
Application Route : inhalation (dust/mist/fume)
Dose : 0.077, 0.175, 0.47 mg/l

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407
Symptoms : Irritation

Species : Rat, male and female
NOAEL : 69 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

phosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version 1.8	Revision Date: 11.04.2025	SDS Number: 50001219	Date of last issue: 28.06.2024 Date of first issue: 08.11.2018
----------------	------------------------------	-------------------------	-------------------------------------------------------------------

aquatic invertebrates	Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
boric acid:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 79.7 mg/l Exposure time: 96 h Test Type: static test Remarks: Based on data from similar materials LC50 (Limanda limanda): 74 mg/l Exposure time: 96 h Test Type: flow-through test Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Ceriodaphnia dubia (water flea)): 102 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 40.2 mg/l Exposure time: 74.5 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5 mg/l Exposure time: 74.5 h Method: OECD Test Guideline 201 LOEC : 3.6 mg/l Exposure time: 10 d Test Type: semi-static test
Toxicity to microorganisms	: EC50 (activated sludge): > 175 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 NOEC (activated sludge): 17.5 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Toxicity to fish (Chronic toxicity) : NOEC: 6.4 mg/l
Exposure time: 34 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6.4 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

Toxicity to soil dwelling organisms : LC50: > 175 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

NOEC: >= 175 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Zinc sulphate, monohydrate:

Toxicity to fish : LC50 (Fish): 0.112 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.169 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.131 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.0052 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : EC10:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0056 mg/l
Exposure time: 10 d

M-Factor (Chronic aquatic toxicity) : 10

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

1,2-benzisothiazol-3(2H)-one:

- Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
- M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Components:

phosphoric acid:

- Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Zinc sulphate, monohydrate:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Biodegradability : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

boric acid:

Bioaccumulation : Species: Fish
Exposure time: 60 d
Bioconcentration factor (BCF): < 0.1

Partition coefficient: n-octanol/water : log Pow: -1.09 (22 °C)

Zinc sulphate, monohydrate:

Bioaccumulation : Remarks: Not inherently biodegradable.

Partition coefficient: n-octanol/water : Remarks: Not applicable

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6.62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 7

log Pow: 0.99 (20 °C)
pH: 5

12.4 Mobility in soil

Components:

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

Components:

phosphoric acid:

Additional ecological information : Harmful effects on aquatic organisms also due to pH shift.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Dispose of the packaging in accordance with the local regulations in force.

SECTION 14: Transport information

14.1 UN number

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

ADN	:	UN 1805
ADR	:	UN 1805
RID	:	UN 1805
IMDG	:	UN 1805
IATA	:	UN 1805

14.2 UN proper shipping name

ADN	:	PHOSPHORIC ACID SOLUTION
ADR	:	PHOSPHORIC ACID SOLUTION
RID	:	PHOSPHORIC ACID SOLUTION
IMDG	:	PHOSPHORIC ACID SOLUTION
IATA	:	Phosphoric acid, solution

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	8
ADR	:	8
RID	:	8
IMDG	:	8
IATA	:	8

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: C1
Hazard Identification Number	: 80
Labels	: 8

ADR	
Packing group	: III
Classification Code	: C1
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)

RID	
Packing group	: III
Classification Code	: C1
Hazard Identification Number	: 80
Labels	: 8

IMDG	
Packing group	: III
Labels	: 8
EmS Code	: F-A, S-B

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

IATA (Cargo)

Packing instruction (cargo aircraft)	:	856
Packing instruction (LQ)	:	Y841
Packing group	:	III
Labels	:	Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft)	:	852
Packing instruction (LQ)	:	Y841
Packing group	:	III
Labels	:	Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous	:	no
---------------------------	---	----

ADR

Environmentally hazardous	:	no
---------------------------	---	----

RID

Environmentally hazardous	:	no
---------------------------	---	----

IMDG

Marine pollutant	:	no
------------------	---	----

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	boric acid
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) : Not applicable

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL. sodium [[α,α'-(ethylenediimino)bis[2-hydroxybenzene-1-acetato]](4-)]ferrate(1-)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

H360FD	: May damage fertility. May damage the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Met. Corr.	: Corrosive to metals
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



RHIZOMAGIC®

Version	Revision Date:	SDS Number:	Date of last issue: 28.06.2024
1.8	11.04.2025	50001219	Date of first issue: 08.11.2018

Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN
- United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous
Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Met. Corr. 1	H290
Eye Irrit. 2	H319
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N