CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name : CORAGEN®

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Principal Supplier : FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Local registrant : FMC Chemicals (Malaysia) Sdn Bhd

Level 16, 1 Sentral, Jalan Stesen Sentral 5, Kuala Lumpur Sen-

tral

50470, Kuala Lumpur, Malaysia Phone No: +60320929423 Fax No: +603-2092 9201

Emergency telephone : For leak, fire, spill or accident emergencies, call:

CHEMTREC (Asia-Pacific Regional Number): +65 3163 8374

Medical emergency:

All other countries: +1 651 / 632-6793 (Collect) 1 703 / 741-5970 (CHEMTREC - International)

SECTION 2: Hazards identification

Classification of the hazardous chemical

Hazardous to the aquatic environment - acute hazard

: Category 1

Hazardous to the aquatic

environment - chronic hazard

: Category 1

Label elements

CORAGEN®



Version **Revision Date:** SDS Number: Date of last issue: -

22.01.2024 50000015 Date of first issue: 22.01.2024 1.0

Hazard pictograms

Signal Word Warning

Hazard Statements H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	>= 10 -< 25

SECTION 4: First aid measures

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

> If symptoms persist, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Flush eyes with water as a precaution.

> Remove contact lenses. Protect unharmed eve.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical Foam

Water spray

Unsuitable extinguishing

media

High volume water jet

Physicochemical hazards arising from the chemical

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Carbon oxides

Bromine compounds Chlorine compounds Hydrogen cyanide Hydrogen chloride

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for fire-fighters

Special protective equipment

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

.

Use a water spray to cool fully closed containers.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Hazchem Code : •3Z

SECTION 6: Accidental release measures

CORAGEN®



Version **Revision Date:** SDS Number: Date of last issue: -

22.01.2024 50000015 Date of first issue: 22.01.2024 1.0

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment. If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Never return spills in original containers for re-use. Pick up and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other nonporous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centimeters of soil.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage Store in a place accessible by authorized persons only.

Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

the technological safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse

storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8: Exposure controls and personal protection

Control parameters

Contains no substances with occupational exposure limit values.

Individual protection measures, such as personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin protection : Impervious clothing

Long sleeved clothing.

Footwear protecting against chemicals

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hygiene measures : Avoid contact with skin, eyes and clothing.

This product should be used only by all personnel thoroughly

trained to handle it.

Wash hands before breaks and immediately after handling

the product.

Contaminated work clothing should not be allowed out of the

workplace.

Do not inhale aerosol.

Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

SECTION 9: Physical and chemical properties

Physical state : liquid

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

Form : suspension

Color : white

Odor : alcohol-like

Odor Threshold : not determined

pH : 7.8

Concentration: 1 % Method: CIPAC MT 75.3

Melting point/range : -6 °C

Boiling point/boiling range : not determined

Flash point : > 100 °C

No flash up to boiling point.

Evaporation rate : Not available for this mixture.

Self-ignition : not auto-flammable

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapor pressure : Not available for this mixture.

Relative vapor density : Not available for this mixture.

Density : 1.094 g/cm3 (20 °C)

Solubility(ies)

Water solubility : emulsifiable

Partition coefficient: n-

octanol/water

: Not available for this mixture.

Autoignition temperature : No data available

Viscosity

Viscosity, dynamic : Not available for this mixture.

Viscosity, kinematic : 367 - 734 mm2/s

30 rpm

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

Explosive properties : Not explosive

Molecular weight : Not applicable

Particle size : Not applicable

SECTION 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid formation of aerosol.

Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

Information on likely routes of : None known.

exposure

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest attainable concentration.

no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Information source: Internal study report

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Information source: Internal study report

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Information source: Internal study report

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type : Local lymph node assay (LLNA)

Species : mice

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 429

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

Components:

Chlorantraniliprole:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)

Species : mice

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells





Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified due to lack of data.

Components:

Chlorantraniliprole:

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years

NOAEL : 805 - 1,076 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Species : Mouse, male and female

Application Route : Oral Exposure time : 18 month(s)

NOAEL : 158 - 1,155 mg/kg bw/day Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified due to lack of data.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416

Result: negative

Effects on fetal development : Test Type: Pre-natal

Species: Rat

Application Route: Oral

Duration of Single Treatment: 6 - 20 d

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day





Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified due to lack of data.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female NOEL : 1188 - 1526 mg/kg

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified due to lack of data.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

SECTION 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 9.9 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20

mg/l

Exposure time: 72 h

Components:

Chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Hyalella azteca (Amphipod)): 0.26 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0.0067 - 0.011 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2

mg/l

Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l

Exposure time: 72 h

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28

mg/l

Exposure time: 36 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 207

GLP: yes

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 4.0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.005 μg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in water

LD50 (Apis mellifera (bees)): > 104.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in acetone

LD50 (Apis mellifera (bees)): > 0.0274 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in water

LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

CORAGEN®



Version **Revision Date:** SDS Number: Date of last issue: -

22.01.2024 50000015 Date of first issue: 22.01.2024 1.0

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

Bioaccumulative potential

Product:

Bioaccumulation Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Remarks: No data available

Components:

Chlorantraniliprole:

Species: Lepomis macrochirus (Bluegill sunfish) Bioaccumulation

> Bioconcentration factor (BCF): 14 Method: OECD Test Guideline 305

GLP: yes

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.77 (20 °C)

pH: 4

log Pow: 2.86 (20 °C)

pH: 7

log Pow: 2.80 (20 °C)

pH: 9

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environ-

mental compartments

Koc: 362 ml/g, log Koc: 2.55 Remarks: Mobile in soils

Stability in soil Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

CORAGEN®



Version **Revision Date:** SDS Number: Date of last issue: -

22.01.2024 50000015 Date of first issue: 22.01.2024 1.0

SECTION 13: Disposal information

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

International Regulations

UNRTDG

Class

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

9

(Chlorantraniliprole)

Packing group Ш Labels 9

IATA-DGR

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Chlorantraniliprole)

Class 9 Ш

Packing group Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous ves

964

964

IMDG-Code

UN 3082 UN number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(Chlorantraniliprole)

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F Marine pollutant ves

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

•3Z Hazchem Code

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-

CARBOXANILIDE

ACTI-GEL 208 (ACTIVE MINERALS)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

SECTION 16: Other information

Revision Date : 22.01.2024

Date format : dd.mm.yyyy

Full text of other abbreviations

CORAGEN®



Version Revision Date: SDS Number: Date of last issue: -

1.0 22.01.2024 50000015 Date of first issue: 22.01.2024

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MY / EN