

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name EVORELLE® EXPRESS SG

Other means of identification

Product code 50000106

Unique Formula Identifier (UFI) : 747X-P2MF-1N4Q-AEP1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Chemicals Hellas MEPE
Syngrou Avenue 348
17674 Kallithea
Greece

Telephone: +30 211 1982768
Telefax: +30 211 1138614
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Greece: 30-2111768478 (CHEMTREC)

Medical emergency:
Greece: 30 210 77 93 777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Skin sensitisation, Sub-category 1B	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H317 May cause an allergic skin reaction.
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :
P102 Keep out of reach of children.

Prevention:
P260 Do not breathe dust or spray.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves.

Response:
P301 + P310 + P331 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor immediately if you feel unwell. Do not induce vomiting.

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:
P405 Store locked up.

Disposal:
P501 Disposal of contents/container in accordance with national legislation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0 Revision Date: 21.06.2024 SDS Number: 50000106 Date of last issue: -
Date of first issue: 21.06.2024

Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

Additional Labelling

EUH208 Contains tribenuron-methyl (ISO). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
thifensulfuron-methyl (ISO)	79277-27-3 016-096-00-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0 Revision Date: 21.06.2024 SDS Number: 50000106 Date of last issue: -
Date of first issue: 21.06.2024

		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Acute toxicity estimate Acute inhalation toxicity (dust/mist): 0,830083 mg/l	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

- | | |
|------------------------|---|
| In case of eye contact | : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|---|
| Symptoms | : Allergic reactions
Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion. |
| Risks | : May cause an allergic skin reaction.
May cause damage to organs through prolonged or repeated exposure. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically.
Immediate medical attention is required in case of ingestion. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |

5.2 Special hazards arising from the substance or mixture

- | | |
|---------------------------------------|---|
| Specific hazards during fire-fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO _x)
Sulphur oxides
Carbon oxides
Hydrogen cyanide
Oxides of phosphorus |

5.3 Advice for firefighters

- | | |
|---|--|
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |
|---|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Acute local effects	10 mg/m3
Phosphoric acid, trisodium salt, dodec-	Workers	Inhalation	Long-term systemic effects	4,07 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0 Revision Date: 21.06.2024 SDS Number: 50000106 Date of last issue: -
Date of first issue: 21.06.2024

ahydrate				
	Consumers	Inhalation	Long-term systemic effects	3,04 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt, dodecahydrate	Sewage treatment plant	50 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

: In the case of dust or aerosol formation use respirator with an approved filter.

Protective measures

: Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granules

Colour : light brown

Odour : slight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Odour Threshold	:	not determined
Melting point/freezing point	:	Not available for this mixture.
Boiling point/boiling range	:	Decomposition
Flammability	:	The product is not flammable. Method: Directive 67/548/EEC, Annex V, A.10 The product may be combustible., Based on available information, the classification criteria for flammability hazard are not met.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	not determined
Decomposition temperature	:	Not available for this mixture.
pH	:	9,5 (25 °C) Concentration: 10 g/l 1 % Method: CIPAC MT 75.3
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Vapour pressure	:	Not available for this mixture.
Bulk density	:	0,685 g/cm ³ Method: CIPAC MT 186

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Relative vapour density : not determined

Particle characteristics
Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : Not explosive
Method: Directive 67/548/EEC, Annex V, A.14

Oxidizing properties : The product is not oxidizing.
Method: Directive 67/548/EEC, Annex V, A.17.

Self-ignition : > 142,9 °C

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Protect from frost, heat and sunlight.
Heating of the mixture may evolve harmful and irritant vapours.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: Fixed Dose Method
GLP: yes
Remarks: Information given is based on data obtained from similar product.
Information source: Internal study report

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Information given is based on data obtained from similar product.
Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Acute oral toxicity : LD50: > 5.000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

thifensulfuron-methyl (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,03 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Target Organs: Skin
Symptoms: Erythema

Phosphoric acid, trisodium salt, dodecahydrate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 420
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,83 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials
no mortality

Acute toxicity estimate: 0,830083 mg/l
Test atmosphere: dust/mist
Method: Calculation method
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials
no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : Information given is based on data obtained from similar product.
Information source: Internal study report

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

Components:

tribenuron-methyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

thifensulfuron-methyl (ISO):

Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Remarks	:	Minimal effects that do not meet the threshold for classification.

sodium carbonate:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Phosphoric acid, trisodium salt, dodecahydrate:

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes
Remarks	:	Information given is based on data obtained from similar product. Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	May cause mild irritation. Based on available data, the classification criteria are not met.

thifensulfuron-methyl (ISO):

Method	:	OECD Test Guideline 405
Result	:	No eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

sodium carbonate:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

Phosphoric acid, trisodium salt, dodecahydrate:

Species	: Rabbit
Method	: EPA OTS 798.4500
Result	: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.
GLP	: yes
Remarks	: (Data on the product itself) Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: May cause sensitisation by skin contact.
Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.

thifensulfuron-methyl (ISO):

Species	: Guinea pig
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

Phosphoric acid, trisodium salt, dodecahydrate:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.
Remarks	: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

tribenuron-methyl (ISO):

Germ cell mutagenicity- Assessment : Did not show mutagenic effects in animal experiments.

thifensulfuron-methyl (ISO):

Genotoxicity in vitro : Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative
Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Phosphoric acid, trisodium salt, dodecahydrate:

Genotoxicity in vitro : Test Type: gene mutation test
Method: OECD Test Guideline 490
Result: negative
Remarks: Based on data from similar materials

Test Type: Micronucleus test
Method: OECD Test Guideline 487
Result: negative

Germ cell mutagenicity- Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

tribenuron-methyl (ISO):

Remarks : No significant adverse effects were reported

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

thifensulfuron-methyl (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

tribenuron-methyl (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction
Animal testing did not show any effects on foetal development., Did not show teratogenic effects in animal experiments.

thifensulfuron-methyl (ISO):

Reproductive toxicity - Assessment : Did not show teratogenic effects in animal experiments.

sodium carbonate:

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram
Duration of Single Treatment: 6 - 15 d
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight
Teratogenicity: NOAEL: > 245 mg/kg body weight
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Phosphoric acid, trisodium salt, dodecahydrate:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg bw/day
General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day
General Toxicity F1: NOAEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 4.1, 19, 88.3, 410 mg/kg bw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system
Assessment : May cause damage to organs through prolonged or repeated exposure.

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species : Rabbit
LOAEL : 80 mg/kg
Target Organs : Thyroid, Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks : Increased mortality or reduced survival

thifensulfuron-methyl (ISO):

Species : Rat
LOAEL : ca.200 mg/kg
Exposure time : 90 d
Target Organs : No specific target organs noted
Symptoms : Reduced body weight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

sodium carbonate:

Species	: Rat, male and female
NOAEL	: > 0,01 mg/kg
Application Route	: inhalation (dust/mist/fume)
Test atmosphere	: dust/mist

Phosphoric acid, trisodium salt, dodecahydrate:

Species	: Dog, female
NOAEL	: 492.77 mg/kg bw/day
LOAEL	: 1433.56 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 129.31, 492.77, 1433.56 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

Species	: Dog, male
NOAEL	: 322.88 mg/kg bw/day
LOAEL	: 1107.12 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Dose	: 94.23, 322.88, 1107.12 mg/kg bw/day
Target Organs	: Kidney
Remarks	: Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

Further information

Product:

Remarks	: No data available
---------	---------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Information given is based on data obtained from similar product.
Information source: Internal study report
- Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,087 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report
- ErC50 (Lemna gibba (duckweed)): 0,0045 mg/l
End point: Frond
Exposure time: 7 d
Test Type: static test
Method: OECD Test Guideline 221
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report
- Toxicity to soil dwelling organisms : LC50: > 32 mg/kg
Exposure time: 28 d
Species: Eisenia fetida (earthworms)
Remarks: (Data on the product itself)
Information source: Internal study report
- Toxicity to terrestrial organisms : LD50: > 0,10 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213
GLP: yes
Remarks: (Data on the product itself)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

Information source: Internal study report

LD50: > 0,20 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
GLP:yes
Remarks: (Data on the product itself)
Information source: Internal study report

Components:

tribenuron-methyl (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crustaceans): > 320 mg/l Exposure time: 48 h EC50 (Daphnia magna (Water flea)): > 894 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,068 mg/l Exposure time: 72 h ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l Exposure time: 7 d NOEC (Lemna gibba (duckweed)): 0,001 mg/l Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to fish (Chronic toxicity)	:	NOEC: 114 mg/l Exposure time: 21 d Species: Cyprinodon variegatus (sheepshead minnow) Method: OECD Test Guideline 211 NOEC: 560 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 41 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	100
Toxicity to soil dwelling or-	:	NOEC: 3,2 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

ganisms	Exposure time: 56 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.250 mg/kg Species: Colinus virginianus (Bobwhite quail) LD50: > 5.620 ppm Species: Colinus virginianus (Bobwhite quail) Remarks: Dietary LD50: > 5.620 ppm Species: Anas platyrhynchos (Mallard duck) Remarks: Dietary LD50: > 98.4 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees) LD50: > 9.1 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

thifensulfuron-methyl (ISO):

Toxicity to fish	: LC50 (Salmo gairdneri): 100 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (green algae): 0,0159 mg/l Exposure time: 72 h ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1,4 mg/l Exposure time: 72 h EC50 (Lemna minor (duckweed)): 1,3 µg/l
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: NOEC: 250 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

icity)	Exposure time: 28 d Species: <i>Salmo gairdneri</i> NOEC: 10,6 mg/l Exposure time: 21 d Species: <i>Oncorhynchus mykiss</i> (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 100 mg/l Exposure time: 21 d Species: <i>Daphnia magna</i> (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: LC50: > 2.000 mg/kg Species: <i>Eisenia fetida</i> (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.510 mg/kg Species: <i>Anas platyrhynchos</i> (Mallard duck) LD50: > 5.620 ppm Species: <i>Anas platyrhynchos</i> (Mallard duck) Remarks: Dietary LD50: > 5.620 ppm Species: <i>Colinus virginianus</i> (Bobwhite quail) LD50: > 7.1 µg/bee End point: Acute oral toxicity Species: <i>Apis mellifera</i> (bees) LD50: > 100 µg/bee End point: Acute contact toxicity Species: <i>Apis mellifera</i> (bees)

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

sodium carbonate:

Toxicity to fish	: LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 300 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Ceriodaphnia</i> (water flea)): 200 mg/l Exposure time: 48 h Test Type: semi-static test

Phosphoric acid, trisodium salt, dodecahydrate:

Toxicity to fish	: LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 100 mg/l
------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

		Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: EU Method C3 Remarks: Based on data from similar materials
		NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: EU Method C3 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (activated sludge): 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
		NOEC (activated sludge): 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to soil dwelling organisms	:	LC50: > 3.500 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 Remarks: Based on data from similar materials

12.2 Persistence and degradability

Product:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Estimation based on data obtained on active ingredient.
------------------	---	--

Components:

tribenuron-methyl (ISO):

Biodegradability	:	Result: Not readily biodegradable. Remarks: The product/substance is not persistent in the environment. Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil. Metabolites are considered as persistent. According to the results of tests of biodegradability this prod-
------------------	---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

uct is not readily biodegradable.

thifensulfuron-methyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.
Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

tribenuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 1
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0,38

thifensulfuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 1
Remarks: Does not bioaccumulate.

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a potential for leaching to groundwater.

thifensulfuron-methyl (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

Distribution among environmental compartments : Koc: 28,3, log Koc: 1,45
Remarks: Highly mobile in soils

Stability in soil :

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : No other ecological effects to be specially mentioned.
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Thifensulfuron-methyl, Tribenuron-methyl)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Thifensulfuron-methyl, Tribenuron-methyl)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90
Labels	:	9
ADR		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

TBM 500 SG

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version 1.0	Revision Date: 21.06.2024	SDS Number: 50000106	Date of last issue: - Date of first issue: 21.06.2024
----------------	------------------------------	-------------------------	--

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



EVORELLE® EXPRESS SG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.06.2024	50000106	Date of first issue: 21.06.2024

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Sens. 1B	H317
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Calculation method
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

GR / 6N