ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ENERGY

Recommended use of the chemical and restrictions on use

Recommended use : A fertilizer with micronutrients for use in agriculture and horticul-

ture

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST

PHILADELPHIA PA 19104

USA

Emergency telephone : For leak, fire, spill or accident emergencies, call:

+(84)-444581938 (CHEMTREC Vietnam)

Medical emergency:

All other countries: +1 651 / 632-6793 (Collect)

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Skin corrosion/irritation : Category 3

Serious eye damage/eye irri-

tation

Category 2B

Long-term (chronic) aquatic

hazard

Category 3

Short-term (acute) aquatic

hazard

Category 3

GHS label elements

Hazard pictograms

!>

Signal Word : Warning

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Hazard Statements : H302 Harmful if swallowed.

H313 May be harmful in contact with skin.

H320 Causes eye irritation.

Precautionary Statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P273 Avoid release to the environment. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ at-

ention.

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
ammonium dihydrogenorthophosphate	7722-76-1	>= 25 -<= 50
Humic acids	1415-93-6	>= 5 -<= 10
ammonium nitrate	6484-52-2	>= 0,1 -<= 2,5

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

If breathing has stopped, apply artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eve.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Immediately give large quantities of water to drink.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May be harmful if swallowed. Causes mild skin irritation. Causes serious eye irritation.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses

May release toxic, irritating and/or corrosive gases.

Exposure to decomposition products may be a hazard to

health.

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Store above 40F (4.4C). Store in original containers only. Keep containers tightly closed when not in use. Store in a

cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products and seed. Do not contaminate water, food or feed by storage or disposal.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Use respiratory protection (air supplied respirator) unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recom-

mended exposure guidelines.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.





Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Remove and wash contaminated clothing before re-use.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

Hygiene measures : Ensure adequate ventilation, especially in confined areas.

Avoid contact with skin, eyes and clothing.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : black

Odor : odorless

Odor Threshold : No data available

pH : 6,3 (20 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling

range

100 °C

Flash point : No data available

Self-ignition : does not ignite

Upper explosion limit / Upper

flammability limit

Not applicable

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure : 23 hPa (20 °C)

Relative vapor density : No data available

Density : 1,307 g/cm3 (20 °C)

10,907 lb/gal (20 °C)

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : Not available for this mixture.

Decomposition temperature : not determined

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Self-heating substances : The substance or mixture is not classified as self heating.

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition

products

Stable under recommended storage conditions.

No decomposition if stored and applied as directed.

Thermal decomposition can lead to release of irritating gases

and vapors.

In case of fire hazardous decomposition products may be

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

produced such as: Toxic gases Carbon oxides Zinc oxide fumes. Nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 4.805 mg/kg

Method: Calculation method

Components:

ammonium dihydrogenorthophosphate:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC0 (Rat, male and female): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

ammonium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 2.950 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

ammonium dihydrogenorthophosphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Humic acids:

Result : Mild skin irritation

ammonium nitrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

ammonium dihydrogenorthophosphate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Humic acids:

Result : Eye irritation

ammonium nitrate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Species : Guinea pig

Assessment : Not a skin sensitizer. Result : Not a skin sensitizer.

Components:

ammonium dihydrogenorthophosphate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

ammonium nitrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

ammonium dihydrogenorthophosphate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

ammonium nitrate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Germ cell mutagenicity -

Assessment

In vitro tests did not show mutagenic effects

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Components:

ammonium dihydrogenorthophosphate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 250, 750, 1500 milligram per kilogram

General Toxicity Parent: NOAEL: >= 1.500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat

Application Route: Oral

Dose: 250, 750, 1500 milligram per kilogram

General Toxicity Maternal: NOAEL: >= 1.500 mg/kg body

weight

Developmental Toxicity: NOAEL: 1.500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

ammonium nitrate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 0, 250, 750, and 1,500 milligram per kilogram

General Toxicity Parent: NOAEL: >= 1.500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat, male and female

Application Route: Oral

Dose: 0, 250, 750, and 1,500 milligram per kilogram General Toxicity Maternal: NOAEL: >= 1.500 mg/kg body

weight

Developmental Toxicity: NOAEL: >= 1.500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Components:

ammonium dihydrogenorthophosphate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium dihydrogenorthophosphate:

Species : Rat, male and female NOAEL : > 1.500 mg/kg

Application Route : Oral

Dose : 250, 750, 1500 mg/kg/day Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

ammonium nitrate:

Species : Rat, male
NOAEL : 256 mg/kg
Application Route : Oral
Exposure time : 1 year

Dose : 42, 256, 1527 mg/kg bw/day Method : OECD Test Guideline 453

Symptoms : No adverse effects.

Remarks : Based on data from similar materials

Species : Rat, female
NOAEL : 284 mg/kg
Application Route : Oral
Exposure time : 1 year

Dose : 48, 284, 1490 mg/kg bw/d
Method : OECD Test Guideline 453
Symptoms : No adverse effects.

Remarks : Based on data from similar materials

Species : Guinea pig, male
NOAEC : 0,001 mg/l
Application Route : Inhalation
Exposure time : 4 weeks
Dose : 1 mg/m3

Method : OECD Test Guideline 412 Symptoms : No adverse effects.

Species : Rat, male
NOAEC : 0,001 mg/l
Application Route : Inhalation
Exposure time : 4 weeks

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Dose : 1 mg/m3

Method : OECD Test Guideline 412

Symptoms : No adverse effects.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ammonium dihydrogenorthophosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 85,9 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia): 1.790 mg/l Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): > 97,1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (algae)): 3,57 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

NOEC (activated sludge): 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

ammonium nitrate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 95 - 102 mg/l

Exposure time: 48 h Test Type: semi-static test

ENERGY



Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 490 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Marine Diatom): > 1.700 mg/l

Exposure time: 10 d Test Type: static test

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable





Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

Packing group : Not applicable Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen: Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix-

Law on Chemicals No. 06/2007/QH12

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory





IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2022/08/22

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to





Version Revision Date: SDS Number: Date of last issue: -

1.0 2022/08/22 50002442 Date of first issue: 2022/08/22

insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

VN / EN