

SAFETY DATA SHEET

BRAVIS 40 SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BRAVIS 40 SC

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST
PHILADELPHIA PA 19104
USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergency Number : All other countries: +1 651 / 632-6793 (Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as fungicide only.

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H303 + H313 May be harmful if swallowed or in contact with skin.

SAFETY DATA SHEET



BRAVIS 40 SC

Version 1.0 Revision Date: 05.09.2023 SDS Number: 50002840 Date of last issue: -
Date of first issue: 05.09.2023

H402 Harmful to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P301 + P317 IF SWALLOWED: Get medical help.
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.
Get medical help.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
dimethomorph (ISO)	110488-70-5	>= 25 - < 30
Fluopimomide TC	1309859-39-9	>= 10 - < 20
alpha-Hexadecyl-omega-hydroxypoly(oxyethylene)	9004-95-9	>= 1 - < 2.5
2-methylisothiazol-3(2H)-one	2682-20-4	>= 0.1 - < 0.25

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.
Call a physician if irritation develops or persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : May be harmful if swallowed or in contact with skin.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of toxic and irritating vapors.
Carbon oxides

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

- plication area.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Form : suspension
- pH : 6 - 9
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available

SAFETY DATA SHEET



BRAVIS 40 SC

Version 1.0	Revision Date: 05.09.2023	SDS Number: 50002840	Date of last issue: - Date of first issue: 05.09.2023
----------------	------------------------------	-------------------------	--

Flash point	:	No data available
Flammability (solid, gas)	:	Not applicable
Self-ignition	:	No data available
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Protect from frost, heat and sunlight.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity	:	LD50(Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50(Rat, male and female): > 2.62 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Acute dermal toxicity : LD50(Rat): > 2,000 mg/kg

Components:**dimethomorph (ISO):**

Acute oral toxicity : LD50: 3,500 mg/kg

Acute dermal toxicity : LD50: > 2,000 mg/kg

Fluopimomide TC:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.147 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Highest attainable concentration.
no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402

2-methylisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 232 - 249 mg/kg
Method: OPPTS 870.1100

LD50 (Rat, female): 120 mg/kg
Method: OPPTS 870.1100

Acute inhalation toxicity : LC50 (Rat, male and female): 0.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): 242 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Product:

Result : No skin irritation

Components:

Fluopimomide TC:

Species : Rabbit
Result : No skin irritation

alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Mild skin irritation

2-methylisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Corrosive after 4 hours or less of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Components:

Fluopimomide TC:

Species : Rabbit
Result : No eye irritation

alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 405
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Species : Guinea pig
Result : Not a skin sensitizer.

BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Components:**Fluopimomide TC:**

Species	:	Guinea pig
Result	:	Slightly sensitising

alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):

Test Type	:	Buehler Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

2-methylisothiazol-3(2H)-one:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	Buehler Test
Result	:	Causes skin sensitization.

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	Causes skin sensitization.

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Causes skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:**dimethomorph (ISO):**

Genotoxicity in vivo	:	Application Route: Oral
	:	Result: positive

alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):

Genotoxicity in vitro	:	Test Type: reverse mutation assay
	:	Test system: TA100
	:	Metabolic activation: with and without metabolic activation
	:	Method: OECD Test Guideline 471
	:	Result: negative

	:	Test Type: Chromosome aberration test in vitro
	:	Test system: Chinese hamster ovary cells
	:	Metabolic activation: with and without metabolic activation
	:	Method: OECD Test Guideline 473
	:	Result: negative

BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

2-methylisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 473
Result: equivocal

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Application Route: Oral
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:**alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):**

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Method: OECD Test Guideline 416
Result: negative

BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):**

Species	: Rat, male and female
NOAEL	: ≥ 500 mg/kg
Application Route	: Ingestion
Method	: OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks : No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	: LC50 (Zebra fish): 17.6438 mg/l Exposure time: 96 h
Toxicity to soil dwelling organisms	: LC50: $> 1,000$ mg/kg Exposure time: 14 d Species: worms
Toxicity to terrestrial organisms	: LD50: $> 2,000$ mg/kg End point: Acute oral toxicity Species: Coturnix japonica (Japanese quail) LD50: > 100 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees) LD50: 8.3374 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees)

Components:**dimethomorph (ISO):**

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crustaceans): 48.87 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	IC50: > 50 mg/l Exposure time: 6 h

Fluopimomide TC:

Toxicity to fish	:	LC50 (Zebra fish): 25.6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3.06 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1.4 mg/l Exposure time: 72 h
Toxicity to soil dwelling organisms	:	LC50: > 100 mg/kg Exposure time: 14 d Species: worms
Toxicity to terrestrial organisms	:	LC50: > 2,000 mg/kg Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees) LD50: > 100 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees) LD50: > 1,000 mg/kg End point: Acute oral toxicity Species: Colinus virginianus (Bobwhite quail)

alpha-Hexadecyl-omega-hydroxypoly(oxyethylene):

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 108 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 51 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: EU Method C3
Toxicity to microorganisms	:	EC50 (activated sludge): > 1,000 mg/l

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0.11 - 0.28 mg/l
Exposure time: 30 d
Species: Pimephales promelas (fathead minnow)
Method: QSAR

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC20: 0.088 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: flow-through test
Method: QSAR

2-methylisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.77 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.934 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.138 mg/l
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.050 mg/l
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): 41 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 2.38 mg/l
Exposure time: 98 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 210

LOEC: 4.93 mg/l
Exposure time: 98 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.044 mg/l
Exposure time: 21 d

BRAVIS 40 SC



ic toxicity)	Species: <i>Daphnia magna</i> (Water flea) Test Type: flow-through test Method: OECD Test Guideline 211
	LOEC: 0.089 mg/l Exposure time: 21 d Species: <i>Daphnia magna</i> (Water flea) Test Type: flow-through test Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Components:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d

Biodegradability	:	Inoculum: activated sludge, non-adapted Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: 87 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Readily biodegradable, according to appropriate OECD test.
------------------	---	--

Biodegradability : Biodegradation: 50 %
Exposure time: 29 d

Components:

Partition coefficient: n-octanol/water : log Pow: 2.3 (20 °C)

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Exposure time: 24 h
Bioconcentration factor (BCF): 387.5

Partition coefficient: n-octanol/water : log Pow: 6.67 (20 °C)

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

2-methylisothiazol-3(2H)-one:

Bioaccumulation : Exposure time: 5 d
Bioconcentration factor (BCF): 48.1

Partition coefficient: n-octanol/water : log Pow: -0.486 (20 °C)

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(dimethomorph, Fluopimomide)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(dimethomorph, Fluopimomide)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo) : 964

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

aircraft)
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(dimethomorph, Fluopimomide)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. dimethomorph (ISO) Fluopimomide TC
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

TECI : Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 05.09.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC

SAFETY DATA SHEET



BRAVIS 40 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.09.2023	50002840	Date of first issue: 05.09.2023

Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PK / EN