

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TREMISIA™ fungicide

Manufacturer or supplier's details

Company : FMC India Private Limited

Address : TCG Financial Centre, 2nd Floor, C-53,
Bandra Kurla Complex,
Bandra (E), Mumbai, Maharashtra-400098
India

E-mail address : SDS-Info@fmc.com

Emergency telephone : 022 6704 5504/5404
000-800-100-7141 (CHEMTREC)

Medical Emergency Number : 022 6704 5504/5404

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version 1.0 Revision Date: 25.06.2025 SDS Number: 50002363 Date of last issue: -
Date of first issue: 25.06.2025

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H302 + H332 Harmful if swallowed or if inhaled.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P304 + P340 + P317 IF INHALED: Remove person to fresh air
and keep comfortable for breathing. Get medical help.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste
disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fluindapyr	1383809-87-7	>= 20 - < 25
Flutriafol	76674-21-0	>= 20 - < 25
Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt	68186-36-7	>= 1 - < 2.5
Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 1 - < 2.5
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.0025 - < 0.025

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

- Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Do not induce vomiting without medical advice.
Let the exposed person rinse mouth and let him/her drink several glasses of water, but do not induce vomiting. If vomiting does occur, let him/her rinse mouth and drink fluids again.
Get medical attention immediately.
- Most important symptoms and effects, both acute and delayed : Contains a triazole. Symptoms may include nausea, vomiting, diarrhea, visual changes, hallucinations, rash, itching, and alopecia.
Harmful if swallowed or if inhaled.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

- | | |
|--|--|
| Unsuitable extinguishing media | : High volume water jet
Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Sulfur oxides
Nitrogen oxides (NOx)
Fluorine compounds
Hydrogen cyanide
Hydrogen fluoride
Fluorinated compounds |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
| Environmental precautions | : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
For personal protection see section 8.
Avoid formation of respirable particles.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version 1.0	Revision Date: 25.06.2025	SDS Number: 50002363	Date of last issue: - Date of first issue: 25.06.2025
----------------	------------------------------	-------------------------	--

- | | |
|--------------------------|--|
| Skin and body protection | : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Protective measures | : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |
| Hygiene measures | : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|-----------------------------|--|
| Physical state | : liquid |
| Form | : suspension |
| Color | : light brown |
| Odor | : Faint odour |
| Odor Threshold | : No data available |
| pH | : 6.42 (22.1 °C)
(1% solution in water) |
| Melting point/ range | : not determined |
| Boiling point/boiling range | : not determined |
| Flash point | : > 100 °C |
| Evaporation rate | : No data available |
| Self-ignition | : No data available |

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.1470 g/cm ³ (22.7 °C)
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	365 mm ² /s (21.5 °C)
		295.8 mm ² /s (41.5 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Conditions to avoid	: Avoid extreme temperatures. Avoid formation of aerosol. Protect from frost, heat and sunlight. Heating of the mixture may evolve harmful and irritant vapours.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	: LD50(Rat, female): 550 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50(Rat, male and female): > 2.12 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: hypoactivity, Breathing difficulties Remarks: no mortality
Acute dermal toxicity	: LD50(Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 Symptoms: Irritation Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality

Components:

Fluindapyr:

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 GLP: yes Assessment: The component/mixture is minimally toxic after single ingestion. Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: ataxia, Breathing difficulties GLP: yes Remarks: no mortality

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Flutriafol:

Acute oral toxicity : LD50 (Rat, female): 1,030 mg/kg
Method: OECD Test Guideline 425
Target Organs: Liver, Gastrointestinal tract
Symptoms: Breathing difficulties

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Fatality, ataxia, Breathing difficulties
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: no mortality

LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Acute oral toxicity : Assessment: Toxic effects cannot be excluded

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

Fluindapyr:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
GLP	:	yes
Assessment	:	Not classified as irritant
Method	:	EPISKIN Human Skin Model Test

Flutriafol:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Species	:	Rabbit
Result	:	No skin irritation

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Result	:	Skin irritation
--------	---	-----------------

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks	:	No data available
---------	---	-------------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Components:

Fluindapyr:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

Method	:	Bovine cornea (BCOP)
Result	:	not corrosive
GLP	:	yes

Flutriafol:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	slight irritation
GLP	:	yes

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	Slight or no eye irritation
GLP	:	yes

Species	:	Rabbit
Result	:	slight irritation

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	:	Eye irritation
--------	---	----------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Did not cause sensitization on laboratory animals.

Components:

Fluindapyr:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.
GLP	: yes

Flutriafol:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Assessment	: Did not cause sensitization on laboratory animals.
Method	: OECD Test Guideline 406
GLP	: yes

Species	: Guinea pig
Result	: Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

Fluindapyr:

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 490
Result: negative

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid exchange
Species: Mouse
Result: negative

Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Flutriafol:

Genotoxicity in vivo : Test Type: dominant lethal test
Method: OECD Test Guideline 478
Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Fluindapyr:

Species : Mouse
Application Route : Oral
Exposure time : 18 month(s)
Method : OECD Test Guideline 451
Result : Not a carcinogenic hazard

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : Not a carcinogenic hazard
GLP : yes

Flutriafol:

Species : Mouse
Exposure time : 2 Years
NOAEL : 1.2 mg/kg bw/day
Result : negative

Species : Rat
Exposure time : 2 Years
NOAEL : 1 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Reproductive toxicity

Not classified based on available information.

Components:

Fluindapyr:

Effects on fertility : Test Type: Two-generation study
General Toxicity Parent: NOEL: ca. 100 ppm
Fertility: NOAEL: ca. 400 ppm
Early Embryonic Development: NOAEL: ca. 400 ppm
Method: OECD Test Guideline 416
GLP: yes

Flutriafol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Method: OECD Test Guideline 414
Result: negative

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters.
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

Flutriafol:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Repeated dose toxicity

Components:

Fluindapyr:

Species	: Rat
NOAEL	: 1,000 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Number of exposures	: 5 d/w for 6 hr
Dose	: 0,100,300,1000 mg/kg bw/d
Method	: OECD Test Guideline 410
GLP	: yes
Symptoms	: Skin irritation

Flutriafol:

Species	: Rat
NOAEL	: 13.3 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Symptoms	: anemia, Liver effects

Species	: Dog
NOAEL	: 5 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Symptoms	: blood effects, Liver effects

1,2-benzisothiazol-3(2H)-one:

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Components:

Flutriafol:

The substance does not have properties associated with aspiration hazard potential.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Neurological effects

Components:

Flutriafol:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 0.91 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3.8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 2.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EyC50 (Raphidocelis subcapitata (freshwater green alga)): 9.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 9.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to soil dwelling organisms	:	LC50: > 1,000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	LD50: 946 mg/kg Exposure time: 14 d End point: Acute oral toxicity Species: Colinus virginianus (Bobwhite quail) Method: OECD Test Guideline 223 LD50: 240 µg/bee Exposure time: 48 h

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214

LD50: 24 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213
Remarks: Active ingredient

Components:

Fluindapyr:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.121 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Oryzias latipes (Japanese medaka)): > 1.8 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Danio rerio (zebra fish)): 0.424 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.43 mg/l
Exposure time: 96 h
Test Type: static test
Method: OPPTS 850.1075
GLP: yes

LC50 (Cyprinus carpio (Carp)): 0.11 mg/l
Exposure time: 96 h
Test Type: Static renewal test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.286 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0.19 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.141 mg/l
Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

LC50 (Americamysis bahia (mysid shrimp)): 0.33 mg/l

Exposure time: 96 h

Test Type: static test

Method: OCSP 850.1035

GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 4.83 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

NOEC (Lemna gibba (duckweed)): 2 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

GLP: yes

EC50 (Skeletonema costatum (Diatom)): > 2 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.031 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Test Type: Early-life Stage

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.062 mg/l
Exposure time: 28 d
Species: Americamysis bahia (mysid shrimp)

Test Type: flow-through test

Method: OPPTS 850.1350

GLP: yes

NOEC: 0.12 mg/l

End point: reproduction

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

GLP: yes

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

NOEC: 68 mg/l
Exposure time: 42 d
Species: *Hyalella azteca* (Amphipod)
Test Type: Static renewal test
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Species: *Eisenia fetida* (earthworms)

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: 1,612 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)
Method: OECD Test Guideline 205
GLP: yes

LD50: 2,250 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)
Method: OPPTS 850.2100
GLP: yes

LD50: > 300 µg/bee
Exposure time: 48 h
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 214
GLP: yes
Remarks: Contact

LD50: > 32.8 µg/bee
Exposure time: 48 h
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 213
GLP: yes
Remarks: Oral

NOEC: 679 mg/kg
End point: Reproduction Test
Species: *Anas platyrhynchos* (Mallard duck)
Method: OECD Test Guideline 206
GLP: yes

NOEC: 174 mg/kg
End point: Reproduction Test

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Species: *Colinus virginianus* (Bobwhite quail)
Method: OECD Test Guideline 206
GLP: yes

Flutriafol:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 33 mg/l
Exposure time: 96 h

LC50 (*Danio rerio* (zebra fish)): 22.97 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 67 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

EC50 (*Daphnia magna* (Water flea)): 42.21 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (*Selenastrum capricornutum* (green algae)): 12 mg/l
Exposure time: 96 h

IC50 (*Scenedesmus subspicatus*): 1.9 mg/l
Exposure time: 72 h

EbC50 (*Lemna gibba* (duckweed)): 0.65 mg/l
Exposure time: 7 d

EyC50 (*Pseudokirchneriella subcapitata* (algae)): 3.69 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC: 4.8 mg/l
Exposure time: 28 d
Species: *Lepomis macrochirus* (Bluegill sunfish)

NOEC: 20 mg/l
Exposure time: 14 d
Species: *Danio rerio* (zebra fish)
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.31 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

NOEC: 0.45 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

	Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
Toxicity to soil dwelling organisms	: NOEC: 0.01 mg/cm ² Exposure time: 180 d Species: Eisenia fetida (earthworms) LC50: > 1,000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	: LD50: > 144 µg/bee End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213 GLP: yes LD50: > 150 µg/bee End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214 GLP: yes LD50: > 100 µg/bee End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214 LD50: 872.53 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213 LD50: > 5,000 mg/kg Species: Anas platyrhynchos (Mallard duck) LD50: ca. 385 mg/kg Species: Coturnix japonica (Japanese quail) Method: US EPA Test Guideline OPPTS 850.2100 LD50: 4260 ppm Species: Coturnix japonica (Japanese quail) Method: OPPTS 850.2200

Poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-, phosphate, potassium salt:

Ecotoxicology Assessment

Acute aquatic toxicity	: Harmful to aquatic life.
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

- Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

- Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l
Exposure time: 96 h
Test Type: static test
- LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

Fluindapyr:

Biodegradability : Result: Not readily biodegradable.

Flutriafol:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Does not readily hydrolyze

Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, potassium salt:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
Remarks: Based on data from similar materials

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Method: OECD Test Guideline 301C

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Fluindapyr:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: > 3

Flutriafol:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 7
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.29

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6.62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 7

log Pow: 0.99 (20 °C)
pH: 5

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Fluindapyr:

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Distribution among environmental compartments : Remarks: Low mobility in soil.

Flutriafol:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Remarks: Very persistent in soil.

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluindapyr, Flutriafol)

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Fluindapyr, Flutriafol)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluindapyr, Flutriafol)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) require-

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

ments. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	:	25.06.2025
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

SAFETY DATA SHEET

according to the Globally Harmonized System



TREMISIA™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	25.06.2025	50002363	Date of first issue: 25.06.2025

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

IN / EN