

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

SECTION 1. IDENTIFICATION

Product identifier

Product name PREEMPTOR™ fungicide

Other means of identification

Product code 50000773

Chemical nature Mixture

Recommended use of the chemical and restrictions on use

Recommended use Can be used as fungicide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer

FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Specific target organ toxicity : Category 1
- repeated exposure

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version 1.1 Revision Date: 05/21/2024 SDS Number: 50000773 Date of last issue: -
Date of first issue: 03/23/2017

GHS label elements

Hazard pictograms



Signal Word

: DANGER

Hazard Statements

: H332 Harmful if inhaled.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements

Prevention:

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Flutriafol	76674-21-0	19.3
Fluoxastrobin	361377-29-9	14.8
propane-1,2-diol	57-55-6	>= 5 - < 10
Sodium alkyl naphthalene sulfonate	68425-94-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version 1.1	Revision Date: 05/21/2024	SDS Number: 50000773	Date of last issue: - Date of first issue: 03/23/2017
----------------	------------------------------	-------------------------	--

- | | |
|---|--|
| If inhaled | : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Harmful if inhaled.
Causes damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Hydrogen fluoride
Nitrogen oxides (NO _x)
Carbon oxides
Fluorinated compounds
Hydrogen cyanide |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version 1.1 Revision Date: 05/21/2024 SDS Number: 50000773 Date of last issue: -
Date of first issue: 03/23/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Form : suspension
- Color : off-white

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version 1.1	Revision Date: 05/21/2024	SDS Number: 50000773	Date of last issue: - Date of first issue: 03/23/2017
----------------	------------------------------	-------------------------	--

Odor	:	mild
Odor Threshold	:	No data available
pH	:	6.5 - 8.0 Concentration: 1 %
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	> 199 °F / > 93 °C
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.131 g/cm ³ 9.44 lb/gal
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	Miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	800 - 1,200 mPa.s (77 °F / 25 °C)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol. Protect from frost, heat and sunlight.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 2.12 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 5,050 mg/kg

Components:

Flutriafol:

Acute oral toxicity	:	LD50 (Rat, male): 1,140 mg/kg LD50 (Rat, female): 1,480 mg/kg LD50 (Rat, female): 300 - 2,000 mg/kg Method: OECD Test Guideline 423 Target Organs: Liver, Gastrointestinal tract Symptoms: Fatality
---------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, male and female): > 2.13 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Fluoxastrobin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat): 4.9 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapor
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Sodium alkyl naphthalene sulfonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Product:

Result : slight irritation

Components:

Flutriafol:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

propane-1,2-diol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Sodium alkyl naphthalene sulfonate:

Remarks : No data available

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result : slight irritation

Components:

Flutriafol:

Species	: Rabbit
Result	: Slight or no eye irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes

propane-1,2-diol:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Sodium alkyl naphthalene sulfonate:

Result : Eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Assessment	:	Did not cause sensitization on laboratory animals.
Result	:	Not a skin sensitizer.

Components:

Flutriafol:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Assessment	:	Did not cause sensitization on laboratory animals.
Method	:	OECD Test Guideline 406

propane-1,2-diol:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Genotoxicity in vivo	:	Test Type: dominant lethal test
		Method: OECD Test Guideline 478
		Result: negative

propane-1,2-diol:

Genotoxicity in vitro	:	Test Type: reverse mutation assay
		Result: negative

Genotoxicity in vivo	:	Test Type: In vivo micronucleus test
		Species: Mouse
		Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Species	:	Mouse
---------	---	-------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Exposure time : 2 Years
NOAEL : 1.2 mg/kg bw/day
Result : negative

Species : Rat
Exposure time : 2 Years
NOAEL : 1 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Method: OECD Test Guideline 414
Result: negative

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Remarks: Based on data from similar materials

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Components:

Fluoxastrobin:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Flutriafol:

Species : Rat
NOAEL : 13.3 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 d
Symptoms : anemia, Liver effects

Species : Dog
NOAEL : 5 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Symptoms : blood effects, Liver effects

Fluoxastrobin:

NOAEL : 1.5 mg/kg
Application Route : Ingestion
Exposure time : 90 d

propane-1,2-diol:

Species : Rat, male and female
NOAEL : 1,700 mg/kg
Application Route : Oral
Exposure time : 2 Years

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Species	:	Rat, male and female
NOAEL	:	1,000 mg/kg
LOAEL	:	160 mg/kg
Application Route	:	Inhalation
Exposure time	:	90 Days

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Flutriafol:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Flutriafol:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Flutriafol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 33 mg/l
Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): 22.97 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 67 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia magna (Water flea)): 42.21 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

- | | |
|--|---|
| Toxicity to algae/aquatic plants | : IC50 (<i>Selenastrum capricornutum</i> (green algae)): 12 mg/l
Exposure time: 96 h

IC50 (<i>Scenedesmus subspicatus</i>): 1.9 mg/l
Exposure time: 72 h

EbC50 (<i>Lemna gibba</i> (duckweed)): 0.65 mg/l
Exposure time: 7 d

EyC50 (<i>Pseudokirchneriella subcapitata</i> (algae)): 3.69 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes |
| Toxicity to fish (Chronic toxicity) | : NOEC (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 4.8 mg/l
Exposure time: 28 d

NOEC (<i>Danio rerio</i> (zebra fish)): 20 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 204

NOEC (<i>Pimephales promelas</i> (fathead minnow)): 0.1 mg/l
End point: Growth
Test Type: Early Life-Stage
Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (<i>Daphnia magna</i> (Water flea)): 0.31 mg/l
Exposure time: 21 d

NOEC (<i>Daphnia magna</i> (Water flea)): 0.45 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211 |
| Toxicity to soil dwelling organisms | : NOEC (<i>Eisenia fetida</i> (earthworms)): 0.01 mg/cm2
Exposure time: 180 d

LC50 (<i>Eisenia fetida</i> (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207 |
| Toxicity to terrestrial organisms | : LD50 (<i>Apis mellifera</i> (bees)): > 144 µg/bee
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

LD50 (<i>Apis mellifera</i> (bees)): > 150 µg/bee
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

LD50 (<i>Apis mellifera</i> (bees)): > 100 µg/bee
End point: Acute contact toxicity
Method: OECD Test Guideline 214 |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

LD50 (*Apis mellifera* (bees)): 872.53 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Anas platyrhynchos* (Mallard duck)): > 5,000 mg/kg

LD50 (*Coturnix japonica* (Japanese quail)): ca. 385 mg/kg
Method: US EPA Test Guideline OPPTS 850.2100

LD50 (*Coturnix japonica* (Japanese quail)): 4260 ppm
Method: OPPTS 850.2200

Fluoxastrobin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.435 mg/l
Exposure time: 96 h

LC50 (*Cyprinus carpio* (Carp)): 0.57 mg/l
Exposure time: 96 h

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.97 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.48 mg/l
Exposure time: 48 h

propane-1,2-diol:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 20,000 mg/l
Exposure time: 18 h

Sodium alkyl naphthalene sulfonate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

Persistence and degradability

Components:

Flutriafol:

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Remarks: Does not readily hydrolyze

Fluoxastrobin:

Biodegradability	:	Biodegradation: 52.1 %
------------------	---	------------------------

propane-1,2-diol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 23.6 % Exposure time: 64 d Method: OECD Test Guideline 306
------------------	---	--

Sodium alkyl naphthalene sulfonate:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Bioaccumulative potential

Components:

Flutriafol:

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): 7
-----------------	---	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.29

Fluoxastrobin:

Bioaccumulation : Bioconcentration factor (BCF): 52.1
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 2.86 (68 °F / 20 °C)

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Components:

Flutriafol:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Fluoxastrobin:

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Components:

Flutriafol:

Additional ecological information : An environmental hazard cannot be excluded in the event of

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

mation
unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2.66
100-year global warming potential: 0.739
500-year global warming potential: 0.211
Atmospheric lifetime: 0.027 yr
Radiative efficiency: 0.12 Wm²ppb
Further information: Miscellaneous compounds

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Flutriafol, Fluoxastrobin)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Flutriafol, Fluoxastrobin)
Class	: 9
Packing group	: III
Labels	: Miscellaneous

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Flutriafol, Fluoxastrobin)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Flutriafol,)

Class : 9

Packing group : III

Labels : CLASS 9

ERG Code : 171

Marine pollutant : yes(Flutriafol,)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol	57-55-6	>= 5 - < 10 %
------------------	---------	---------------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water	7732-18-5
Flutriafol	76674-21-0
Fluoxastrobin	361377-29-9
propane-1,2-diol	57-55-6
Sodium alkyl naphthalene sulfonate	68425-94-5

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane [D4]	556-67-2
-----------------------------------	----------

Vermont Chemicals of High Concern

bronopol (INN)	52-51-7
octamethylcyclotetrasiloxane [D4]	556-67-2

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
	Flutriafol

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version 1.1	Revision Date: 05/21/2024	SDS Number: 50000773	Date of last issue: - Date of first issue: 03/23/2017
----------------	------------------------------	-------------------------	--

Fluoxastrobin

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, Harmful if inhaled, Avoid breathing dust or spray mist., Harmful if absorbed through the skin., Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide


Version
1.1

Revision Date:
05/21/2024

SDS Number:
50000773

Date of last issue: -
Date of first issue: 03/23/2017

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PREEMPTOR™ fungicide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	05/21/2024	50000773	Date of first issue: 03/23/2017

Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet