According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name GRANSTAR® 50 SG®

Other means of identification

Product code 50000038

Unique Formula Identifier

(UFI)

991X-82PF-7N42-C71N

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- Herbicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

For professional users only.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Chemicals Hellas MEPE

Syngrou Avenue 348

17674 Kallithea

Greece

Telephone: +30 211 1982768 Telefax: +30 211 1138614

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:

Cyprus: 1401

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

exposure, Category 2 longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P260 Do not breathe dust or spray.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and

soap.

P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Disposal of contents/container in accordance with na-

tional legislation.

Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

Additional Labelling

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Herbicide

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tribenuron-methyl (ISO)	101200-48-0 401-190-1 607-177-00-9	Skin Sens. 1; H317 STOT RE 2; H373 (Thyroid, Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ————————————————————————————————————	>= 30 - < 50
Phosphoric acid, trisodium salt, dodecahydrate	10101-89-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Acute toxicity estimate	>= 10 - < 20

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

		Acute inhalation toxicity (dust/mist): 0,830083 mg/l	
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Remove victim from exposure and then have him lie down in

the recovery position.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Keep at rest.

Keep warm and in a quiet place.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

06.07.2023 50000038 Date of first issue: 06.07.2023 1.0

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

Thermal decomposition can lead to release of irritating gases

and vapours.

Nitrogen oxides (NOx)

Sulphur oxides Carbon oxides

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

> Avoid dust formation. Avoid breathing dust.

If it can be safely done, stop the leak.

Keep people away from and upwind of spill/leak.

Remove all sources of ignition.

Immediately evacuate personnel to safe areas.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

ble.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Phosphoric acid, trisodium salt, dodec- ahydrate	Workers	Inhalation	Long-term systemic effects	4,07 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3,04 mg/m3
sodium carbonate	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Acute local effects	10 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, trisodium salt,	Sewage treatment plant	50 mg/l
dodecahydrate		

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : granules

Colour : light brown

Odour : mild

Odour Threshold : not determined

Melting point/freezing point : Not available for this mixture.

Initial boiling point and boiling

range

Decomposition

Flammability : Not highly flammable, Does not sustain combustion., May

form explosive dust-air mixture.

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower

flammability limit

Not available for this mixture.

Flash point : not determined

Decomposition temperature : Not available for this mixture.

pH : 8,4 - 9,4 (20 °C)

Concentration: 10 g/l 1 % In a 1% aqueous dispersion

Viscosity

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not available for this mixture.

Relative density : Not available for this mixture.

Bulk density : 640 kg/m3 packed

Relative vapour density : not determined

Particle characteristics

Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The product is not oxidizing.

Self-ignition : not determined

Evaporation rate : Not available for this mixture.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air. No decomposition if

stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Dust formation

moisture

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: Fixed Dose Method

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Components:

tribenuron-methyl (ISO):

Acute oral toxicity : LD50: > 5.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Phosphoric acid, trisodium salt, dodecahydrate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 420

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,83 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

no mortality

Acute toxicity estimate: 0,830083 mg/l

Test atmosphere: dust/mist Method: Calculation method

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

no mortality

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Target Organs: Skin Symptoms: Erythema

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Components:

tribenuron-methyl (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Remarks : May cause mild irritation.

Based on available data, the classification criteria are not met.

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Rabbit
Result : Skin irritation

sodium carbonate:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Components:

tribenuron-methyl (ISO):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405 Remarks : May cause mild irritation.

Based on available data, the classification criteria are not met.

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Rabbit

Method : EPA OTS 798.4500

Result : Irritation to eyes, reversing within 21 days

sodium carbonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : Maximisation Test

Result : The product is a skin sensitiser, sub-category 1B.

Components:

tribenuron-methyl (ISO):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406
Result : Causes skin sensitization.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Phosphoric acid, trisodium salt, dodecahydrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be

mutagenic.

Components:

tribenuron-methyl (ISO):

Germ cell mutagenicity- As-

sessment

: Did not show mutagenic effects in animal experiments.

Phosphoric acid, trisodium salt, dodecahydrate:

Genotoxicity in vitro : Test Type: gene mutation test

Method: OECD Test Guideline 490

Result: negative

Remarks: Based on data from similar materials

Test Type: Micronucleus test Method: OECD Test Guideline 487

Result: negative

Germ cell mutagenicity- As-

sessment

In vitro tests did not show mutagenic effects

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogen-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

06.07.2023 50000038 Date of first issue: 06.07.2023 1.0

ic.

Components:

tribenuron-methyl (ISO):

Remarks No significant adverse effects were reported

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility Remarks: The product contains no ingredients found to have

adverse effects on reproduction.

Components:

tribenuron-methyl (ISO):

Reproductive toxicity - As-

sessment

No toxicity to reproduction

Animal testing did not show any effects on foetal develop-

ment., Did not show teratogenic effects in animal experiments.

Phosphoric acid, trisodium salt, dodecahydrate:

Effects on fertility Species: Rat, male and female

> Application Route: Oral Dose: 1000 mg/kg bw/day

General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day General Toxicity F1: NOAEL: 1.000 mg/kg bw/day

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Dose: 4.1, 19, 88.3, 410 mg/kg bw/day Duration of Single Treatment: 20 d

General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

sodium carbonate:

Effects on foetal develop-

Species: Rat

ment

Application Route: Oral

14/26

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight

Teratogenicity: NOAEL: > 245 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Components:

tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Components:

tribenuron-methyl (ISO):

Target Organs : Thyroid, Nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

tribenuron-methyl (ISO):

Species : Rabbit

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

LOAEL : 80 mg/kg

Target Organs : Thyroid, Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Increased mortality or reduced survival

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Dog, female

NOAEL : 492.77 mg/kg bw/day LOAEL : 1433.56 mg/kg bw/day

Application Route : Oral - feed Exposure time : 90 d

Dose : 129.31, 492.77, 1433.56 mg/kg bw/day

Target Organs : Kidney

Remarks : Based on data from similar materials

Species : Dog, male

NOAEL : 322.88 mg/kg bw/day LOAEL : 1107.12 mg/kg bw/day

Application Route : Oral - feed Exposure time : 90 d

Dose : 94.23, 322.88, 1107.12 mg/kg bw/day

Target Organs : Kidney

Remarks : Based on data from similar materials

sodium carbonate:

Species : Rat, male and female

NOAEL : > 0.01 mg/kg

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 120 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)):

0,0162 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

EC50 (Lemna gibba (duckweed)): 0,00652 mg/l

End point: Frond Exposure time: 7 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

Components:

tribenuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): > 320 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): > 894 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0,068 mg/l

Exposure time: 72 h

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l

Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0,001 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

NOEC: 114 mg/l Exposure time: 21 d

Species: Cyprinodon variegatus (sheepshead minnow)

Method: OECD Test Guideline 211

NOEC: 560 mg/l Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 41 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

100

Toxicity to soil dwelling or-

ganisms

NOEC: 3,2 mg/kg Exposure time: 56 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 2.250 mg/kg

Species: Colinus virginianus (Bobwhite quail)

LD50: > 5.620 ppm

Species: Colinus virginianus (Bobwhite quail)

Remarks: Dietary

LD50: > 5.620 ppm

Species: Anas platyrhynchos (Mallard duck)

Remarks: Dietary

LD50: $> 98.4 \mu g/bee$ Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50: $> 9.1 \mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

06.07.2023 50000038 Date of first issue: 06.07.2023 1.0

Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects.

Phosphoric acid, trisodium salt, dodecahydrate:

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Method: EU Method C3

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Method: EU Method C3

Remarks: Based on data from similar materials

Toxicity to microorganisms EC50 (activated sludge): 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

NOEC (activated sludge): 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to soil dwelling or-

ganisms

LC50: > 3.500 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Remarks: Based on data from similar materials

sodium carbonate:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): 200 mg/l

Exposure time: 48 h Test Type: semi-static test

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water

treatment plants.

Components:

tribenuron-methyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: The product/substance is not persistent in the envi-

ronment.

Primary degradation half-lives vary with circumstances, from a

few days to a few weeks in aerobic water and soil.

Metabolites are considered as persistent.

According to the results of tests of biodegradability this prod-

uct is not readily biodegradable.

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

tribenuron-methyl (ISO):

Bioaccumulation : Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -0,38

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

tial for leaching to groundwater.

Components:

tribenuron-methyl (ISO):

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

tial for leaching to groundwater.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

No other ecological effects to be specially mentioned.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Tribenuron-methyl)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

06.07.2023 50000038 Date of first issue: 06.07.2023 1.0

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the

control of major-accident hazards involving dangerous substances.

Other regulations:

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

ENVIRONMENTAL HAZARDS

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

E1

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohy-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

drate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



GRANSTAR® 50 SG®

Version Revision Date: SDS Number: Date of last issue: -

1.0 06.07.2023 50000038 Date of first issue: 06.07.2023

Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method

STOT RE 2 H373 Based on product data or assessment Aquatic Acute 1 H400 Based on product data or assessment

Aguatic Chronic 1 H410 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

CY/6N